

Package ‘vader’

October 12, 2022

Title Valence Aware Dictionary and sEntiment Reasoner (VADER)

Version 0.2.1

Description A lexicon and rule-based sentiment analysis tool that is specifically attuned to sentiments expressed in social media, and works well on texts from other domains. Hutto & Gilbert (2014) <<https://www.aaii.org/ocs/index.php/ICWSM/ICWSM14/paper/view/8109/8122>>.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.1.0

Imports tm

Depends R (>= 2.10)

Suggests spelling

Language en-US

NeedsCompilation no

Author Katherine Roehrick [aut, cre]

Maintainer Katherine Roehrick <kr.gitcode@gmail.com>

Repository CRAN

Date/Publication 2020-09-07 14:20:03 UTC

R topics documented:

| | |
|---------------------|---|
| get_vader | 2 |
| vader_df | 3 |

| | |
|--------------|----------|
| Index | 5 |
|--------------|----------|

`get_vader`*Get a named vector of vader results for a single text document*

Description

Use `get_vader()` to calculate the valence of a single text document.

Usage

```
get_vader(text, incl_nt = T, neu_set = T, rm_qm = T)
```

Arguments

| | |
|----------------------|--|
| <code>text</code> | to be analyzed; for <code>get_vader()</code> , the text should be a character string |
| <code>incl_nt</code> | defaults to T, indicates whether you wish to incl UNUSUAL n't contractions (e.g., yesn't) in negation analysis |
| <code>neu_set</code> | defaults to T, indicates whether you wish to count neutral words in calculations |
| <code>rm_qm</code> | defaults to T, indicates whether you wish to clean quotation marks from text (setting to F may result in errors) |

Value

A named vector containing the valence score for each word; an overall, compound valence score for the text; the weighted percentage of positive, negative, and neutral words in the text; and the frequency of the word "but".

References

For the original Python Code, please see:

- <https://github.com/cjhutto/vaderSentiment>
- <https://github.com/cjhutto/vaderSentiment/blob/master/vaderSentiment/vaderSentiment.py>

For the original R Code, please see:

- <https://github.com/nrguimaraes/sentimentSetsR/blob/master/R/ruleBasedSentimentFunctions.R>

Modifications to the above scripts include, but are not limited to:

- ALL CAPS fx: updated to account for non-alpha words; i.e. "I'M 100 PERCENT SURE" would previously have been counted as mixed case due to the use of numbers
- IDIOMS fx: added capacity to check for idioms that do not contain any words found in the Vader Lexicon
- WORDS+EMOT: strip punctuation while preserving ALL emoticons found in dictionary
- Option to turn on/off neutral count

N.B.

In the examples below, "yesn't" is an internet neologism meaning "no", "maybe yes, maybe no", "didn't", etc.

See Also

[vader_df](#) to get vader results for multiple text documents

Examples

```
get_vader("I yesn't like it")
get_vader("I yesn't like it", incl_nt = FALSE)
get_vader("I yesn't like it", neu_set = FALSE)
get_vader("I said \"I'm not happy\"", rm_qm = FALSE)
get_vader("I said \" I'm not happy \" ", rm_qm = FALSE)
```

vader_df

Get a dataframe of vader results for multiple text documents

Description

Use vader_df() to calculate the valence of multiple texts contained within a vector or column in a dataframe.

Usage

```
vader_df(text, incl_nt = T, neu_set = T, rm_qm = F)
```

Arguments

| | |
|---------|--|
| text | to be analyzed; for vader_df(), the text should be a single vector (e.g. 1 column) |
| incl_nt | defaults to T, indicates whether you wish to incl UNUSUAL n't contractions (e.g., yesn't) in negation analysis |
| neu_set | defaults to T, indicates whether you wish to count neutral words in calculations |
| rm_qm | defaults to T, indicates whether you wish to clean quotation marks from text (setting to F may result in errors) |

Value

A dataframe containing the valence score for each word; an overall, compound valence score for the text; the weighted percentage of positive, negative, and neutral words in the text; and the frequency of the word "but".

N.B.

In the examples below, "yesn't" is an internet neologism meaning "no", "maybe yes, maybe no", "didn't", etc.

See Also

[get_vader](#) to get vader results for a single text document

Index

`get_vader`, [2](#), [4](#)

`vader_df`, [3](#), [3](#)