

Package ‘affylmGUI’

October 8, 2015

Version 1.42.0

Date 2015/04/10

Title GUI for affy analysis using limma package

Author James Wettenhall and Ken Simpson Division of Genetics and Bioinformatics, WEHI.

Maintainer Keith Satterley <keith@wehi.edu.au>

Imports limma, tcltk, affy, BiocInstaller, affyio, tkrplot, affyPLM,
R2HTML, xtable, gcrma, AnnotationDbi

LazyLoad yes

Description A Graphical User Interface for affy analysis using the limma Microarray package

License LGPL

URL <http://bioinf.wehi.edu.au/affylmGUI/>

biocViews Microarray, OneChannel, DataImport, QualityControl,
Preprocessing, DifferentialExpression, MultipleComparison, GUI

NeedsCompilation no

R topics documented:

affylmGUI	1
ALGchangeLog	6
Index	7

affylmGUI *Graphical User Interface for the limma microarray package*

Description

Graphical User Interface for Affy analysis using the limma microarray package

Usage

```
AboutaffyImGUI()
affyHelp()
affyImGUI(BigfontsForaffyImGUIpresentation=FALSE)
affyImGUIhelp()
affyPlotMA()
affyPlotMAcontrast()
ALGlimmaUsersGuide(view=TRUE)
ChooseCDF()
ChooseContrastParameterization()
chooseDir()
ChooseEbayesStatistic()
ComputeContrasts()
ComputeLinearModelFit()
CopyGraph(img)
DeleteContrastParameterization()
deleteItemFromList(list1,itemName=NULL,index=NULL)
DensityPlot()
DensityPlotAll()
evalRcode()
ExportHTMLreport()
ExportNormalizedExpressionValues()
ExportTopTable()
fixSeps(string)
generalPlotFunction(code="",WindowTitle="")
GetComponentstoExportInHTMLreport(contrastParameterizationIndex=NULL)
GetContrast(contrastParameterizationIndex)
GetContrastNamesForHeatDiagram(numContrasts=2,ContrastNames=c("Contrast 1","Contrast 2"))
GetContrastParameterizationName()
GetContrasts(NumContrasts=0)
GetDEcutoff()
GetGeneLabelsOptions()
GetJpegOrPngParams(graphFileType)
GetJpegOrPngX11Params(graphFileType)
GetlimmaDataSetName()
GetLogPLMDataChoice()
GetMultipleContrasts(contrastParameterizationIndex)
GetNormalizationMethod()
getPackageVersion(pkgName)
GetParameterizationName()
GetPlotLabels(plottitle="",xlabel="",ylabel="")
GetPlotSize()
GetPlotTitle(plottitle="")
GetPValueCutoff(p.value=0.01)
GetResidualTypeChoice()
GetRNATypesFrom.ContrastsFromDropDowns.String(string)
GetSetNames(numSets=2,set1="",set2="",set3="")
GetSlideNum(all=FALSE)
```

```
GetSlideNums()
GetWhichProbes(includeBoth=FALSE)
GetWtAreaParams()
GetWtFlagParams()
HeatDiagramDialog(parameterName)
HeatDiagramPlot()
HTMLplotUsingFunction(Caption = "", File = .HTML.file, GraphRelativeDirectory = ".", GraphAbsoluteDir
ImageArrayPlot()
ImageQualityResidualPlot()
ImageQualityWeightPlot()
initGlobals()
IntensityHistogram()
IntensityHistogramAll()
limmaHelp()
LogOddsPlot()
NewLimmaFile()
NormalizedIntensityBoxPlot()
NormalizeNow()
nstrstr(haystack, needle)
NUSEPlotAll()
onDestroy()
onExit()
OpenALimmaFile(FileName)
OpenCDFandTargetsfiles()
OpenCDFFile()
OpenLimmaFile()
OpenTargetsFile()
PlotOptions()
QQTplot()
RawIntensityBoxPlot()
Require(pkg)
Resize(img, plotFunction)
RLEPlotAll()
RNADegradationPlotAll()
SaveAsLimmaFile()
SaveGraphAsJpeg(initialfile, plotFunction)
SaveGraphAsPDF(initialfile, plotFunction)
SaveGraphAsPNG(initialfile, plotFunction)
SaveGraphAsPostscript(initialfile, plotFunction)
SaveLimmaFile()
SetupPlotKeyBindings(tt, img)
SetupPlotMenus(tt, initialfile, plotFunction, img)
SetWD()
showChangeLog(n = 20)
showCitations()
showTopTable(..., export=FALSE)
SimplifyContrastsExpression(string)
strstr(haystack, needle)
```

```

tclArrayVar()
TclRequire(tclPkg)
topTable2(fit, coef = 1, number = 10, genelist = NULL, adjust.method = "holm", sort.by = "B")
toptable2(fit, coef = 1, number = 10, genelist = NULL, A = NULL, eb = NULL, adjust.method = "holm", sort
Try(expr)
TryReadImgProcFile(expr)
UpDownOrBoth()
vennDiagramaffyImGUI(object, include = "both", names, cex = 1.5, mar = rep(1, 4), ...)
VennDiagramPlot()
ViewContrastsMatrixAsPairs(contrastsMatrix, contrastsMatrixList, contrastParameterizationIndex = NULL)
ViewContrastsMatrixInTable(contrastsMatrixList, contrastParameterizationIndex = NULL)
ViewExistingContrastParameterization()
ViewRNATargets()

```

Arguments

BigfontsForaffyImGUIpresentation	affyImGUI:arg1: If set to TRUE, larger fonts are used. However, some font sizes are not controlled by affyImGUI and so must be adjusted in the operating system, e.g. in the Control Panel in Windows under Display, Appearance.
...	HTMLplotUsingFunction:arg14:and:showTopTable:arg1:and:toptable2:arg9:and:vennDiagramaffyImGUI
Align	HTMLplotUsingFunction:arg8
all	GetSlideNum:arg1
BG	HTMLplotUsingFunction:arg12
Caption	HTMLplotUsingFunction:arg1
code	generalPlotFunction: arg1: a code
ContrastNames	GetContrastNamesForHeatDiagram:arg2
contrastParameterizationIndex	GetComponentsToExportInHTMLreport:arg1:and:contrastParameterizationIndex:arg1:and:GetContrast:
export	showTopTable:arg2
expr	Try:arg1:and:TryReadImgProcFile:arg1
File	HTMLplotUsingFunction:arg2
FileName	OpenALimmaFile:arg1
GraphAbsoluteDirectory	HTMLplotUsingFunction:arg4
GraphBorder	HTMLplotUsingFunction:arg7
GraphFileName	HTMLplotUsingFunction:arg5
graphFileType	GetJpegOrPngParams:arg1:and:GetJpegOrPngX11Params:arg1
GraphRelativeDirectory	HTMLplotUsingFunction:arg3
GraphSaveAs	HTMLplotUsingFunction:arg6
haystack	nstrstr:arg1:and:strstr:arg1
Height	HTMLplotUsingFunction:arg11

img	Resize:arg1:and:SetupPlotMenus:arg4:and:CopyGraph:arg1:and:SetupPlotKeyBindings:arg2
includeBoth	GetWhichProbes:arg1
index	deleteItemFromList:arg3:an index
initialfile	SetupPlotMenus:arg2:and:SaveGraphAsJpeg:arg1:and:SaveGraphAsPDF:arg1:and:SaveGraphAsPNG:arg1
itemName	deleteItemFromList:arg2:an item name
list1	deleteItemFromList:arg1:a list
needle	nstrstr:arg2:and:strstr:arg2
NumContrasts	GetContrasts:arg1
numContrasts	GetContrastNamesForHeatDiagram:arg1
numSets	GetSetNames:arg1
p.value	GetPValueCutoff:arg1:A p-value cutoff.
parameterName	HeatDiagramDialog:arg1
pkgName	getPackageVersion:arg1
pkg	Require:arg1
plotFunction	Resize:arg2:and:HTMLplotUsingFunction:arg9:and:SetupPlotMenus:arg3:and:SaveGraphAsJpeg:arg2:and:SaveGraphAsPDF:arg1:and:SaveGraphAsPNG:arg1
plottitle	GetPlotLabels:arg1:and:GetPlotTitle:arg1
res	HTMLplotUsingFunction:arg13
set1	GetSetNames:arg2
set2	GetSetNames:arg3
set3	GetSetNames:arg4
string	fixSeps:arg1:A character string:and:GetRNATypesFrom.ContrastsFromDropDowns.String:arg1:and:SimpleHeatDiagramDialog:arg1
tc1Pkg	TclRequire:arg1
tt	SetupPlotMenus:arg1:and:SetupPlotKeyBindings:arg1
view	ALGlimmaUsersGuide:arg1:A boolean determinig if the users'd guide will be viewed
Width	HTMLplotUsingFunction:arg10
WindowTitle	generalPlotFunction: arg2: a title
xlabel	GetPlotLabels:arg2
ylabel	GetPlotLabels:arg3
fit	topTable2:arg1:and:toptable2:arg1
coef	topTable2:arg2:and:toptable2:arg2
number	topTable2:arg3:and:toptable2:arg3
genelist	topTable2:arg4:and:toptable2:arg4
A	toptable2:arg5
eb	toptable2:arg6
adjust.method	topTable2:arg5:and:toptable2:arg7
sort.by	topTable2:arg6:and:toptable2:arg8

object	vennDiagramaffylmGUI:arg1
include	vennDiagramaffylmGUI:arg2
names	vennDiagramaffylmGUI:arg3
cex	vennDiagramaffylmGUI:arg4
mar	vennDiagramaffylmGUI:arg5
contrastsMatrix	ViewContrastsMatrixAsPairs:arg1
contrastsMatrixList	ViewContrastsMatrixAsPairs:arg2:and:ViewContrastsMatrixInTable:arg1
n	showChangeLog:arg1
PointSize	HTMLplotUsingFunction:arg12

Details

This function launches a Graphical User Interface for the limma package by Gordon Smyth. The GUI uses Tk widgets (via the R TclTk interface by Peter Dalgaard) in order to provide a simple interface to the limma functions for linear modelling of microarrays and identification of differentially expressed genes.

Author(s)

James Wettenhall

ALGchangeLog	<i>affylmGUI Change Log</i>
--------------	-----------------------------

Description

Write as text the most recent changes from the affylmGUI package changelog.

Usage

```
ALGchangeLog(n=20)
```

Arguments

n integer, number of lines to write of changelog.

Value

No value is produced, but a number of lines of text are written to standard output.

Author(s)

Gordon Smyth

Index

*Topic **IO**

affyImGUI, 1

*Topic **documentation**

ALGchangeLog, 6

AboutaffyImGUI (affyImGUI), 1

affyHelp (affyImGUI), 1

affyImGUI, 1

affyImGUIhelp (affyImGUI), 1

affyPlotMA (affyImGUI), 1

affyPlotMAcontrast (affyImGUI), 1

ALGchangeLog, 6

ALGlimmaUsersGuide (affyImGUI), 1

ChooseCDF (affyImGUI), 1

ChooseContrastParameterization
(affyImGUI), 1

chooseDir (affyImGUI), 1

ChooseEbayesStatistic (affyImGUI), 1

ComputeContrasts (affyImGUI), 1

ComputeLinearModelFit (affyImGUI), 1

CopyGraph (affyImGUI), 1

DeleteContrastParameterization
(affyImGUI), 1

deleteItemFromList (affyImGUI), 1

DensityPlot (affyImGUI), 1

DensityPlotAll (affyImGUI), 1

evalRcode (affyImGUI), 1

ExportHTMLreport (affyImGUI), 1

ExportNormalizedExpressionValues
(affyImGUI), 1

ExportTopTable (affyImGUI), 1

fixSeps (affyImGUI), 1

generalPlotFunction (affyImGUI), 1

GetComponentsToExportInHTMLreport
(affyImGUI), 1

GetContrast (affyImGUI), 1

GetContrastNamesForHeatDiagram
(affyImGUI), 1

GetContrastParameterizationName
(affyImGUI), 1

GetContrasts (affyImGUI), 1

GetDEcutoff (affyImGUI), 1

GetGeneLabelsOptions (affyImGUI), 1

GetJpegOrPngParams (affyImGUI), 1

GetJpegOrPngX11Params (affyImGUI), 1

GetlimmaDataSetName (affyImGUI), 1

GetLogPLMDataChoice (affyImGUI), 1

GetMultipleContrasts (affyImGUI), 1

GetNormalizationMethod (affyImGUI), 1

getPackageVersion (affyImGUI), 1

getParameterizationName (affyImGUI), 1

GetPlotLabels (affyImGUI), 1

GetPlotSize (affyImGUI), 1

GetPlotTitle (affyImGUI), 1

GetPValueCutoff (affyImGUI), 1

GetResidualTypeChoice (affyImGUI), 1

GetRNATypesFrom.ContrastsFromDropDowns.String
(affyImGUI), 1

GetSetNames (affyImGUI), 1

GetSlideNum (affyImGUI), 1

GetSlideNums (affyImGUI), 1

GetWhichProbes (affyImGUI), 1

GetWtAreaParams (affyImGUI), 1

GetWtFlagParams (affyImGUI), 1

HeatDiagramDialog (affyImGUI), 1

HeatDiagramPlot (affyImGUI), 1

HTMLplotUsingFunction (affyImGUI), 1

ImageArrayPlot (affyImGUI), 1

ImageQualityResidualPlot (affyImGUI), 1

ImageQualityWeightPlot (affyImGUI), 1

initGlobals (affyImGUI), 1

IntensityHistogram (affyImGUI), 1

IntensityHistogramAll (affyImGUI), 1

limmaHelp (affyImGUI), 1
 LogOddsPlot (affyImGUI), 1

 NewLimmaFile (affyImGUI), 1
 NormalizedIntensityBoxPlot (affyImGUI),
 1
 NormalizeNow (affyImGUI), 1
 nstrstr (affyImGUI), 1
 NUSEPlotAll (affyImGUI), 1

 onDestroy (affyImGUI), 1
 onExit (affyImGUI), 1
 OpenALimmaFile (affyImGUI), 1
 OpenCDFandTargetsfiles (affyImGUI), 1
 OpenCDFFile (affyImGUI), 1
 OpenLimmaFile (affyImGUI), 1
 OpenTargetsFile (affyImGUI), 1

 PlotOptions (affyImGUI), 1

 QQTplot (affyImGUI), 1

 RawIntensityBoxPlot (affyImGUI), 1
 Require (affyImGUI), 1
 Resize (affyImGUI), 1
 RLEPlotAll (affyImGUI), 1
 RNADegradationPlotAll (affyImGUI), 1

 SaveAsLimmaFile (affyImGUI), 1
 SaveGraphAsJpeg (affyImGUI), 1
 SaveGraphAsPDF (affyImGUI), 1
 SaveGraphAsPNG (affyImGUI), 1
 SaveGraphAsPostscript (affyImGUI), 1
 SaveLimmaFile (affyImGUI), 1
 SetupPlotKeyBindings (affyImGUI), 1
 SetupPlotMenus (affyImGUI), 1
 SetWD (affyImGUI), 1
 showChangeLog (affyImGUI), 1
 showCitations (affyImGUI), 1
 showTopTable (affyImGUI), 1
 SimplifyContrastsExpression
 (affyImGUI), 1
 strstr (affyImGUI), 1

 tclArrayVar (affyImGUI), 1
 TclRequire (affyImGUI), 1
 topTable2 (affyImGUI), 1
 toptable2 (affyImGUI), 1
 Try (affyImGUI), 1
 TryReadImgProcFile (affyImGUI), 1

 UpDownOrBoth (affyImGUI), 1

 vennDiagramaffyImGUI (affyImGUI), 1
 VennDiagramPlot (affyImGUI), 1
 ViewContrastsMatrixAsPairs (affyImGUI),
 1
 ViewContrastsMatrixInTable (affyImGUI),
 1
 ViewExistingContrastParameterization
 (affyImGUI), 1
 ViewRNATargets (affyImGUI), 1