

Package ‘genoset’

April 23, 2016

Type Package

Title Provides classes similar to ExpressionSet for copy number analysis

Version 1.24.0

Date 2015-09-12

Author Peter M. Haverty

Maintainer Peter M. Haverty <phaverty@gene.com>

Description Load, manipulate, and plot copynumber and BAF data. GenoSet class extends eSet by adding a ``locData" slot for a GRanges object. This object contains feature genome location data and provides for efficient subsetting on genome location. Provides convenience functions for processing of copy number and B-Allele Frequency data. Provides the class RleDataFrame to store runs of data along the genome for multiple samples.

License Artistic-2.0

LazyLoad yes

Depends R (>= 2.10), BiocGenerics (>= 0.11.3), Biobase (>= 2.15.1), GenomicRanges (>= 1.17.19), SummarizedExperiment

Imports S4Vectors (>= 0.2.3), GenomeInfoDb (>= 1.1.3), IRanges, methods, graphics

Suggests RUnit, knitr, BiocStyle, DNACopy, stats, BSgenome, Biostrings

Enhances parallel

ByteCompile TRUE

biocViews Infrastructure, DataRepresentation, Microarray, SNP, CopyNumberVariation

Collate 'genoset-class.R' 'RleDataFrame-class.R'
'RleDataFrame-methods.R' 'bounds.R' 'junk.R' 'ordering.R'
'plots.R' 'rangeSummaries.R' 'segments.R'
'test_genoset_package.R' 'utils.R' 'zzz.R'

VignetteBuilder knitr

URL <https://github.com/phaverty/genoSet>

NeedsCompilation yes

R topics documented:

genoSet-package	3
API	3
baf2mbaf	4
boundingIndices	5
boundingIndicesByChr	6
bounds2Rle	7
calcGC	8
calcGC2	9
chr	9
chrIndices	10
chrInfo	11
chrNames	11
chrOrder	12
cn2lr	13
colnames,GenoSet-method	13
dim,GenoSet-method	14
elementLengths,GenoSet-method	15
end,GenoSet-method	15
fixSegNAs	16
gcCorrect	16
genome	17
genome,GenoSet-method	17
genomeAxis	18
genoPlot	19
genoPos	20
GenoSet	21
GenoSet-class	22
genoSet-datasets	24
genoSet-defunct	24
genoSet-deprecated	25
initGenoSet	25
isGenomeOrder	26
locData	27
lr2cn	28
modeCenter	28
names,GenoSet-method	29
nrow,GenomicRanges-method	29
nrow,GRanges-method	30
numCallable	30
pos	31
rangeSampleMeans	31
rangeSegMeanLength	32

readGenoSet 33
 RleDataFrame-class 34
 RleDataFrame-views 36
 rownames,GenomicRanges-method 37
 runCBS 38
 segPairTable 40
 segs2Granges 41
 segs2Rle 42
 segs2RleDataFrame 43
 segTable 44
 show,GenoSet-method 45
 start,GenoSet-method 45
 subsetAssayData 46
 toGenomeOrder 46
 width,GenoSet-method 47
 [,GenoSet,ANY-method 48

Index 49

genoset-package *GenoSet: An eSet for data with genome locations*

Description

Load, manipulate, and plot copynumber and BAF data. GenoSet class extends eSet by adding a "locData" slot for a GenomicRanges object. This object contains feature genome location data and provides for efficient subsetting on genome location. Genoset also implements an number of convenience functions for processing of copy number and B-Allele Frequency data and for working with segmented data.

See Also

genoset-datasets GenoSet

API *Converting eSet API to RangedSummarizedExperiment*

Description

Converting eSet API to RangedSummarizedExperiment

Usage

```
## S4 method for signature 'GenoSet'
pData(object)

## S4 method for signature 'GenoSet'
colData(x)

## S4 method for signature 'GenoSet'
assays(x, ..., withDimnames = TRUE)

## S4 method for signature 'GenoSet,ANY'
assay(x, i)

## S4 replacement method for signature 'GenoSet,ANY,ANY'
assay(x, i) <- value

## S4 method for signature 'GenoSet'
assayNames(x)
```

Arguments

object	GenoSet
x	GenoSet
...	extra arguments
withDimnames	scalar logical, should assays be returned with dimnames? Currently always TRUE for GenoSet.
i	name or index of assay to select
value	new value to insert in assays, a matrix-like object

baf2mbaf

Calculate mBAF from BAF

Description

Calculate Mirrored B-Allele Frequency (mBAF) from B-Allele Frequency (BAF) as in Staaf et al., Genome Biology, 2008. BAF is converted to mBAF by folding around 0.5 so that is then between 0.5 and 1. HOM values are then made NA to leave only HET values that can be easily segmented. Values > hom.cutoff are made NA. Then, if genotypes (usually from a matched normal) are provided as the matrix 'calls' additional HOMs can be set to NA. The argument 'call.pairs' is used to match columns in 'calls' to columns in 'baf'.

Usage

```
baf2mbaf(baf, hom.cutoff = 0.95, calls = NULL, call.pairs = NULL)
```

Arguments

baf	numeric matrix of BAF values
hom.cutoff	numeric, values above this cutoff to be made NA (considered HOM)
calls	matrix of NA, CT, AG, etc. genotypes to select HETs (in normals). Dimnames must match baf matrix.
call.pairs	list, names represent target samples for HOMs to set to NA. Values represent columns in "calls" matrix.

Value

numeric matrix of mBAF values

Examples

```
data(genoset)
mbaf = baf2mbaf( genoset.ds[, , "baf"], hom.cutoff=0.9 )
calls = matrix(sample(c("AT","AA","CG","GC","AT","GG"),(nrow(genoset.ds) * 2),replace=TRUE),ncol=2,dimnames=1)
mbaf = baf2mbaf( genoset.ds[, , "baf"], hom.cutoff=0.9, calls = calls, call.pairs = list(K="L",L="L") ) # Sample
genoset.ds[, , "mbaf"] = baf2mbaf( genoset.ds[, , "baf"], hom.cutoff=0.9 ) # Put mbaf back into the BAFSet object
```

boundingIndices

Find indices of features bounding a set of chromosome ranges/genes

Description

This function is similar to `findOverlaps` but it guarantees at least two features will be covered. This is useful in the case of finding features corresponding to a set of genes. Some genes will fall entirely between two features and thus would not return any ranges with `findOverlaps`. Specifically, this function will find the indices of the features (first and last) bounding the ends of a range/gene (start and stop) such that $\text{first} \leq \text{start} < \text{stop} \leq \text{last}$. Equality is necessary so that multiple conversions between indices and genomic positions will not expand with each conversion. Ranges/genes that are outside the range of feature positions will be given the indices of the corresponding first or last index rather than 0 or $n + 1$ so that genes can always be connected to some data.

Usage

```
boundingIndices(starts, stops, positions, all.indices = FALSE)
```

Arguments

starts	integer vector of first base position of each query range
stops	integer vector of last base position of each query range
positions	Base positions in which to search
all.indices	logical, return a list containing full sequence of indices for each query

Details

This function uses some tricks from findIntervals, where is for k queries and n features it is $O(k * \log(n))$ generally and $\sim O(k)$ for sorted queries. Therefore will be dramatically faster for sets of query genes that are sorted by start position within each chromosome. The index of the stop position for each gene is found using the left bound from the start of the gene reducing the search space for the stop position somewhat. boundingIndices does not check for NAs or unsorted data in the subject positions. These assumptions are safe for position info coming from a GenoSet or GRanges.

Value

integer matrix of 2 columns for start and stop index of range in data or a list of full sequences of indices for each query (see all.indices argument)

See Also

Other "range summaries": [boundingIndicesByChr](#); [rangeSampleMeans](#)

Examples

```
starts = seq(10,100,10)
boundingIndices( starts=starts, stops=starts+5, positions = 1:100 )
```

`boundingIndicesByChr` *Find indices of features bounding a set of chromosome ranges/genes, across chromosomes*

Description

Finds subject ranges corresponding to a set of genes (query ranges), taking chromosome into account. Specifically, this function will find the indices of the features (first and last) bounding the ends of a range/gene (start and stop) such that $\text{first} \leq \text{start} < \text{stop} \leq \text{last}$. Equality is necessary so that multiple conversions between indices and genomic positions will not expand with each conversion. Ranges/genes that are outside the range of feature positions will be given the indices of the corresponding first or last index on that chromosome, rather than 0 or $n + 1$ so that genes can always be connected to some data. Checking the left and right bound for equality will tell you when a query is off the end of a chromosome.

Usage

```
boundingIndicesByChr(query, subject)
```

Arguments

query	GRanges or something coercible to GRanges
subject	GenomicRanges

Details

This function uses some tricks from `findIntervals`, where is for k queries and n features it is $O(k * \log(n))$ generally and $\sim O(k)$ for sorted queries. Therefore will be dramatically faster for sets of query genes that are sorted by start position within each chromosome. The index of the stop position for each gene is found using the left bound from the start of the gene reducing the search space for the stop position somewhat.

This function differs from `boundingIndices` in that 1. it uses both start and end positions for the subject, and 2. query and subject start and end positions are processed in blocks corresponding to chromosomes.

Both query and subject must be in at least weak genome order (sorted by start within chromosome blocks).

Value

integer matrix with two columns corresponding to indices on left and right bound of queries in subject

See Also

Other "range summaries": [boundingIndices](#); [rangeSampleMeans](#)

 bounds2Rle

Convert bounding indices into a Rle

Description

Given a matrix of first/last indices, like from `boundingIndicesByChr`, and values for each range, convert to a `Rle`. This function takes the expected length of the `Rle`, n , so that any portion of the full length not covered by a first/last range will be a run with the value `NA`. This is typical in the case where data is segmented with CBS and some of the data to be segmented is `NA`.

Usage

```
bounds2Rle(bounds, values, n)
```

Arguments

<code>bounds</code>	matrix, two columns, with first and last index, like from <code>boundingIndicesByChr</code>
<code>values</code>	ANY, some value to be associated with each range, like segmented copy number.
<code>n</code>	integer, the expected length of the <code>Rle</code> , i.e. the number of features in the genome/target ranges processed by <code>boundingIndicesByChr</code> .

Value

`Rle`

See Also

Other "segmented data": [rangeSegMeanLength](#), [rangeSegMeanLength](#), [GRanges](#), [data.frame-method](#), [rangeSegMeanLength](#), [GRanges](#), [list-method](#); [runCBS](#); [segPairTable](#), [segPairTable](#), [DataFrame](#), [DataFrame-method](#), [segPairTable](#), [Rle](#), [Rle-method](#); [segTable](#), [segTable](#), [DataFrame-method](#), [segTable](#), [Rle-method](#); [segs2Granges](#); [segs2RleDataFrame](#); [segs2Rle](#)

 calcGC

Calculate GC Percentage in windows

Description

Local GC content can be used to remove GC artifacts from copynumber data (see Diskin et al, Nucleic Acids Research, 2008, PMID: 18784189). This function will calculate GC content fraction in expanded windows around a set of ranges following example in <http://www.bioconductor.org/help/course-materials/2012/useR2012/Bioconductor-tutorial.pdf>. Currently all ranges are tabulated, later I may do `letterFrequencyInSlidingWindow` for big windows and then match to the nearest.

Usage

```
calcGC(object, bsgenome, expand = 1e+06, bases = c("G", "C"))
```

Arguments

object	GenomicRanges or GenoSet
bsgenome	BSgenome, like Hsapiens from BSgenome.Hsapiens.UCSC.hg19 or DNASTringSet.
expand	scalar integer, amount to expand each range before calculating gc
bases	character, alphabet to count, usually <code>c("G", "C")</code> , but "N" is useful too

Value

numeric vector, fraction of nucleotides that are G or C in expanded ranges of object

Examples

```
## Not run: library(BSgenome.Hsapiens.UCSC.hg19)
## Not run: gc = calcGC(genoset.ds, Hsapiens)
```

`calcGC2`*Calculate GC Percentage in sliding window*

Description

Local GC content can be used to remove GC artifacts from copynumber data (see Diskin et al, Nucleic Acids Research, 2008, PMID: 18784189). This function will calculate GC content fraction in expanded windows around a set of ranges following example in <http://www.bioconductor.org/help/course-materials/2012/useR2012/Bioconductor-tutorial.pdf>. Values are `as.integer(1e4 * fraction)` for space reasons.

Usage

```
calcGC2(dna)
```

Arguments

```
dna          BSgenome or DNASTringSet
```

Value

SimpleRleList, integer $1e4 * GC$ fraction, chromosomes 1:22, X and Y

Examples

```
## Not run: library(BSgenome.Hsapiens.UCSC.hg19)
## Not run: gc = calcGC2(Hsapiens)
```

`chr`*Chromosome name for each feature*

Description

Get chromosome name for each feature. Returns character.

Usage

```
chr(object)
```

```
## S4 method for signature 'GenoSet'
chr(object)
```

```
## S4 method for signature 'GenomicRanges'
chr(object)
```

Arguments

object GRanges GenoSet

Value

character vector of chromosome positions for each feature

Examples

```
data(genoset)
chr(genoset.ds) # c("chr1", "chr1", "chr1", "chr1", "chr3", "chr3", "chrX", "chrX", "chrX", "chrX")
chr(locData(genoset.ds)) # The same
```

chrIndices

Get a matrix of first and last index of features in each chromosome

Description

Sometimes it is handy to know the first and last index for each chr. This is like chrInfo but for feature indices rather than chromosome locations. If chr is specified, the function will return a sequence of integers representing the row indices of features on that chromosome.

Usage

```
chrIndices(object, chr = NULL)
```

```
## S4 method for signature 'GenoSetOrGenomicRanges'
chrIndices(object, chr = NULL)
```

Arguments

object GenoSet or GRanges
chr character, specific chromosome name

Value

data.frame with "first" and "last" columns

Examples

```
data(genoset)
chrIndices(genoset.ds)
chrIndices(locData(genoset.ds)) # The same
```

chrInfo	<i>Get chromosome start and stop positions</i>
---------	--

Description

Provides a matrix of start, stop and offset, in base numbers for each chromosome.

Usage

```
chrInfo(object)

## S4 method for signature 'GenoSetOrGenomicRanges'
chrInfo(object)
```

Arguments

object A GenoSet object or similar

Value

list with start and stop position, by ordered chr

Examples

```
data(genoset)
chrInfo(genoset.ds)
chrInfo(locData(genoset.ds)) # The same
```

chrNames	<i>Get list of unique chromosome names</i>
----------	--

Description

Get list of unique chromosome names

Usage

```
chrNames(object)

## S4 method for signature 'GenoSet'
chrNames(object)

## S4 method for signature 'GenomicRanges'
chrNames(object)

chrNames(object) <- value
```

```
## S4 replacement method for signature 'GenoSet'
chrNames(object) <- value

## S4 replacement method for signature 'GenomicRanges'
chrNames(object) <- value
```

Arguments

object	GenomicRanges or GenoSet
value	return value of chrNames

Value

character vector with names of chromosomes

Examples

```
data(genoset)
chrNames(genoset.ds) # c("chr1", "chr3", "chrX")
chrNames(locData(genoset.ds)) # The same
chrNames(genoset.ds) = sub("^chr", "", chrNames(genoset.ds))
```

chrOrder

Order chromosome names in proper genome order

Description

Chromosomes make the most sense orded by number, then by letter.

Usage

```
chrOrder(chr.names)
```

Arguments

chr.names	character, vector of unique chromosome names
-----------	--

Value

character vector of chromosome names in proper order

See Also

Other "genome ordering": [isGenomeOrder](#), [isGenomeOrder](#), [GRanges-method](#), [isGenomeOrder](#), [GenoSet-method](#); [toGenomeOrder](#), [toGenomeOrder](#), [GRanges-method](#), [toGenomeOrder](#), [GenoSet-method](#)

Examples

```
chrOrder(c("chr5", "chrX", "chr3", "chr7", "chrY")) # c("chr3", "chr5", "chr7", "chrX", "chrY")
```

 cn2lr

Take vector or matrix of copynumber values, convert to log2ratios

Description

Utility function for converting copynumber units (2 is normal) to log2ratio units (two is normal). If ploidy is provided lr is $\log_2(\text{cn}/\text{ploidy})$, otherwise $\log_2(\text{cn}/2)$.

Usage

```
cn2lr(x, ploidy)

## S4 method for signature 'numeric'
cn2lr(x, ploidy)

## S4 method for signature 'matrix'
cn2lr(x, ploidy)

## S4 method for signature 'DataFrame'
cn2lr(x, ploidy)
```

Arguments

`x` numeric vector or matrix, or DataFrame with numeric-like columns (Rle typically). Assumed to be in copynumber units.

`ploidy` numeric, of length `ncol(x)`. Ploidy of each sample.

Value

data of same type as "x" transformed into log2ratio units

See Also

lr2cn

 colnames, GenoSet-method

Get colnames from a GenoSet

Description

Get colnames from a GenoSet

Usage

```
## S4 method for signature 'GenoSet'  
colnames(x)  
  
## S4 replacement method for signature 'GenoSet'  
colnames(x) <- value  
  
## S4 method for signature 'GenoSet'  
sampleNames(object)  
  
## S4 replacement method for signature 'GenoSet,ANY'  
sampleNames(object) <- value
```

Arguments

x	GenoSet
value	character, incoming colnames
object	a Genoset

Value

character vector with names of samples

Examples

```
data(genoset)  
head(colnames(genoset.ds))
```

dim,GenoSet-method *Dimensions*

Description

Dimensions

Usage

```
## S4 method for signature 'GenoSet'  
dim(x)
```

Arguments

x	GenoSet
---	---------

Value

integer

`elementLengths,GenoSet-method`
Get elementLengths from locData slot

Description

Get elementLengths from locData slot

Usage

```
## S4 method for signature 'GenoSet'  
elementLengths(x)  
  
## S4 method for signature 'GenomicRanges'  
elementLengths(x)
```

Arguments

x GenoSet

Value

character

`end,GenoSet-method` *Get end of location for each feature*

Description

Get end of location for each feature

Usage

```
## S4 method for signature 'GenoSet'  
end(x)
```

Arguments

x GenoSet

Value

integer

 fixSegNAs

Fix NA runs in a Rle

Description

Fix NA runs in a Rle when the adjacent runs have equal values

Usage

```
fixSegNAs(x, max.na.run = 3)
```

Arguments

x	Rle to be fixed
max.na.run	integer, longest run of NAs that will be fixed

Value

Rle

gcCorrect

Correct copy number for GC content

Description

Copy number estimates from various platforms show "Genomic Waves" (Diskin et al., Nucleic Acids Research, 2008, PMID: 18784189) where copy number trends with local GC content. This function regresses copy number on GC percentage and removes the effect (returns residuals). GC content should be smoothed along the genome in wide windows ≥ 100 kb.

Usage

```
gcCorrect(ds, gc, retain.mean = TRUE)
```

Arguments

ds	numeric matrix of copynumber or log2ratio values, samples in columns
gc	numeric vector, GC percentage for each row of ds, must not have NAs
retain.mean	logical, center on zero or keep same mean?

Value

numeric matrix, residuals of ds regressed on gc

Examples

```
gc = runif(n=100, min=1, max=100)
ds = rnorm(100) + (0.1 * gc)
gcCorrect(ds, gc)
```

genome

Get and set the genome universe annotation.

Description

Genome version

Arguments

x GenoSet

Details

The genome positions of the features in locData. The UCSC notation (e.g. hg18, hg19, etc.) should be used.

Value

character, e.g. hg19

Examples

```
data(genoset)
genome(genoset.ds)
genome(genoset.ds) = "hg19"
```

genome, GenoSet-method *Genome version*

Description

The genome positions of the features in locData. The UCSC notation (e.g. hg18, hg19, etc.) should be used.

Usage

```
## S4 method for signature 'GenoSet'
genome(x)

## S4 replacement method for signature 'GenoSet'
genome(x) <- value
```

Arguments

x GenoSet
 value scalar character, incoming genome string

Value

character, e.g. hg19

Examples

```
data(genoset)
genome(genoset.ds)
genome(genoset.ds) = "hg19"
```

<code>genomeAxis</code>	<i>Label axis with base pair units</i>
-------------------------	--

Description

Label an axis with base positions

Usage

```
genomeAxis(locs = NULL, side = 1, log = FALSE, do.other.side = TRUE)
```

Arguments

locs GenomicRanges to be used to draw chromosome boundaries, if necessary. Usually locData slot from a GenoSet.
 side integer side of plot to put axis
 log logical Is axis logged?
 do.other.side logical, label non-genome side with data values at tick marks?

Details

Label a plot with Mb, kb, bp as appropriate, using tick locations from axTicks

Value

nothing

See Also

Other "genome plots": [genoPlot](#), [genoPlot](#), [GenoSetOrGenomicRanges](#), [ANY-method](#), [genoPlot](#), [numeric](#), [Rle-method](#), [genoPlot](#), [numeric](#), [numeric-method](#)

Examples

```

data(genoset)
  genoPlot(genoPos(genoset.ds), genoset.ds[,1, "baf"])
  genomeAxis( locs=locData(genoset.ds) ) # Add chromosome names and boundaries to a plot assuming genome along x-
  genomeAxis( locs=locData(genoset.ds), do.other.side=FALSE ) # As above, but do not label y-axis with data values
  genomeAxis() # Add nucleotide position in sensible units assuming genome along x-axis

```

 genoPlot

Plot data along the genome

Description

Plot location data and chromosome boundaries from a `GenoSet` or `GRanges` object against data from a numeric or `Rle`. Specifying a chromosome name and optionally a `'xlim'` will zoom into one chromosome region. If more than one chromosome is present, the chromosome boundaries will be marked. Alternatively, for a numeric `x` and a numeric or `Rle` `y`, data in `y` can be plotted at genome positions `x`. In this case, chromosome boundaries can be taken from the argument `locs`. If data for `y`-axis comes from a `Rle` lines are plotted representing segments. `X`-axis tickmarks will be labeled with genome positions in the most appropriate units.

Usage

```

genoPlot(x, y, ...)

## S4 method for signature 'numeric,numeric'
genoPlot(x, y, add = FALSE, xlab = "",
  ylab = "", col = "black", locs = NULL, ...)

## S4 method for signature 'numeric,Rle'
genoPlot(x, y, add = FALSE, xlab = "", ylab = "",
  col = "red", locs = NULL, lwd = 2, xlim = NULL, ...)

## S4 method for signature 'GenoSetOrGenomicRanges,ANY'
genoPlot(x, y, chr = NULL,
  add = FALSE, pch = ".", xlab = "", ylab = "", ...)

```

Arguments

<code>x</code>	<code>GenoSet</code> (or descendant) or <code>GRanges</code>
<code>y</code>	numeric or <code>Rle</code>
<code>...</code>	Additional plotting args
<code>add</code>	Add plot to existing plot
<code>xlab</code>	character, label for x-axis of plot
<code>ylab</code>	character, label for y-axis of plot
<code>col</code>	character, color to plot lines or points

locs	GRanges, like locData slot of GenoSet
lwd	numeric, line width for segment plots from an Rle
xlim	integer, length two, bounds for genome positions. Used in conjunction with "chr" to subset data for plotting.
chr	Chromosome to plot, NULL by default for full genome
pch	character or numeric, printing character, see points

Value

TRUE

Methods

signature(x = "GenoSetOrGenomicRanges", y = "ANY") Plot feature locations and data from one sample.

signature(x = "numeric", y = "numeric") Plot numeric location and a vector of numeric data.

signature(x = "numeric", y = "Rle") Plot numeric location and a vector of Rle data. Uses lines for Rle runs.

See Also

Other "genome plots": [genomeAxis](#)

Examples

```
data(genoset)
genoPlot( x=genoset.ds,y=genoset.ds[,1,"lrr"] )
genoPlot( genoPos(genoset.ds), genoset.ds[,1,"lrr"], locs=locData(genoset.ds) ) # The same
genoPlot( 1:10, Rle(c(rep(0,5),rep(3,4),rep(1,1))) )
```

 genoPos

Get base positions of features in genome-scale units

Description

Get base positions of array features in bases counting from the start of the genome. Chromosomes are ordered numerically, when possible, then lexically.

Usage

```
genoPos(object)
```

```
## S4 method for signature 'GenoSetOrGenomicRanges'
```

```
genoPos(object)
```

Arguments

object A GenoSet object or a GenomicRanges object

Value

numeric position of each feature in whole genome units, in original order

Examples

```
data(genoset)
head(genoPos(genoset.ds))
head(genoPos(locData(genoset.ds))) # The same
```

GenoSet *Create a GenoSet object*

Description

This function is the preferred method for creating a new GenoSet object. Users are generally discouraged from calling "new" directly. Any "..." arguments will become part of the assayData slot of the resulting object. "..." can be matrices or DataFrame objects (from IRanges). This function passes control to the "initGenoSet" method which performs argument checking including dimname matching among relevant slots and sets everything to genome order. Genome order can be disrupted by "[" calls and will be checked by methods that require it.

Usage

```
GenoSet(locData, pData = NULL, annotation = "", assayData = NULL, ...)
```

Arguments

locData A GRanges object specifying feature chromosome locations. Rownames are required to match featureNames.

pData A data frame with rownames matching all data matrices

annotation character, string to specify chip/platform type

assayData assayData, usually an environment

... More matrix or DataFrame objects to include in assayData

Value

A GenoSet object

Examples

```

test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
gs = GenoSet(
  locData=GRanges(ranges=IRanges(start=1:10,width=1,names=probe.names),seqnames=c(rep("chr1",4),rep("chr3",2)),
  cn=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6" )

```

GenoSet-class

Class "GenoSet"

Description

GenoSet extends eSet by adding genome location information in the form of the locData slot. GenoSet uses this location information to allow quick subsetting and summarization by a set of genome locations (GRanges). GenoSet implements and extends the GRanges API for access to the underlying location information.

Objects from the Class

Objects can be created by calls of the form `new("GenoSet", assayData, phenoData, featureData, experimentData, ...)`. However, as per BioConductor standard practice the object creation function `GenoSet` is recommended.

Slots

locData: Object of class "GenomicRanges" Locations of features on the genome

assayData: Object of class "AssayData" From eSet

phenoData: Object of class "AnnotatedDataFrame" From eSet

featureData: Object of class "AnnotatedDataFrame" From eSet

experimentData: Object of class "MIxM" From eSet

annotation: Object of class "character" From eSet

protocolData: Object of class "AnnotatedDataFrame" From eSet

.__classVersion__: Object of class "Versions" From eSet

Extends

Class `eSet`, directly.

Methods

```

[ signature(x = "GenoSet", i = "ANY", j = "ANY", drop = "ANY"): ...
[ signature(x = "GenoSet", i = "character", j = "ANY", drop = "ANY"): ...
[<- signature(x = "GenoSet", i = "ANY", j = "ANY", value = "ANY"): ...
chr signature(object = "GenoSet"): ...
chrNames signature(object = "GenoSet"): ...
elementLengths signature(x = "GenoSet"): ...
featureNames signature(object = "GenoSet"): ...
featureNames<- signature(object = "GenoSet"): ...
sampleNames signature(object = "GenoSet"): ...
dim signature(object = "GenoSet"): ...
genoPlot signature(x = "GenoSet", y = "ANY"): ...
locData signature(object = "GenoSet"): ...
names signature(x = "GenoSet"): ...
ranges signature(x = "GenoSet"): ...
chrInfo signature(x = "GenoSet"): ...
chrIndices signature(x = "GenoSet"): ...
show signature(object = "GenoSet"): ...
toGenomeOrder signature(ds = "GenoSet"): ...
isGenomeOrder signature(ds = "GenoSet"): ...
rowRanges signature(x = "GenoSet"): ...
assays signature(x = "GenoSet"): ...
assay signature(x = "GenoSet", i="ANY"): ...
assay<- signature(x = "GenoSet", i="ANY",value="ANY"): ...
assayNames signature(x = "GenoSet"): ...
colData signature(x = "GenoSet"): ...
assayData signature(object = "GenoSet"): ...
assayDataElement signature(object = "GenoSet"): ...

```

See Also

[GenoSet](#)

Examples

```

showClass("GenoSet")
test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
gs = GenoSet(
  locData=GRanges(ranges=IRanges(start=1:10,width=1,names=probe.names),seqnames=c(rep("chr1",4),rep("chr3",2)),
  cn=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),

```

```

pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5])),
annotation="SNP6"
)

```

genoset-datasets *Example GenoSet, BAFSet, and CNSet objects and the data to create them.*

Description

Fake LRR, BAF, pData and location data were generated and saved as fake.lrr, fake.cn, fake.baf, fake.pData and locData.rd. These were used to construct the objects genoset.ds, baf.ds, and cn.ds

Usage

```
data(genoset)
```

Format

fake.lrr A matrix with some randomly generated LRR (log2ratio copynumber) data

fake.cn A matrix with some randomly generated LRR (log2ratio copynumber) data

fake.baf A matrix with some randomly generated BAF (B-Allele Frequency) data

fake.pData A data.frame of sample annotation to go with fake.lrr and fake.baf

locData.gr A GRanges object describing the genomic locations of the probes in fake.baf and fake.lrr

genoset.ds A GenoSet object created with fake.lrr as the "foo" element, locData.rd as the locData, and fake.pData as the phenoData

Source

Fake data generated using rnorm and the like.

genoset-defunct *Defunct genoset features*

Description

The CNSet and BAFSet classes are defunct. They only really added getter/setter methods for specific assayDataElements, so they are now redundant with the preferred method of using the assayDataElement name as the third argument to bracket, e.g. `x[i, j, "lrr"]`. Accordingly `BAFSet.to.ExpressionSets` is also defunct.

Details

Additionally, names, ranges, and space on a GenoSet are also defunct. In an effort to make a consistent API for either RangedData or GRanges in the locData slot, we recommend using chrNames for names and chr for space.

genoset-deprecated *Deprecated genoset features*

Description

GenoSet is moving towards using GenomicRanges instead of RangedData. We are also getting rid of dependencies on eSet for a potential switch to an underlying SummarizedExperiment.

initGenoSet *Create a GenoSet or derivative object*

Description

This function is the preferred method for creating a new GenoSet object. Users are generally discouraged from calling "new" directly. The "..." argument is for any number of matrices of matching size that will become part of the assayData slot of the resulting object. This function passes control to the "genoSet" object which performs argument checking including dimname matching among relevant slots and sets everything to genome order. Genome order can be disrupted by "[" calls and will be checked by methods that require it.

Usage

```
initGenoSet(type, locData, pData = NULL, annotation = "",
            assayData = NULL, ...)
```

Arguments

type	character, the type of object (e.g. GenoSet, BAFSet, CNSet) to be created
locData	A GRanges specifying feature chromosome locations. rownames are required to match assayData.
pData	A data frame with rownames matching colnames of all assays
annotation	character, string to specify chip/platform type
assayData	assayData, usually an environment
...	More matrix or DataFrame objects to include in assayData

Value

A GenoSet object or derivative as specified by "type" arg

Examples

```

save.image("genoset.image.rda")
genoset.session.info = sessionInfo()
save(genoset.session.info,file="genoset.session.info.rda")
test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
gs = GenoSet(
  locData=GRanges(ranges=IRanges(start=1:10,width=1,names=probe.names),seqnames=c(rep("chr1",4),rep("chr3",2),
  cn=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6" )

```

isGenomeOrder

Check if a GRanges or GenoSet is in genome order

Description

Checks that rows in each chr are ordered by start. If strict=TRUE, then chromosomes must be in order specified by chrOrder. isGenomeOrder for GRanges differs from order in that it orders by chromosome and start position only, rather than chromosome, strand, start, and width.

Usage

```

isGenomeOrder(ds, strict = TRUE)

## S4 method for signature 'GenoSet'
isGenomeOrder(ds, strict = TRUE)

## S4 method for signature 'GRanges'
isGenomeOrder(ds, strict = TRUE)

```

Arguments

```

ds          GenoSet or GRanges
strict     logical, should space/chromosome order be identical to that from chrOrder?

```

Value

logical

See Also

Other "genome ordering": [chrOrder](#); [toGenomeOrder](#), [toGenomeOrder](#), [GRanges-method](#), [toGenomeOrder](#), [GenoSet-method](#)

Examples

```

data(genoset)
isGenomeOrder( locData(genoset.ds) )

```

locData	<i>Access the feature genome position info</i>
---------	--

Description

The position information for each probe/feature is stored as an GRanges object. The locData functions allow this data to be accessed or re-set.

Usage

```
locData(object)

## S4 method for signature 'GenoSet'
locData(object)

locData(object) <- value

## S4 replacement method for signature 'GenoSet,GenomicRanges'
locData(object) <- value

## S4 method for signature 'GenoSet'
rowRanges(x)
```

Arguments

object	GenoSet
value	GRanges describing features
x	GenoSet object

Value

A GenoSet object

Examples

```
data(genoset)
rd = locData(genoset.ds)
locData(genoset.ds) = rd
```

1r2cn

Take vector or matrix of log2 ratios, convert to copynumber

Description

Utility function for converting log2ratio units (zero is normal) to copynumber units (two is normal)

Usage

```
1r2cn(x)
```

Arguments

x numeric data in log2ratio values

Value

data of same type as "x" transformed into copynumber units

See Also

cn2lr

modeCenter

Center continuous data on mode

Description

Copynumber data distributions are generally multi-modal. It is often assumed that the tallest peak represents "normal" and should therefore be centered on a log2ratio of zero. This function uses the density function to find the mode of the dominant peak and subtracts that value from the input data.

Usage

```
modeCenter(ds)
```

Arguments

ds numeric matrix

Value

numeric matrix

Examples

```
modeCenter( matrix( rnorm(150, mean=0), ncol=3 ))
```

names,GenoSet-method *Get data matrix names*

Description

Get names of data matrices. For the time being, this is assayNames. This function used to do chrNames.

Usage

```
## S4 method for signature 'GenoSet'  
names(x)
```

Arguments

x GenoSet

Value

character

nrow,GenomicRanges-method
Number of rows

Description

Number of rows

Usage

```
## S4 method for signature 'GenomicRanges'  
nrow(x)
```

Arguments

x GRanges or GenoSet

Value

integer

nrow, GRanges-method	<i>Number of rows</i>
----------------------	-----------------------

Description

Number of rows

Usage

```
## S4 method for signature 'GRanges'
nrow(x)
```

Arguments

x	GRanges or GenoSet
---	--------------------

Value

integer

numCallable	<i>Count Rle positions >= min</i>
-------------	--------------------------------------

Description

For Rle coverage vector, count number of positions where value \geq min, think callable bases.

Usage

```
numCallable(rle, bounds, min)
```

Arguments

rle	integer Rle, no NAs
bounds	IRanges or matrix, positions in Rle to consider. If bounds is a matrix, the first two columns are used as start and end.
min	scalar integer, count Rle positions \geq this value.

Value

integer vector of length nrow(bounds)

pos	<i>Chromosome position of features</i>
-----	--

Description

Get chromosome position of features/ranges. Defined as floor of mean of start and end.

Usage

```
pos(object)
```

```
## S4 method for signature 'GenoSetOrGenomicRanges'
pos(object)
```

Arguments

```
object          GRanges GenoSet
```

Value

numeric vector of feature positions within a chromosome

Examples

```
data(genoset)
pos(genoset.ds) # 1:10
pos(locData(genoset.ds)) # The same
```

rangeSampleMeans	<i>Average features in ranges per sample</i>
------------------	--

Description

This function takes per-feature genomic data and returns averages for each of a set of genomic ranges. The most obvious application is determining the copy number of a set of genes. The features corresponding to each gene are determined with boundingIndices such that all features with the bounds of a gene (overlaps). The features on either side of the gene unless those positions exactly match the first or last base covered by the gene. Therefore, genes falling between two features will at least cover two features. Range bounding is performed by the boundingIndices function.

Usage

```
rangeSampleMeans(query, subject, assay.element, na.rm = FALSE)
```

Arguments

query	GRanges object representing genomic regions (genes) to be averaged.
subject	A GenoSet object or derivative
assay.element	character, name of element in assayData to use to extract data
na.rm	scalar logical, ignore NAs?

Value

numeric matrix of features in each range averaged by sample

See Also

Other "range summaries": [boundingIndicesByChr](#); [boundingIndices](#)

Examples

```
data(genoset)
my.genes = GRanges( ranges=IRanges(start=c(35e6,128e6),end=c(37e6,129e6),names=c("HER2","CMYC")), seqnames=c(
  rangeSampleMeans( my.genes, genoset.ds, "lrr" )
```

rangeSegMeanLength *Get segment widths*

Description

The width of a genomic segment helps inform us about the importance of a copy number value. Focal amplifications are more interesting than broad gains, for example. Given a range of interesting regions (i.e. genes) this function determines all genomic segments covered by each gene and returns the average length of the segments covered by each gene in each sample. Often only a single segment covers a given gene in a given sample.

Usage

```
rangeSegMeanLength(range.gr, segs)

## S4 method for signature 'GRanges,list'
rangeSegMeanLength(range.gr, segs)

## S4 method for signature 'GRanges,data.frame'
rangeSegMeanLength(range.gr, segs)
```

Arguments

range.gr	GRanges, genome regions of interest, usually genes
segs	data.frame of segments, like from segTable, or a list of these

Value

named vector of lengths, one per item in range.gr, or a range x length(segs) of these if segs is also list-like.

See Also

Other "segmented data": [bounds2Rle](#); [runCBS](#); [segPairTable](#), [segPairTable](#), [DataFrame](#), [DataFrame-method](#), [segPairTable](#), [Rle](#), [Rle-method](#); [segTable](#), [segTable](#), [DataFrame-method](#), [segTable](#), [Rle-method](#); [segs2Granges](#); [segs2RleDataFrame](#); [segs2Rle](#)

readGenoSet

Load a GenoSet from a RData file

Description

Given a rds file or a rda file with one object (a GenoSet or related object), load it, and return.

Usage

```
readGenoSet(path)
```

Arguments

path character, path to rds or rda file

Value

GenoSet or related object (only object in RData file)

Examples

```
## Not run: ds = readGenoSet("/path/to/genoset.RData")
## Not run: ds = readGenoSet("/path/to/genoset.rda")
## Not run: ds = readGenoSet("/path/to/genoset.rds")
```

RleDataFrame-class *Class "RleDataFrame"*

Description

The RleDataFrame class serves to hold a collection of Run Length Encoded vectors (Rle objects) of the same length. For example, it could be used to hold information along the genome for a number of samples, such as sequencing coverage, DNA copy number, or GC content. This class inherits from both DataFrame and SimpleRleList (one of the AtomicVector types). This means that all of the usual subsetting and applying functions will work. Also, the AtomicList functions, like mean and sum, that automatically apply over the list elements will work. The scalar mathematical AtomicList methods can make this class behave much like a matrix (see Examples).

New objects can be created with the RleDataFrame constructor: `RleDataFrame(..., row.names=NULL)`, where ... can be a list of Rle objects, or one or more individual Rle objects.

Use in Biobase eSet objects

The `genoset` class defines an `annotatedDataFrameFrom` method for DataFrame, which makes it possible to include DataFrames as assayData elements. The column names for DataFrame cannot be NULL, which makes it impossible to use them as assays in `SummarizedExperiment` at this time.

Row and Column Summaries

These objects will sometimes be in place of a matrix, as in the eSet example above. It is convenient to have some of the summarization methods for matrices. Each of these methods takes an RleDataFrame and returns a single Rle. The time required is similar to that required for a matrix. For an RleDataFrame `x`,

`rowSums`: Sum across 'rows'.

`rowMeans`: Means across 'rows'.

`colSums`: Sum each Rle. This is just the sum method for SimpleRleList.

`colMeans`: Mean of each Rle. This is just the mean method for SimpleRleList.

Slots

`rownames`: Object of class "characterORNULL" Names to describe each row of the DataFrame. These may end up taking more space than your collection of Rle objects, so consider leaving this NULL.

`nrows`: Object of class "integer" Number of rows.

`elementType`: Object of class "character" Notes that elements of the internal list are Rle objects.

`elementMetadata`: Object of class "DataTableORNULL" Metadata on the elements, see DataFrame.

`metadata`: Object of class "list" Metadata on the whole object, see DataFrame.

`listData`: Object of class "list" Base list containing the Rle objects.

Extends

Class "[SimpleRleList](#)", directly. Class "[DataFrame](#)", directly.

Methods

as.matrix signature(x = "RleDataFrame"): Convert to matrix.

coerce signature(x = "RleDataFrame"): Convert to other classes.

colMeans signature(x = "RleDataFrame"): Mean of each column.

colSums signature(x = "RleDataFrame"): Sum of each column.

rowMeans signature(x = "RleDataFrame"): Mean of each 'row'.

rowSums signature(x = "RleDataFrame"): Sum of each 'row'.

show signature(object = "RleDataFrame"): Short and pretty description of an object of this type.

Author(s)

Peter M. Haverty, design suggestion from Michael Lawrence.

See Also

[DataFrame](#) [AtomicList](#) [Rle](#) [RleList](#) [rowMeans](#) [colMeans](#) [rowSums](#) [colSums](#) [view-summarization-methods](#)

Examples

```
showClass("RleDataFrame")

## Constructors
df = new("RleDataFrame", listData=list(A=Rle(c(NA, 2:3, NA, 5), rep(2,
5)), B=Rle(c(6:7, NA, 8:10),c(3,2,1,2,1,1))), nrows=10L)

df2 = RleDataFrame(list(A=Rle(c(NA, 2:3, NA, 5), rep(2, 5)),
B=Rle(c(6:7, NA, 8:10),c(3,2,1,2,1,1))))

df3 = RleDataFrame(A=Rle(c(NA, 2:3, NA, 5), rep(2, 5)), B=Rle(c(6:7,
NA, 8:10),c(3,2,1,2,1,1)))

## AtomicList Methods
runValue(df)
runLength(df)
ranges(df)
mean(df)
sum(df)
df + 5
log2(df) - 1

## Row and Column Summaries
rowSums(df)
colSums(df)
rowMeans(df)
```

```
colMeans(df)

## Coercion
as(df, "matrix")
as(df, "list")
as(df, "RleList")
as(df, "DataFrame")
as(df, "data.frame")
```

RleDataFrame-views *Calculate summary statistics on views of an RleDataFrame*

Description

These methods mirror the viewMeans type functions from IRanges for SimpleRleList. They differ in that they work on an RleDataFrame and an IRanges directly and also have a simplify argument. This works out to be faster (compute-wise) and also convenient.

Still, an RleDataFrame inherits from SimpleRleList, so all of the views functions will work.

Usage

```
rangeSums(x, bounds, na.rm=FALSE, simplify=TRUE)
rangeMeans(x, bounds, na.rm=FALSE, simplify=TRUE, ...)
rangeMins(x, bounds, na.rm=FALSE, simplify=TRUE)
rangeMaxs(x, bounds, na.rm=FALSE, simplify=TRUE)
rangeWhichMins(x, bounds, na.rm=FALSE, simplify=TRUE)
rangeWhichMaxs(x, bounds, na.rm=FALSE, simplify=TRUE)
```

Arguments

x	RleDataFrame
bounds	Matrix with two columns or IRanges representing ranges of rows of x to process. If bounds is a matrix, an IRanges is constructed assuming the first two columns represent the start and end of the ranges. The names for the IRanges is taken from the rownames of the matrix. Such a matrix can be constructed with boundingIndicesByChr and is the preferred input.
na.rm	Scalar logical. Ignore NAs in calculations?
simplify	Scalar logical. Simplify result? If TRUE, the return value will be a vector or matrix. For a single view, a vector will be returned. Otherwise a matrix with one row per view and one column per column of x will be returned. If FALSE, the return value will be a list of length ncol(x) of vectors of length nrow(bounds).
...	Additional arguments for other methods.

Details

The "range" name prefixes here serve to differentiate these functions from the "view" functions. This may change. I will be asking the IRanges team to add "..." and "simplify" to the "view" methods so that I can just make additional methods for RleDataFrame.

Value

With `simplify == TRUE`, a vector for single view or a matrix otherwise. When `simplify == FALSE`, a list of vectors length `ncol(x)` where each element is of length `nrows(bounds)`.

See Also

[RleDataFrame boundingIndicesByChr](#)

Examples

```
df = RleDataFrame(list(a=Rle(1:5, rep(2, 5))), b=Rle(1:5, rep(2, 5)),
  row.names=LETTERS[1:10])
mat = matrix(c(1,4,3,5), ncol=2, dimnames=list(c("Gene1", "Gene2"), c("start", "end")))
bounds = IRanges(start=c(1, 4), end=c(3, 5), names=c("Gene1", "Gene2"))

rangeMeans(df, bounds, simplify=FALSE)
rangeMeans(df, bounds, simplify=TRUE)
rangeMeans(df, mat, simplify=TRUE)

rangeMeans(df, bounds)
rangeSums(df, bounds)
rangeMins(df, bounds)
rangeMaxs(df, bounds)
rangeWhichMins(df, bounds)
rangeWhichMaxs(df, bounds)

# RleDataFrame isa SimpleRleList, so all the IRanges view* methods work too:
v = RleViewsList( lapply( df, Views, start=bounds ) )
viewMeans(v)
```

rownames, GenomicRanges-method

Get rownames from GRanges, or GenoSet

Description

Get rownames from GRanges or GenoSet.

Usage

```
## S4 method for signature 'GenomicRanges'
rownames(x)

## S4 method for signature 'GenoSet'
rownames(x)

## S4 replacement method for signature 'GenomicRanges'
rownames(x) <- value
```

```
## S4 replacement method for signature 'GenoSet'  
rownames(x) <- value  
  
## S4 method for signature 'GenomicRanges'  
featureNames(object)  
  
## S4 method for signature 'GenoSet'  
featureNames(object)  
  
## S4 replacement method for signature 'GenomicRanges'  
featureNames(object) <- value
```

Arguments

x	GRanges or GenoSet
value	character, incoming rownames
object	GenoSet

Value

character vector with names rows/features

Examples

```
data(genoset)  
head(rownames(locData.gr))  
head(rownames(genoset.ds))
```

runCBS

Run CBS Segmentation

Description

Utility function to run CBS's three functions on one or more samples

Usage

```
runCBS(data, locs, return.segs = FALSE, n.cores = 1, smooth.region = 2,  
outlier.SD.scale = 4, smooth.SD.scale = 2, trim = 0.025,  
alpha = 0.001)
```

Arguments

data	numeric matrix with continuous data in one or more columns
locs	GenomicRanges, like locData slot of GenoSet
return.segs	logical, if true list of segment data.frames return, otherwise a DataFrame of Rle vectors. One Rle per sample.
n.cores	numeric, number of cores to ask mclapply to use
smooth.region	number of positions to left and right of individual positions to consider when smoothing single point outliers
outlier.SD.scale	number of SD single points must exceed smooth.region to be considered an outlier
smooth.SD.scale	floor used to reset single point outliers
trim	fraction of sample to smooth
alpha	pvalue cutoff for calling a breakpoint

Details

Takes care of running CBS segmentation on one or more samples. Makes appropriate input, smooths outliers, and segment

Value

data frame of segments from CBS

See Also

Other "segmented data": [bounds2Rle](#); [rangeSegMeanLength](#), [rangeSegMeanLength](#), [GRanges](#), [data.frame-method](#), [rangeSegMeanLength](#), [GRanges](#), [list-method](#); [segPairTable](#), [segPairTable](#), [DataFrame](#), [DataFrame-method](#), [segPairTable](#), [Rle](#), [Rle-method](#); [segTable](#), [segTable](#), [DataFrame-method](#), [segTable](#), [Rle-method](#); [segs2Granges](#); [segs2RleDataFrame](#); [segs2Rle](#)

Examples

```
sample.names = paste("a",1:2,sep="")
probe.names = paste("p",1:30,sep="")
ds = matrix(c(c(rep(5,20),rep(3,10)),c(rep(2,10),rep(7,10),rep(9,10))),ncol=2,dimnames=list(probe.names,sample.names))
locs = GRanges(ranges=IRanges(start=c(1:20,1:10),width=1,names=probe.names),seqnames=paste("chr",c(rep(1,20),rep(1,10))))

seg.rle.result = RleDataFrame( a1 = Rle(c(rep(5,20),rep(3,10))), a2 = Rle(c(rep(2,10),rep(7,10),rep(9,10))),
seg.list.result = list(
  a1 = data.frame( ID=rep("a1",2), chrom=factor(c("chr1","chr2")), loc.start=c(1,1), loc.end=c(20,10), num.ma
  a2 = data.frame( ID=rep("a2",3), chrom=factor(c("chr1","chr1","chr2")), loc.start=c(1,11,1), loc.end=c(10,2
)

runCBS(ds,locs) # Should give seg.rle.result
runCBS(ds,locs,return.segs=TRUE) # Should give seg.list.result
```

 segPairTable

Convert Rle objects to tables of segments

Description

Like segTable, but for two Rle objects. Takes a pair of Rle or DataFrames with Rle columns and makes one or more data.frames with bounds of each new segment. Rle objects are broken up so that each resulting segment has one value from each Rle. For a DataFrame, the argument stack combines all of the individual data.frames into one large data.frame and adds a "Sample" column of sample ids.

Usage

```
segPairTable(x, y, ...)

## S4 method for signature 'Rle,Rle'
segPairTable(x, y, locs = NULL, chr.ind = NULL,
             start = NULL, end = NULL, factor.chr = TRUE)

## S4 method for signature 'DataFrame,DataFrame'
segPairTable(x, y, locs, stack = FALSE,
             factor.chr = TRUE)
```

Arguments

x	Rle or list/DataFrame of Rle vectors
y	Rle or list/DataFrame of Rle vectors
...	in generic, extra arguments for methods
locs	GenomicRanges with rows corresponding to rows of df
chr.ind	matrix, like from chrIndices method
start	integer, vector of feature start positions
end	integer, vector of feature end positions
factor.chr	scalar logical, make 'chrom' column a factor?
stack	logical, rbind list of segment tables for each sample and add "Sample" column?

Details

For a Rle, the user can provide locs or chr.ind, start and stop. The latter is surprisingly much faster and this is used in the DataFrame version.

Value

one or a list of data.frames with columns chrom, loc.start, loc.end, num.mark, seg.mean

See Also

Other "segmented data": [bounds2Rle](#); [rangeSegMeanLength](#), [rangeSegMeanLength](#), [GRanges](#), [data.frame-method](#), [rangeSegMeanLength](#), [GRanges](#), [list-method](#); [runCBS](#); [segTable](#), [segTable](#), [DataFrame-method](#), [segTable](#), [Rle-method](#); [segs2Granges](#); [segs2RleDataFrame](#); [segs2Rle](#)

Examples

```
cn = Rle(c(3,4,5,6),rep(3,4))
loh = Rle(c(2,4,6,8,10,12),rep(2,6))
start = c(9:11,4:9,15:17)
end = start
locs = GRanges(IRanges(start=start,end=end),seqnames=c(rep("chr1",3),rep("chr2",6),rep("chr3",3)))
segPairTable(cn,loh,locs)
```

segs2Granges

GRanges from segment table

Description

GenoSet contains a number of functions that work on segments. Many work on a data.frame of segments, like `segTable` and `runCBS`. This function converts one of these tables in a `GRanges`. The three columns specifying the ranges become the `GRanges` and all other columns go into the 'mcols' portion of the `GRanges` object.

Usage

```
segs2Granges(segs)
```

Arguments

`segs` data.frame with `loc.start`, `loc.end`, and `chrom` columns, like from `segTable` or `runCBS`

Value

`GRanges`

See Also

Other "segmented data": [bounds2Rle](#); [rangeSegMeanLength](#), [rangeSegMeanLength](#), [GRanges](#), [data.frame-method](#), [rangeSegMeanLength](#), [GRanges](#), [list-method](#); [runCBS](#); [segPairTable](#), [segPairTable](#), [DataFrame](#), [DataFrame-method](#), [segPairTable](#), [Rle](#), [Rle-method](#); [segTable](#), [segTable](#), [DataFrame-method](#), [segTable](#), [Rle-method](#); [segs2RleDataFrame](#); [segs2Rle](#)

segs2Rle	<i>Make Rle from segments for one sample</i>
----------	--

Description

Take output of CBS, make Rle representing all features in 'locs' ranges. CBS output contains run length and run values for genomic segments, which could very directly be converted into a Rle. However, as NA values are often removed, especially for mBAF data, these run lengths do not necessarily cover all features in every sample. Using the start and top positions of each segment and the location of each feature, we can make a Rle that represents all features.

Usage

```
segs2Rle(segs, locs)
```

Arguments

segs	data.frame of segments, formatted as output of segment function from DNACopy package
locs	GenomicRanges, like locData slot of a GenoSet

Value

Rle with run lengths and run values covering all features in the data set.

See Also

Other "segmented data": [bounds2Rle](#); [rangeSegMeanLength](#), [rangeSegMeanLength](#), [GRanges](#), [data.frame-method](#), [rangeSegMeanLength](#), [GRanges](#), [list-method](#); [runCBS](#); [segPairTable](#), [segPairTable](#), [DataFrame](#), [DataFrame-method](#), [segPairTable](#), [Rle](#), [Rle-method](#); [segTable](#), [segTable](#), [DataFrame-method](#), [segTable](#), [Rle-method](#); [segs2Granges](#); [segs2RleDataFrame](#)

Examples

```
data(genoset)
segs = runCBS( genoset.ds[, , "lrr"], locData(genoset.ds), return.segs=TRUE )
segs2Rle( segs[[1]], locData(genoset.ds) ) # Take a data.frame of segments, say from DNACopy's segment function
```

segs2RleDataFrame	<i>CBS segments to probe matrix</i>
-------------------	-------------------------------------

Description

Given segments, make an RleDataFrame of Rle objects for each sample

Usage

```
segs2RleDataFrame(seg.list, locs)
```

Arguments

seg.list	list, list of data frames, one per sample, each is result from CBS
locs	locData from a GenoSet object

Details

Take table of segments from CBS, convert DataTable of Rle objects for each sample.

Value

RleDataFrame with nrows same as locs and one column for each sample

See Also

Other "segmented data": [bounds2Rle](#); [rangeSegMeanLength](#), [rangeSegMeanLength](#), [GRanges](#), [data.frame-method](#), [rangeSegMeanLength](#), [GRanges](#), [list-method](#); [runCBS](#); [segPairTable](#), [segPairTable](#), [DataFrame](#), [DataFrame-method](#), [segPairTable](#), [Rle](#), [Rle-method](#); [segTable](#), [segTable](#), [DataFrame-method](#), [segTable](#), [Rle-method](#); [segs2Granges](#); [segs2Rle](#)

Examples

```
data(genoset)
seg.list = runCBS( genoset.ds[, , "lrr"], locData(genoset.ds), return.segs=TRUE )
segs2RleDataFrame( seg.list, locData(genoset.ds) ) # Loop segs2Rle on list of data.frames in seg.list
```

 segTable

Convert Rle objects to tables of segments

Description

Like the inverse of `segs2Rle` and `segs2RleDataFrame`. Takes a `Rle` or a `RleDataFrame` and the `locData` both from a `GenoSet` object and makes a list of `data.frames` each like the result of `CBS`'s `segment`. Note the `loc.start` and `loc.stop` will correspond exactly to probe locations in `locData` and the input to `segs2RleDataFrame` are not necessarily so. For a `DataFrame`, the argument `stack` combines all of the individual `data.frames` into one large `data.frame` and adds a "Sample" column of sample ids.

Usage

```
segTable(object, ...)

## S4 method for signature 'Rle'
segTable(object, locs = NULL, chr.ind = NULL,
         start = NULL, end = NULL, factor.chr = TRUE)

## S4 method for signature 'DataFrame'
segTable(object, locs, factor.chr = TRUE,
         stack = FALSE)
```

Arguments

<code>object</code>	<code>Rle</code> or <code>RleDataFrame</code>
<code>...</code>	in generic, for extra args in methods
<code>locs</code>	<code>GenomicRanges</code> with rows corresponding to rows of <code>df</code>
<code>chr.ind</code>	matrix, like from <code>chrIndices</code> method
<code>start</code>	integer, vector of feature start positions
<code>end</code>	integer, vector of feature end positions
<code>factor.chr</code>	scalar logical, make 'chrom' column a factor?
<code>stack</code>	logical, <code>rbind</code> list of segment tables for each sample and add "Sample" column?

Details

For a `Rle`, the user can provide `locs` or `chr.ind`, `start` and `stop`. The latter is surprisingly much faster and this is used in the `DataFrame` version.

Value

one or a list of `data.frames` with columns `chrom`, `loc.start`, `loc.end`, `num.mark`, `seg.mean`

See Also

Other "segmented data": [bounds2Rle](#); [rangeSegMeanLength](#), [rangeSegMeanLength](#), [GRanges](#), [data.frame-method](#), [rangeSegMeanLength](#), [GRanges](#), [list-method](#); [runCBS](#); [segPairTable](#), [segPairTable](#), [DataFrame](#), [DataFrame-method](#), [segPairTable](#), [Rle](#), [Rle-method](#); [segs2Granges](#); [segs2RleDataFrame](#); [segs2Rle](#)

Examples

```
data(genoset)
seg.list = runCBS( genoset.ds[, , "lrr"], locData(genoset.ds), return.segs=TRUE )
df = segs2RleDataFrame( seg.list, locData(genoset.ds) ) # Loop segs2Rle on list of data.frames in seg.list
genoset.ds[, , "lrr.segs"] = df
segTable( df, locData(genoset.ds) )
segTable( genoset.ds[, , "lrr.segs"], locData(genoset.ds) )
segTable( genoset.ds[, 1, "lrr.segs"], locData(genoset.ds), colnames(genoset.ds)[1] )
```

show,GenoSet-method *Print a GenoSet*

Description

Prints out a description of a GenoSet object

Usage

```
## S4 method for signature 'GenoSet'
show(object)
```

Arguments

object a GenoSet

start,GenoSet-method *Get start of location for each feature*

Description

Get start of location for each feature

Usage

```
## S4 method for signature 'GenoSet'
start(x)
```

Arguments

x GenoSet

Value

integer

subsetAssayData *Subset or re-order assayData*

Description

Subset or re-order assayData locked environment, environment, or list. Shamelessly stolen from "[" method in Biobase version 2.8 along with guts of assayDataStorageMode()

Usage

```
subsetAssayData(orig, i, j, ..., drop = FALSE)
```

Arguments

orig	assayData environment
i	row indices
j	col indices
...	Additional args to give to subset operator
drop	logical, drop dimensions when subsetting with single value?

Value

assayData data structure

toGenomeOrder *Set a GRanges or GenoSet to genome order*

Description

Returns a re-ordered object sorted by chromosome and start position. If strict=TRUE, then chromosomes must be in order specified by chrOrder. If ds is already ordered, no re-ordering is done. Therefore, checking order with isGenomeOrder, is unnecessary if order will be corrected if isGenomeOrder is FALSE.

Usage

```
toGenomeOrder(ds, strict = TRUE)

## S4 method for signature 'GRanges'
toGenomeOrder(ds, strict = TRUE)

## S4 method for signature 'GenoSet'
toGenomeOrder(ds, strict = TRUE)
```

Arguments

ds GenoSet or GRanges
 strict logical, should chromosomes be in order specified by chrOrder?

Details

toGenomeOrder for GRanges differs from sort in that it orders by chromosome and start position only, rather than chromosome, strand, start, and width.

Value

re-ordered ds

See Also

Other "genome ordering": [chrOrder](#); [isGenomeOrder](#), [isGenomeOrder](#), [GRanges-method](#), [isGenomeOrder](#), [GenoSet-method](#)

Examples

```
data(genoset)
toGenomeOrder( genoset.ds, strict=TRUE )
toGenomeOrder( genoset.ds, strict=FALSE )
toGenomeOrder( locData(genoset.ds) )
```

width,GenoSet-method *Get width of location for each feature*

Description

Get width of location for each feature

Usage

```
## S4 method for signature 'GenoSet'
width(x)
```

Arguments

x GenoSet

Value

integer

[,GenoSet,ANY-method *Subset a GenoSet*

Description

Subset a GenoSet

Usage

```
## S4 method for signature 'GenoSet,ANY'
x[i, j, k, ..., drop = FALSE]

## S4 method for signature 'GenoSet,character'
x[i, j, ..., drop = FALSE]

## S4 method for signature 'GenoSet,GenomicRanges'
x[i, j, ..., drop = FALSE]

## S4 replacement method for signature 'GenoSet,ANY,ANY,ANY'
x[i, j, k] <- value
```

Arguments

x	GenoSet
i	character, GRanges, logical, integer
j	character, GRanges, logical, integer
k	character or integer
...	additional subsetting args
drop	logical drop levels of space factor?
value	incoming data for assay "k", rows "i" and cols "j"

Examples

```
data(genoset)
genoset.ds[1:5,2:3] # first five probes and samples 2 and 3
genoset.ds[ , "K"] # Sample called K
gr = GRanges(ranges=IRanges(start=seq(from=15e6,by=1e6,length=7),width=1,names=letters[8:14]),seqnames=rep("c",length=length(ranges)))
genoset.ds[ gr, "K" ] # sample K and probes overlapping those in rd, which overlap specified ranges on chr17
```


Index

*Topic **classes**

GenoSet-class, 22
RleDataFrame-class, 34

*Topic **datasets**

genoset-datasets, 24

*Topic **methods**

RleDataFrame-class, 34
RleDataFrame-views, 36

[, GenoSet, ANY-method, 48
[, GenoSet, GenomicRanges-method
([, GenoSet, ANY-method), 48
[, GenoSet, character-method
([, GenoSet, ANY-method), 48
[<-, GenoSet, ANY, ANY, ANY-method
([, GenoSet, ANY-method), 48

API, 3

as.matrix, RleDataFrame-method
(RleDataFrame-class), 34
assay, GenoSet, ANY-method (API), 3
assay<-, GenoSet, ANY, ANY-method (API), 3
assayNames, GenoSet-method (API), 3
assays, GenoSet-method (API), 3
AtomicList, 35

baf2mbaf, 4
boundingIndices, 5, 7, 32
boundingIndicesByChr, 6, 6, 32, 37
bounds2Rle, 7, 33, 39, 41–43, 45

calcGC, 8
calcGC2, 9
chr, 9
chr, GenomicRanges-method (chr), 9
chr, GenoSet-method (chr), 9
chrIndices, 10
chrIndices, GenoSetOrGenomicRanges-method
(chrIndices), 10
chrInfo, 11

chrInfo, GenoSetOrGenomicRanges-method
(chrInfo), 11
chrNames, 11
chrNames, GenomicRanges-method
(chrNames), 11
chrNames, GenoSet-method (chrNames), 11
chrNames<- (chrNames), 11
chrNames<-, GenomicRanges-method
(chrNames), 11
chrNames<-, GenoSet-method (chrNames), 11
chrOrder, 12, 26, 47
cn2lr, 13
cn2lr, DataFrame-method (cn2lr), 13
cn2lr, matrix-method (cn2lr), 13
cn2lr, numeric-method (cn2lr), 13
coerce, RleDataFrame, matrix-method
(RleDataFrame-class), 34
colData, GenoSet-method (API), 3
colMeans, 35
colMeans, DataFrame-method
(RleDataFrame-class), 34
colMeans, RleDataFrame-method
(RleDataFrame-class), 34
colnames, GenoSet-method, 13
colnames<-, GenoSet-method
(colnames, GenoSet-method), 13
colSums, 35
colSums, RleDataFrame-method
(RleDataFrame-class), 34
DataFrame, 35
dim, GenoSet-method, 14
elementLengths, GenomicRanges-method
(elementLengths, GenoSet-method),
15
elementLengths, GenoSet-method, 15
end, GenoSet-method, 15
eSet, 22
fake.baf (genoset-datasets), 24

- fake.cn (genoset-datasets), 24
- fake.lrr (genoset-datasets), 24
- fake.pData (genoset-datasets), 24
- featureNames, GenomicRanges-method
 - (rownames, GenomicRanges-method), 37
- featureNames, GenoSet-method
 - (rownames, GenomicRanges-method), 37
- featureNames<-, GenomicRanges-method
 - (rownames, GenomicRanges-method), 37
- fixSegNAs, 16
- gcCorrect, 16
- genome, 17
- genome, GenoSet-method, 17
- genome<-, GenoSet-method
 - (genome, GenoSet-method), 17
- genomeAxis, 18, 20
- genoPlot, 18, 19
- genoPlot, GenoSetOrGenomicRanges, ANY-method
 - (genoPlot), 19
- genoPlot, numeric, numeric-method
 - (genoPlot), 19
- genoPlot, numeric, Rle-method (genoPlot), 19
- genoPos, 20
- genoPos, GenoSetOrGenomicRanges-method
 - (genoPos), 20
- GenoSet, 21, 23
- genoset (genoset-package), 3
- GenoSet-class, 22
- genoset-datasets, 24
- genoset-defunct, 24
- genoset-deprecated, 25
- genoset-package, 3
- genoset.ds (genoset-datasets), 24
- GenoSetOrGenomicRanges-class
 - (GenoSet-class), 22
- initGenoSet, 25
- isGenomeOrder, 12, 26, 47
- isGenomeOrder, GenoSet-method
 - (isGenomeOrder), 26
- isGenomeOrder, GRanges-method
 - (isGenomeOrder), 26
- locData, 27
- locData, GenoSet-method (locData), 27
- locData.gr (genoset-datasets), 24
- locData<- (locData), 27
- locData<-, GenoSet, GenomicRanges-method
 - (locData), 27
- lr2cn, 28
- modeCenter, 28
- names, GenoSet-method, 29
- nrow, GenomicRanges-method, 29
- nrow, GRanges-method, 30
- numCallable, 30
- pData, GenoSet-method (API), 3
- pos, 31
- pos, GenoSetOrGenomicRanges-method
 - (pos), 31
- rangeColMeans (RleDataFrame-views), 36
- rangeMaxs (RleDataFrame-views), 36
- rangeMaxs, RleDataFrame-method
 - (RleDataFrame-views), 36
- rangeMeans (RleDataFrame-views), 36
- rangeMeans, matrix-method
 - (RleDataFrame-views), 36
- rangeMeans, numeric-method
 - (RleDataFrame-views), 36
- rangeMeans, RleDataFrame-method
 - (RleDataFrame-views), 36
- rangeMins (RleDataFrame-views), 36
- rangeMins, RleDataFrame-method
 - (RleDataFrame-views), 36
- rangeSampleMeans, 6, 7, 31
- rangeSegMeanLength, 8, 32, 39, 41–43, 45
- rangeSegMeanLength, GRanges, data.frame-method
 - (rangeSegMeanLength), 32
- rangeSegMeanLength, GRanges, list-method
 - (rangeSegMeanLength), 32
- rangeSums (RleDataFrame-views), 36
- rangeSums, RleDataFrame-method
 - (RleDataFrame-views), 36
- rangeWhichMaxs (RleDataFrame-views), 36
- rangeWhichMaxs, RleDataFrame-method
 - (RleDataFrame-views), 36
- rangeWhichMins (RleDataFrame-views), 36
- rangeWhichMins, RleDataFrame-method
 - (RleDataFrame-views), 36
- readGenoSet, 33

- Rle, [35](#)
- RleDataFrame, [37](#)
- RleDataFrame (RleDataFrame-class), [34](#)
- RleDataFrame-class, [34](#)
- RleDataFrame-views, [36](#)
- RleList, [35](#)
- rowMeans, [35](#)
- rowMeans, RleDataFrame-method
(RleDataFrame-class), [34](#)
- rownames, GenomicRanges-method, [37](#)
- rownames, GenoSet-method
(rownames, GenomicRanges-method),
[37](#)
- rownames<- , GenomicRanges-method
(rownames, GenomicRanges-method),
[37](#)
- rownames<- , GenoSet-method
(rownames, GenomicRanges-method),
[37](#)
- rowRanges, GenoSet-method (locData), [27](#)
- rowSums, [35](#)
- rowSums, RleDataFrame-method
(RleDataFrame-class), [34](#)
- runCBS, [8](#), [33](#), [38](#), [41–43](#), [45](#)

- sampleNames, GenoSet-method
(colnames, GenoSet-method), [13](#)
- sampleNames<- , GenoSet, ANY-method
(colnames, GenoSet-method), [13](#)
- segPairTable, [8](#), [33](#), [39](#), [40](#), [41–43](#), [45](#)
- segPairTable, DataFrame, DataFrame-method
(segPairTable), [40](#)
- segPairTable, Rle, Rle-method
(segPairTable), [40](#)
- segs2Granges, [8](#), [33](#), [39](#), [41](#), [41](#), [42](#), [43](#), [45](#)
- segs2Rle, [8](#), [33](#), [39](#), [41](#), [42](#), [43](#), [45](#)
- segs2RleDataFrame, [8](#), [33](#), [39](#), [41](#), [42](#), [43](#), [45](#)
- segTable, [8](#), [33](#), [39](#), [41–43](#), [44](#)
- segTable, DataFrame-method (segTable), [44](#)
- segTable, Rle-method (segTable), [44](#)
- show, GenoSet-method, [45](#)
- show, RleDataFrame-method
(RleDataFrame-class), [34](#)
- SimpleRleList, [35](#)
- start, GenoSet-method, [45](#)
- subsetAssayData, [46](#)

- toGenomeOrder, GenoSet-method
(toGenomeOrder), [46](#)
- toGenomeOrder, GRanges-method
(toGenomeOrder), [46](#)
- width, GenoSet-method, [47](#)

- toGenomeOrder, [12](#), [26](#), [46](#)