

Package ‘IsoformSwitchAnalyzeR’

October 16, 2018

Type Package

Title An R package to Identify, Annotate and Visualize Isoform Switches with Functional Consequences (from RNA-seq data)

Version 1.2.0

Author Kristoffer Vitting-Seerup

Maintainer Kristoffer Vitting-Seerup <k.vitting.seerup@gmail.com>

Description IsoformSwitchAnalyzeR enables identification and analysis of isoform switches with predicted functional consequences (such as gain/loss of protein domains etc) from quantification by Kallisto, Salmon, Cufflinks/Cuffdiff, RSEM etc.

URL <http://bioconductor.org/packages/IsoformSwitchAnalyzeR/>

BugReports <https://github.com/kvittingseerup/IsoformSwitchAnalyzeR/issues>

License GPL (>= 2)

Depends R (>= 3.4), cummeRbund

Imports methods, BSgenome, plyr, reshape2, gridExtra, Biostrings, IRanges, GenomicRanges, DRIMSeq, RColorBrewer, rtracklayer, ggplot2, VennDiagram, DBI, grDevices, graphics, stats, utils, GenomeInfoDb, grid, tximport, edgeR, futile.logger

Suggests knitr, BSgenome.Hsapiens.UCSC.hg19

VignetteBuilder knitr

Collate classes.R methods.R import_data.R test_isoform_switches.R analyze_ORF.R analyze_external_sequence_analysis.R analyze_switch_consequences.R isoform_plots.R plot_all_iso_switch.R high_level_functions.R tools.R analyze_alternative_splicing.R

biocViews GeneExpression, Transcription, AlternativeSplicing, DifferentialExpression, DifferentialSplicing, Sequencing, Visualization, StatisticalMethod, TranscriptomeVariant, BiomedicalInformatics, FunctionalGenomics, SystemsBiology, Transcriptomics, RNASeq, Annotation, FunctionalPrediction, GenePrediction, DataImport, MultipleComparison

RoxygenNote 6.0.1

git_url <https://git.bioconductor.org/packages/IsoformSwitchAnalyzeR>

git_branch RELEASE_3_7

git_last_commit 78f93d0

git_last_commit_date 2018-04-30

Date/Publication 2018-10-15

R topics documented:

analyzeAlternativeSplicing	3
analyzeCPAT	4
analyzeORF	6
analyzePFAM	9
analyzeSignalP	11
analyzeSwitchConsequences	13
CDSset	20
createSwitchAnalyzeRlist	21
exampleData	25
extractCalibrationStatus	26
extractConsequenceEnrichment	27
extractConsequenceEnrichmentComparison	29
extractConsequenceGenomeWide	30
extractConsequenceSummary	34
extractExpressionMatrix	36
extractSequence	38
extractSplicingEnrichment	41
extractSplicingEnrichmentComparison	43
extractSplicingGenomeWide	46
extractSplicingSummary	48
extractSwitchOverlap	51
extractSwitchSummary	52
extractTopSwitches	53
getCDS	55
importCufflinksCummeRbund	56
importCufflinksFiles	58
importGTF	60
importIsoformExpression	63
importRdata	65
isoformSwitchAnalysisCombined	69
isoformSwitchAnalysisPart1	72
isoformSwitchAnalysisPart2	75
isoformSwitchTest	78
isoformSwitchTestDRIMSeq	81
isoformToGeneExp	85
preFilter	87
prepareCuffExample	89
subsetSwitchAnalyzeRlist	90
switchPlot	91
switchPlotFeatureExp	93
switchPlotTopSwitches	96
switchPlotTranscript	98

`analyzeAlternativeSplicing`*Analyse alternative splicing (including intron retention(s))*

Description

These function utilize the analysis of alternative splicing previously implemented in the now deprecated spliceR package to detect whether an isoform contain intron retentions when compared to the hypothetical pre-RNA generated by combining all the exons within a gene. Intron retention is defined as when one "exon" of an isoform overlaps two separate exons in the hypothetical pre-RNA.

Usage

```
analyzeAlternativeSplicing(  
  switchAnalyzeRlist,  
  onlySwitchingGenes=TRUE,  
  alpha=0.05,  
  dIFcutoff = 0.1,  
  showProgress=TRUE,  
  quiet=FALSE  
)  
  
analyzeIntronRetention(  
  switchAnalyzeRlist,  
  onlySwitchingGenes = TRUE,  
  alpha = 0.05,  
  dIFcutoff = 0.1,  
  showProgress = TRUE,  
  quiet = FALSE  
)
```

Arguments

<code>switchAnalyzeRlist</code>	A <code>switchAnalyzeRlist</code> object.
<code>onlySwitchingGenes</code>	A logic indicating whether to only analyze genes with isoform switches (as indicated by the <code>alpha</code> and <code>dIFcutoff</code> parameters). Default is FALSE.
<code>alpha</code>	The Cutoff used on the FDR correct p-values (q-values) for calling significance. Default is 0.05.
<code>dIFcutoff</code>	Cutoff used for minimum changes in (absolute) isoform usage before an isoform is considered eligible for switch testing. This cutoff can remove cases where isoforms with extremely low IF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a (log2) fold change in a normal differential expression analysis of genes to ensure the DE genes have a certain effect size. Default is 0.1 (10%).
<code>showProgress</code>	A logic indicating whether to make a progress bar (if TRUE) or not (if FALSE). Default is TRUE.
<code>quiet</code>	A logic indicating whether to avoid printing progress messages. Default is FALSE.

Details

The `analyzeIntronRetention()` is just a convenient wrapper for the `analyzeIntronRetention()` function to ensure backward compatibility.

Value

A `switchAnalyzeRlist` where the column `IR` indicating the number of Intron Retentions found in each transcript have been added to the `isoform_features` entry. `NA` is used if the transcript was not analyzed. Furthermore a `data.frame` (called `'AlternativeSplicingAnalysis'`), where for each `isoform_id` containing the number of alternative splicing events as well as the genomic coordinates of the affected region, is added to the `switchAnalyzeRlist`.

Author(s)

Kristoffer Vitting-Seerup

References

- Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. *Mol. Cancer Res.* (2017).
- Vitting-Seerup K, et al: spliceR: an R package for classification of alternative splicing and prediction of coding potential from RNA-seq data. *BMC Bioinformatics* 2014, 15:81.

See Also

[extractSplicingSummary](#)
[extractSplicingEnrichment](#)
[extractSplicingEnrichmentComparison](#)
[extractSplicingGenomeWide](#)

Examples

```
### Load data
data("exampleSwitchListIntermediary")

### Perform analysis
exampleSwitchListAnalyzed <- analyzeAlternativeSplicing(exampleSwitchListIntermediary, quiet=TRUE)

### Inspect result
head(exampleSwitchListAnalyzed$intronRetentionAnalysis) # the first 6 does not have any intron retentions (IF
table(exampleSwitchListAnalyzed$intronRetentionAnalysis$IR) # there appear to be 7 transcripts that have an i
```

analyzeCPAT

Import Result of External Sequence Analysis

Description

Allows for easy integration of the result of COAT (external sequence analysis of coding potential) in the `IsoformSwitchAnalyzeR` workflow. Please note that due to the `'removeNoncodingORFs'` of the `analyzeCPAT` argument we recommend using `analyzeCPAT` before `analyzePFAM` and `analyzeSignalP` if you have predicted the ORFs with `analyzeORF`.

Usage

```
analyzeCPAT(  
  switchAnalyzeRlist,  
  pathToCPATresultFile,  
  codingCutoff,  
  removeNoncodingORFs,  
  quiet=FALSE  
)
```

Arguments

`switchAnalyzeRlist` : A `switchAnalyzeRlist` object

`pathToCPATresultFile` : A string indicating the full path to the CPAT result file. See details for suggestion of how to run and obtain the result of the CPAT tool.

`codingCutoff` : Numeric indicating the cutoff used by CPAT for distinguishing between coding and non-coding transcripts. The cutoff is dependent on species analyzed. Our analysis suggest that the optimal cutoff for overlapping coding and non-coding isoforms are 0.725 for human and 0.721 for mouse - HOWEVER the suggested cutoffs from the CPAT article (see references) derived by comparing known genes to random non-coding regions of the genome is 0.364 for human and 0.44 for mouse.

`removeNoncodingORFs` : A logic indicating whether to remove ORF information from the isoforms which the CPAT analysis classifies as non-coding. This can be particularly useful if the isoform (and ORF) was predicted de-novo but is not recommended if ORFs were imported from a GTF file. This will affect all downstream analysis and plots as both analysis of domains and signal peptides requires that ORFs are annotated (e.g. `analyzeSwitchConsequences` will not consider the domains (potentially) found by Pfam if the ORF have been removed).

`quiet` : A logic indicating whether to avoid printing progress messages (incl. progress bar). Default is FALSE

Details

Notes for how to run the external tools: Use default parameters. If the webserver (<http://lilab.research.bcm.edu/cpat/>) was used download the tab-delimited result file (from the bottom of the result page). If a stand-alone version was just supply the path to the result file.

Value

Two columns are added to `isoformFeatures`: `'codingPotentialValue'` and `'codingPotential'` containing the predicted coding potential values and a logic indicating whether the isoform is coding or not respectively (based on the supplied cutoff).

Author(s)

Kristoffer Vitting-Seerup

References

- This function : Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).
- CPAT : Wang et al. CPAT: Coding-Potential Assessment Tool using an alignment-free logistic regression model. Nucleic Acids Res. 2013, 41:e74.

See Also

[createSwitchAnalyzeRlist](#)
[extractSequence](#)
[analyzeSwitchConsequences](#)

Examples

```
### Load example data (matching the result files also store in IsoformSwitchAnalyzeR)
data("exampleSwitchListIntermediary")
exampleSwitchListIntermediary

### Add CPAT analysis
exampleSwitchListAnalyzed <- analyzeCPAT(
  switchAnalyzeRlist = exampleSwitchListIntermediary,
  pathToCPATresultFile = system.file("extdata/cpat_results.txt", package = "IsoformSwitchAnalyzeR"),
  codingCutoff = 0.364, # the coding potential cutoff suggested for human
  removeNoncodinORFs = TRUE # Because ORF was predicted de novo
)

exampleSwitchListAnalyzed
```

analyzeORF

Prediction of Transcript Open Reading Frame.

Description

Predicts the most likely Open Reading Frame (ORF) and the NMD sensitivity of the isoforms stored in a `switchAnalyzeRlist` object. This functionality is made to help annotate isoforms if you have performed (guided) de-novo isoform reconstruction (isoform deconvolution). Else you should use the annotated CDS (CoDing Sequence) typically obtained though one of the implemented import methods (see vignette for details).

Usage

```
analyzeORF(
  switchAnalyzeRlist,
  genomeObject,
  minORFlength=100,
  orfMethod = "longest",
  cds = NULL,
  PTCDistance = 50,
  startCodons="ATG",
  stopCodons=c("TAA", "TAG", "TGA"),
  showProgress=TRUE,
  quiet=FALSE
)
```

Arguments

switchAnalyzeRlist	A switchAnalyzeRlist object. n
genomeObject	A BSgenome object uses as reference genome (fx 'Hsapiens' for Homo sapiens).
minORFlength	The minimum size (in nucleotides) an ORF must be to be considered (and reported). Please note that we recommend using CPAT to predict coding potential instead of this cutoff - it is simply implemented as a pre-filter, see analyzeCPAT . Default is 100 nucleotides, which >97.5% of Gencode coding isoforms in both human and mouse have.
orfMethod	A string indicating which of the 4 available ORF identification methods should be used. The methods are: <ul style="list-style-type: none"> • longest : Identifies the longest ORF in the transcript (after filtering via minORFlength). This approach is similar to what the CPAT tool uses in it's analysis of coding potential. • mostUpstream : Identifies the most upstream ORF in the transcript (after filtering via minORFlength). • longestAnnotated : Identifies the longest ORF (after filtering via minORFlength) downstream of an annoated translation start site (which are supplied via the cds argument). • mostUpstreamAnnoated : Identifies the ORF (after filtering via minORFlength) downstream of the most unstream overlapping annoated translation start site (supplied via the cds argument). Default is longest.
cds	A CDSSet object containing annotated coding regions, see ?CDSSet and ?getCDS for more information. Only necessary if orfMethod arguments is 'longestAnnotated' or 'mostUpstreamAnnoated'.
PTCDistance	A numeric giving the maximal allowed premature termination codon-distance: The minimum distance (number of nucleotides) from the STOP codon to the final exon-exon junction. If the distance from the STOP to the final exon-exon junction is larger than this the isoform to be marked as NMD-sensitive. Default is 50.
startCodons	A vector of strings indicating the start codons identified in the DNA sequence. Default is 'ATG' (corresponding to the RNA-sequence AUG).
stopCodons	A vector of strings indicating the stop codons identified in the DNA sequence. Default is c("TAA", "TAG", "TGA").
showProgress	A logic indicating whether to make a progress bar (if TRUE) or not (if FALSE). Defaults is TRUE.
quiet	A logic indicating whether to avoid printing progress messages (incl. progress bar). Default is FALSE

Details

The function uses the genomic coordinats of the transcript model to extract the nucleotide sequence of the transcript from the supplied BSgenome object (reference genome). The nucleotide sequence is then used to predict the most likely ORF (the method is controled by the orfMethod argument, see above). If the distance from the stop position (ORF end) to the final exon-exon junction is larger than the threshold given in PTCDistance (and the stop position does not fall in the last exon), the stop position is considered premature and the transcript is marked as NMD (nonsense mediated decay) sensitive in accordance with litterature consensus (Weischenfeldt et al (see references)).

The gencode reference annotation used here are GencodeV19, GencodeV24, GencodeM1 and GencodeM9. For more info see Vitting-Seerup et al 2017.

Value

A switchAnalyzeRlist where:

- 1: A columns called PTC indicating the NMD sensitivity have been added to the isoformFeatures entry of the switchAnalyzeRlist.
- 2: A data.frame containing the details of the ORF analysis have been added to the switchAnalyzeRlist under the name 'orfAnalysis'.

The data.frame added have one row pr isoform and contains 11 columns:

- isoform_id: The name of the isoform analyzed. Mathces the 'isoform_id' entry in the 'isoformFeatures' entry of the switchAnalyzeRlist
- orfTranscriptStart: The start position of the ORF in transcript coordinats, here defined as the position of the 'A' in the 'AUG' start motif.
- orfTranscriptEnd: The end position of the ORF in transcript coordinats, here defined as the last nucleotide before the STOP codon (meaning the stop codon is not included in these coordinates).
- orfTranscriptLength: The length of the ORF
- orfStarExon: The exon in which the start codon is
- orfEndExon: The exon in which the stop codon is
- orfStartGenomic: The start position of the ORF in genomic coordinats, here defined as the the position of the 'A' in the 'AUG' start motif.
- orfEndGenomic: The end position of the ORF in genomic coordinats, here defined as the last nucleotide before the STOP codon (meaning the stop codon is not included in these coordinates).
- stopDistanceToLastJunction: Distance from stop codon to the last exon-exon junction
- stopIndex: The index, counting from the last exon (which is 0), of which exon is the stop codon is in.
- PTC: A logic indicating whether the isoform is classified as having a Premature Termination Codon. This is defined as having a stop codon more than PTCDistance (default is 50) nt upstream of the last exon exon junciton.

NA means no information was available aka no ORF (passing the minORFlength filter) was found.

Author(s)

Kristoffer Vitting-Seerup

References

- This function : Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).
- Information about NMD : Weischenfeldt J, et al: Mammalian tissues defective in nonsense-mediated mRNA decay display highly aberrant splicing patterns. Genome Biol. 2012, 13:R35.

See Also

[createSwitchAnalyzeRlist](#)
[preFilter](#)
[isoformSwitchTest](#)
[extractSequence](#)
[analyzeCPAT](#)

Examples

```

### Prepare for orf analysis
# Load example data and prefilter
data("exampleSwitchList")
exampleSwitchList <- preFilter(exampleSwitchList)

# Perform test
exampleSwitchListAnalyzed <- isoformSwitchTest(exampleSwitchList, dIFcutoff = 0.3) # high dIF cutoff for fast

### analyzeORF
library(BSgenome.Hsapiens.UCSC.hg19)
exampleSwitchListAnalyzed <- analyzeORF(exampleSwitchListAnalyzed, genomeObject = Hsapiens)

### Explore result
head(exampleSwitchListAnalyzed$orfAnalysis)
head(exampleSwitchListAnalyzed$isoformFeatures) # PTC column added

```

analyzePFAM

Import Result of PFAM analysis

Description

Allows for easy integration of the result of Pfam (external sequence analysis of protein domains) in the IsoformSwitchAnalyzeR workflow. Please note that due to the 'removeNoncodingORFs' of the analyzeCPAT argument we recommend using analyzeCPAT before analyzePFAM and analyzeSignalP if you have predicted the ORFs with analyzeORF.

Usage

```

analyzePFAM(
  switchAnalyzeRlist,
  pathToPFAMresultFile,
  showProgress=TRUE,
  quiet=FALSE
)

```

Arguments

switchAnalyzeRlist
A switchAnalyzeRlist object

pathToPFAMresultFile
A string indicating the full path to the Pfam result file. See details for suggestion of how to run and obtain the result of the Pfam tool.

showProgress	A logic indicating whether to make a progress bar (if TRUE) or not (if FALSE). Default is TRUE.
quiet	A logic indicating whether to avoid printing progress messages (incl. progress bar). Default is FALSE

Details

Notes for how to run the external tools:

Use default paramters. If you want to use the webserver it is easily done as follows:. 1) Go to <https://www.ebi.ac.uk/Tools/hmmer/search/hmmscan> 2) Switch to the the "Upload a File" tab. 3) Upload the amino acid file (_AA) created with extractSequence file and add your mail adress - this is important beacue there is currently no way of downloading the web output so you need them to send the result to your email. 4) Check Pfam is selected in the "HMM database" window. 5) Submit your job. 6) Wait till you recieve the email with the result (usually quite fast). 7) Copy/paste the result part of the (ONLY what is below the line starting with "seq id") into an empty plain text document (notepad, sublmetext TextEdit or similar (not word)). 8) Save the document and supply the path to that document to analyzePFAM()

To run PFAM locally you should use the pfam_scan.pl script as described in the readme at <ftp://ftp.ebi.ac.uk/pub/databases/Pfam/Tools/> and supply the path to the result file to analyzePFAM().

Protein domains are only added to isoforms annotated as having an ORF even if other isoforms exists in the file. This means if you quantify the same isoform many times you can just run pfam once on all isoforms and then supply the entire file to analyzePFAM().

Value

A colum called 'domain_identified' is added to isoformFeatures containing a binary indication (yes/no) of whether a transcript contains any protein domains or not. Furthermore the data.frame 'domainAnalysis' is added to the switchAnalyzeRlist containing the details about domain names(s) and position for each transcript (where domain(s) were found).

The data.frame added have one row per isoform and contains the columns:

- isoform_id: The name of the isoform analyzed. Matches the 'isoform_id' entry in the 'isoformFeatures' entry of the switchAnalyzeRlist
- orf_aa_start: The start coordinate given as amino acid position (of the ORF).
- orf_aa_end: The end coordinate given as amino acid position (of the ORF).
- hmm_acc: A id which pfam have given to the domain
- hmm_name: The name of the domain
- clan: The can which the domain belongs to
- transcriptStart: The transcript coordinate of the start of the domain.
- transcriptEnd: The transcript coordinate of the end of the domain.
- pfamStarExon: The exon index in which the start of the domain is located.
- pfamEndExon: The exon index in which the end of the domain is located.
- pfamStartGenomic: The genomic coordinat of the start of the domain.
- pfamEndGenomic: The genomic coordinat of the end of the domain.

Furthermore depending on the exact tool used (local vs web-server) additional collums are added with inforation such as E score and type.

Author(s)

Kristoffer Vitting-Seerup

References

- This function : Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).
- Pfam : Finn et al. The Pfam protein families database. Nucleic Acids Research (2014) Database Issue 42:D222-D230

See Also

[createSwitchAnalyzeRlist](#)
[extractSequence](#)
[analyzeSwitchConsequences](#)

Examples

```
### Load example data (matching the result files also store in IsoformSwitchAnalyzeR)
data("exampleSwitchListIntermediary")
exampleSwitchListIntermediary

### Add PFAM analysis
exampleSwitchListAnalyzed <- analyzePFAM(
  switchAnalyzeRlist = exampleSwitchListIntermediary,
  pathToPFAMresultFile = system.file("extdata/pfam_results.txt", package = "IsoformSwitchAnalyzeR"),
  showProgress=FALSE
)

exampleSwitchListAnalyzed
```

analyzeSignalP

Import Result of SignalP Analysis

Description

Allows for easy integration of the result of SignalP (external sequence analysis of signal peptides) in the IsoformSwitchAnalyzeR workflow. Please note that due to the 'removeNoncodingORFs' of the analyzeCPAT argument we recommend using analyzeCPAT before analyzePFAM and analyzeSignalP if you have predicted the ORFs with analyzeORF.

Usage

```
analyzeSignalP(
  switchAnalyzeRlist,
  pathToSignalPresultFile,
  quiet=FALSE
)
```

Arguments

switchAnalyzeRlist	A switchAnalyzeRlist object
pathToSignalPresultFile	A string indicating the full path to the summary SignalP result file. See details for suggestion of how to run and obtain the result of the SignalP tool.
quiet	A logic indicating whether to avoid printing progress messages (incl. progress bar). Default is FALSE

Details

Notes for how to run the external tools: If using the web-server (<http://www.cbs.dtu.dk/services/SignalP/>) SignalP should be run with the paramter "standard" under "Output format" and "No graphics" under "Graphics output". When using a stand-alone version SignalP should be run with the '-f summary' option. If using the web-server the results should be copy pasted (from the web-page) into an empty plain text document (notepad, sublimetext TextEdit or similar (not word)) and save that to a txt file. This file is then used as input to the function. If a stand-alone version was just supply the path to the summary result file

Value

A collum called 'signal_peptide_identified' is added to isoformFeatures containing a binary indication (yes/no) of whether a transcript contains a signal peptide or not. Furthermore the data.frame 'signalPeptideAnalysis' is added to the switchAnalyzeRlist containing the details of the signal peptide analysis.

The data.frame added have one row pr isoform and contains 6 columns:

- isoform_id: The name of the isoform analyzed. Matches the 'isoform_id' entry in the 'isoformFeatures' entry of the switchAnalyzeRlist
- has_signal_peptide: A text string indicating whether there is a signal peptide or not. Can be yes or no
- network_used: A text string indicating whether SignalP used the Neural Network (NN) optimized for proteins with trans-membrane sections (string='TM') or proteins without trans-membrane sections (string='noTM'). Per default, SignalP 4.1 uses the NN with TM as a pre-processor to determine whether to use TM or noTM in the final prediction (if 4 or more positions are predicted to be in a transmembrane state, TM is used, otherwise SignalP-noTM). Reference: <http://www.cbs.dtu.dk/services/SignalP/instructions.php>
- aa_removed: A integer giving the number of amino acids removed when the signal peptide is cleaved off.
- transcriptClevageAfter: The transcript position of the last nucleotide in the isoform which is removed when the signal peptide is cleaved off.
- genomicClevageAfter: The genomic position of the last nucleotide in the isoform which is removed when the signal peptide is cleaved off.

Author(s)

Kristoffer Vitting-Seerup

References

- This function : Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).
- SignalP : Petersen et al. SignalP 4.0: discriminating signal peptides from transmembrane regions. Nature Methods, 8:785-786, 2011

See Also

[createSwitchAnalyzeRlist](#)
[extractSequence](#)
[analyzeSwitchConsequences](#)

Examples

```

### Load example data
data("exampleSwitchListIntermediary")
exampleSwitchListIntermediary

### Add SignalP analysis
exampleSwitchListAnalyzed <- analyzeSignalP(
  switchAnalyzeRlist      = exampleSwitchListIntermediary,
  pathToSignalPresultFile = system.file(
    "extdata/signalP_results.txt",
    package = "IsoformSwitchAnalyzeR")
)

exampleSwitchListAnalyzed

```

analyzeSwitchConsequences

Analyze Consequences of Isoform Switches

Description

This function extracts all isoforms with an absolute dIF change larger than dIFcutoff from genes with a significant isoform switch (as defined by alpha). For each gene these isoforms are then analyzed for differences in the functional annotation (defined by consequencesToAnalyze) by pairwise comparing the isoforms that are used more (switching up (dIF > 0)) with the isoforms that are used less (switching down (dIF < 0)). For each comparison a small report of the analyzed features is returned.

Usage

```

analyzeSwitchConsequences(
  switchAnalyzeRlist,
  consequencesToAnalyze=c(
    'intron_retention',
    'coding_potential',
    'ORF_seq_similarity',
    'NMD_status',
    'domains_identified',

```

```

        'signal_peptide_identified'
    ),
    alpha=0.05,
    dIFcutoff=0.1,
    onlySigIsoforms=FALSE,
    ntCutoff=50,
    ntFracCutoff=NULL,
    ntJCSimCutoff=0.8,
    AaCutoff=10,
    AaFracCutoff=0.5,
    AaJCSimCutoff=0.9,
    removeNonConseqSwitches=TRUE,
    showProgress=TRUE,
    quiet=FALSE
)

```

Arguments

switchAnalyzeRlist

A switchAnalyzeRlist object containing the result of an isoform switch analysis (such as the one provided by isoformSwitchTest()) as well as additional annotation data for the isoforms.

consequencesToAnalyze

A vector of strings indicating what type of functional consequences to analyze. Do note that there is bound to be some differences between isoforms (else they would be identical and not annotated as separate isoforms). See details for full list of usable strings and their meaning. Default is c('intron_retention', 'coding_potential', 'ORF_seq_s (corresponding to analyze: intron retention, CPAT result, ORF AA sequence similarity, NMD status, protein domains annotated and signal peptides annotated by Pfam).

alpha

The cutoff which the FDR correct p-values (q-values) must be smaller than for calling significant switches. Default is 0.05.

dIFcutoff

The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).

onlySigIsoforms

A logic indicating whether to only consider significant isoforms, meaning only analyzing genes where at least two isoforms which both have significant usage changes in opposite direction (quite strict) Naturally this only works if the isoform switch test used have isoform resolution (which the build in [isoform-SwitchTest](#) has). If FALSE all isoforms with an absolute dIF value larger than dIFcutoff in a gene with significant switches (defined by alpha and dIFcutoff) are included in the pairwise comparison. Default is FALSE (non significant isoforms are also considered based on the logic that if one isoform changes its contribution - there must be an equivalent opposite change in usage in the other isoforms from that gene).

ntCutoff

An integer indicating the length difference (in nt) a comparison must be larger than for reporting differences when evaluating 'isoform_length', 'ORF_length',

	'5_utr_length', '3_utr_length', 'isoform_seq_similarity', '5_utr_seq_similarity' and '3_utr_seq_similarity'. Default is 50 (nt).
ntFracCutoff	An numeric indicating the cutoff in length difference, measured as a fraction of the length of the downregulated isoform, a comparison must be larger than for reporting differences when evaluating 'isoform_length', 'ORF_length', '5_utr_length', '3_utr_length'. For example does 0.05 mean the upregulated isoform must be 5% longer/shorter before it is reported. NULL disables the filter. Default is NULL.
ntJCSimCutoff	An numeric (between 0 and 1) indicating the cutoff on Jacard Similarity (JCSim) (see details) between the overlap of two nucleotide (nt) sequences. If the measured JCSim is smaller than this cutoff the sequences are considered different and reported as such. This cutoff affects the result of the 'isoform_seq_similarity', '5_utr_seq_similarity' and '3_utr_seq_similarity' analysis. Default is 0.8
AaCutoff	An integer indicating the length difference (in AA) a comparison must be larger than for reporting differences when evaluating 'ORF_seq_similarity', primarily implemented to avoid differences in very short AA sequences being classified as different. Default is 10 (AA).
AaFracCutoff	An numeric indicating the cutoff of protein domain length difference, measured as a fraction of the longest protein domain, a comparison must be larger than before reporting it. Only used when analyzing 'domain_length'. For example does 0.5 mean the short protein domain must be >50% shorter than the long protein domain before it is reported. NULL disables the filter. Default is 0.5.
AaJCSimCutoff	An numeric (between 0 and 1) indicating the cutoff on Jacard Distance (JCSim) (see details) between the overlap of two amino acid (AA) sequences. If the measured JCSim is smaller than this cutoff the sequences are considered different and reported as such. This cutoff affect the result of the 'ORF_seq_similarity' analysis. Default is 0.9
removeNonConseqSwitches	A logic indicating whether to remove the comparison of isoforms where no consequences were found (if TRUE) or to keep them (if FALSE). Defaults is TRUE.
showProgress	A logic indicating whether to make a progress bar (if TRUE) or not (if FALSE). Default is TRUE.
quiet	A logic indicating whether to avoid printing progress messages (incl. progress bar). Default is FALSE

Details

Changes in isoform usage are measure as the difference in isoform fraction (dIF) values, where isoform fraction (IF) values are calculated as $\langle \text{isoform_exp} \rangle / \langle \text{gene_exp} \rangle$.

The idea is that once we know there is (at least) one isoform with a significant change in how much it is used (as defined by alpha and dIFcutoff) in a gene we take that/those isoform(s) and compare the functional annotation of this isoform to the isoform(s) with the compensatory change(s) in isoform usage (since if one isoform is use more another/others have to be used less). Here we only require that one of the isoforms in the comparison of annotation is significant (unless onlySigIsoforms=TRUE, then both must be), but all isoforms considered must have a change in isoform usage larger than dIFcutoff.

Note that sometimes we find complex switches meaning that many isoforms passes all the filters. In these cases we compare all pairwise combinations of the isoform(s) used more (positive dIF) vs

the isoform(s) used less (negative dIF).

For sequences similarity analysis the two compared sequences are (globally) aligned to one another and the Jacard similarity (JCSim) is calculated. Here JCSim is defined as the length of the alligned regions (omitting gaps) divided by the total combined unique sequence length: $JCSim = (\text{length of alligned region w.o gaps}) / ((\text{length of sequence a}) + (\text{length of sequence b}) - (\text{length of alligned region w.o gaps}))$. The pairwise alignment is done with `pairwiseAlignment{Biostrings}` as a Needleman-Wunsch global alignment which is guaranteed to find the optimal global alignment. The pairwise alignment is done with end gap penalties for the full sequences alignments ('isoform_seq_similarity' and 'ORF_seq_similarity') and without gap penalties for the alignment of sub-sequence ('5_utr_seq_similarity' and '3_utr_seq_similarity') by specifying `type='global'` and `type='overlap'` respectively.

The arguments passed to `consequencesToAnalyze` must be a combination of:

- `all` : Test transcripts for any of the differences described below. Please note that jointly the analysis below covers all transcript feature meaning that they should be different. Furthermore note that `class_code` will only be included if the `switchAnalyzeRlist` was made from `Cufflinks/Cuffdiff` output.
- `tss` : Test transcripts for whether they use different Transcription Start Site (TSS).
- `tts` : Test transcripts for whether they use different Transcription Termination Site (TTS).
- `last_exon` : Test whether transcripts utilizes different last exons (defined as the last exon of each transcript is non-overlapping).
- `isoform_seq_similarity` : Test whether the isoform nucleotide sequences are different (as described above). Reported as different if the measured JCSim is smaller than `ntJCSimCutoff` and the length difference of the alligned and combined region is larger than `ntCutoff`.
- `isoform_length` : Test transcripts for differences in isoform length. Only reported if the difference is larger than indicated by the `ntCutoff` and `ntFracCutoff`. Please note that this is a less powerful analysis than implemented in 'isoform_seq_similarity' as two equally long sequences might be very different.
- `exon_number` : Test transcripts for differences in exon number.
- `intron_structure` : Test transcripts for differences in intron structure, e.g. usage of exon-exon junctions. This analysis corresponds to analyzing whether all introns in one isoform is also found in the other isoforms (meaning that the introns used in one isoform is a subset of the introns used in another isoform).
- `intron_retention` : Test for differences in intron retentions (and their genomic positions). Require that `analyzeIntronRetention` have been run.
- `isoform_class_code` : Test transcripts for differences in the transcript classification provide by `cufflinks`. For a updated list of class codes see <http://cole-trapnell-lab.github.io/cufflinks/cuffcompare/#transfrag-class-codes>.
- `coding_potential` : Test transcripts for differences in coding potential, as indicated by the CPAT analysis. Requires that `importCPATanalysis` have been used to add external CPAT analysis to the `switchAnalyzeRlist`.
- `ORF_seq_similarity` : Test whether the amino acid sequences of the ORFs are different (as described above). Reported as different if the measured JCSim is smaller than `AaJCSimCutoff` and the length difference of the alligned and combined region is larger than `AaCutoff`. Requires that least one of the isoforms are annotated with a ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.

- `ORF_genomic` : Test transcripts for differences in genomic position of the Open Reading Frames (ORF). Requires that least one of the isoforms are annotated with an ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.
- `ORF_length` : Test transcripts for differences in length of Open Reading Frames (ORF). Note that this is a less powerful analysis than implemented in `ORF_seq_similarity` as two equally long sequences might be very different. Only reported if the difference is larger than indicated by the `ntCutoff` and `ntFracCutoff`. Requires that least one of the isoforms are annotated with a ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.
- `5_utr_seq_similarity` : Test whether the isoform nucleotide sequences are different (as described above). Reported as different if the measured `JCsim` is smaller than `ntJCsimCutoff` and the length difference of the aligned and combined region is larger than `ntCutoff`. Requires that both the isoforms are annotated with an ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.
- `5_utr_length` : Test transcripts for differences in length of 5' UnTranslated Region (UTR), defined as the region from the transcript start to the ORF start. Note that this is a less powerful analysis than implemented in '`5_utr_seq_similarity`' as two equally long sequences might be very different. Only reported if the difference is larger than indicated by the `ntCutoff` and `ntFracCutoff`. Requires that both the isoforms are annotated with a ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.
- `3_utr_seq_similarity` : Test whether the isoform nucleotide sequences are different (as described above). Reported as different if the measured `JCsim` is smaller than `ntJCsimCutoff` and the length difference of the aligned and combined region is larger than `ntCutoff`. Requires that both the isoforms are annotated with a ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.
- `3_utr_length` : Test transcripts for differences in length of 3' UnTranslated Region (UTR), defined as the region from the ORF end to transcript end. Note that this is a less powerful analysis than implemented in `3_utr_seq_similarity` as two equally long sequences might be very different. Requires that `identifyORF` have been used to predict NMD sensitivity or that the ORF was imported through one of the dedicated import functions implemented in `isoformSwitchAnalyzer`. Only reported if the difference is larger than indicated by the `ntCutoff` and `ntFracCutoff`. Requires that both the isoforms are annotated with a ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.
- `NMD_status` : Test transcripts for differences in sensitivity to Nonsense Mediated Decay (NMD). Requires that both the isoforms have been annotated with PTC either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.
- `domains_identified` : Test transcripts for differences in the name and order of which domains are identified by the Pfam in the transcripts. Requires that `importPFAManalysis` have been used to add external Pfam analysis to the `switchAnalyzeRlist`. Requires that both the isoforms are annotated with a ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.
- `domain_length` : Test transcripts for differences in the length of domains identified in both isoforms enabling analysis of protein domain truncation. Do however note that a small difference in length is will likely not truncate the protein domain. The length difference, measured in AA, must be larger than `AaCutoff` and `AaFracCutoff`. Requires that `importPFAManalysis` have been used to add external Pfam analysis to the `switchAnalyzeRlist`. Requires that both

the isoforms are annotated with a ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.

- `genomic_domain_position` : Test transcripts for differences in the genomic position of the domains identified by the Pfam analysis. Requires that `importPFAManalysis` have been used to add external Pfam analysis to the `switchAnalyzeRlist`. Requires that both the isoforms are annotated with a ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist` (and are thereby also affected by `removeNoncodingORFs=TRUE` in `analyzeCPAT`).
- `signal_peptide_identified` : Test transcripts for differences in whether a signal peptide was identified or not by the SignalP analysis. Requires that `analyzeSignalP` have been used to add external SignalP analysis to the `switchAnalyzeRlist`. Requires that both the isoforms are annotated with a ORF either via `analyzeORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist` (and are thereby also affected by `removeNoncodingORFs=TRUE` in `analyzeCPAT`).

Value

The supplied `switchAnalyzeRlist` is returned, but now annotated with the predicted functional consequences as follows. First a column called `'switchConsequencesGene'` is added to `isoformFeatures` entry of `switchAnalyzeRlist`. This column containing a binary indication (TRUE/FALSE (and NA)) of whether the switching gene have predicted functional consequences or not.

Secondly the data.frame `'switchConsequence'` is added to the `switchAnalyzeRlist` containing one row feature analyzed per comparison of isoforms or comparison of condition. It contains 8 columns:

- `gene_ref` : A unique reference to a specific gene in a specific comparison of conditions. Enables easy handles to integrate data from all the parts of a `switchAnalyzeRlist`.
- `gene_id`: The id of the gene which the isoforms compared belongs to. Matches the `'gene_id'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `gene_name` : The gene name associated with the `<gene_id>`, typically a more readable one (for example `p53` or `BRCA1`)
- `condition_1`: The first condition of the comparison. Should be thought of as the ground state - meaning the changes occur from `condition_1` to `condition_2`. Matches the `'condition_1'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `condition_2`: The second condition of the comparison. Should be thought of as the changed state - meaning the changes occur from `condition_1` to `condition_2`. Matches the `'condition_2'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `isoformUpregulated`: The name of the isoform which is used more in `condition_2` (when compared to `condition_1`, positive dIF values). Matches the `'isoform_id'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `isoformDownregulated`: The name of the isoform which is used less in `condition_2` (when compared to `condition_1`, negative dIF values). Matches the `'isoform_id'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `iso_ref_up` : A unique reference to a specific isoform in a specific comparison of conditions for the isoform switching up. Enables easy handles to integrate data from all the parts of a `switchAnalyzeRlist`.
- `iso_ref_down` : A unique reference to a specific isoform in a specific comparison of conditions for the isoform switching down. Enables easy handles to integrate data from all the parts of a `switchAnalyzeRlist`.
- `featureCompared`: The category of the isoform features/annotation compared in this row (see details above)

- `isoformsDifferent`: A logic (TRUE/FALSE) indicating whether the two isoforms are different with respect to the `featureCompared` (see details above)
- `switchConsequence`: If the isoforms compared are different this column contains a short description of the features of the upregulated isoform. E.g. domain loss means that the upregulated isoforms (`isoformUpregulated`) have lost domains compare to the downregulated isoform (`isoformDownregulated`).

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. *Mol. Cancer Res.* (2017).

See Also

[analyzeORF](#)
[analyzeCPAT](#)
[analyzePFAM](#)
[analyzeSignalP](#)
[extractConsequenceSummary](#)
[extractConsequenceEnrichment](#)
[extractConsequenceEnrichmentComparison](#)
[extractConsequenceGenomeWide](#)

Examples

```

### Prepare example data
data("exampleSwitchListAnalyzed")

# subset for fast runtime
exampleSwitchListAnalyzed <- subsetSwitchAnalyzeRlist(
  exampleSwitchListAnalyzed,
  exampleSwitchListAnalyzed$isoformFeatures$gene_id %in% sample(exampleSwitchListAnalyzed$isoformFeatures$
)

### Analyze consequences
consequencesOfInterest <- c(
  'intron_retention',
  'coding_potential',
  'NMD_status',
  'domains_identified'
)

exampleSwitchListAnalyzed <- analyzeSwitchConsequences(
  exampleSwitchListAnalyzed,
  consequencesToAnalyze = consequencesOfInterest,
)

### simple overview
extractSwitchSummary(exampleSwitchListAnalyzed, filterForConsequences = FALSE)
extractSwitchSummary(exampleSwitchListAnalyzed, filterForConsequences = TRUE)

```

```

### Detailed switch overview
consequenceSummary <- extractConsequenceSummary(
  exampleSwitchListAnalyzed,
  includeCombined = TRUE,
  returnResult = TRUE,      # return data.frame with summary
  plotGenes = TRUE         # plot summary
)

### Now switches are analyzed we can also extract the the largest/most significant switches with the extractT
# Extract top 2 switching genes (by q-value)
extractTopSwitches(
  exampleSwitchListAnalyzed,
  filterForConsequences = TRUE,
  n = 2,
  extractGenes = TRUE,
  sortByQvals = TRUE
)

# Extract top 2 switching isoforms (by q-value)
extractTopSwitches(
  exampleSwitchListAnalyzed,
  filterForConsequences = TRUE,
  n = 2,
  extractGenes = FALSE,
  sortByQvals = TRUE
)

# Extract top 2 switching isoforms (by dIF)
extractTopSwitches(
  exampleSwitchListAnalyzed,
  filterForConsequences = TRUE,
  n = 2,
  extractGenes = FALSE,
  sortByQvals = FALSE
)

### Note the function ?extractConsequenceSummary is specific made for the post analysis of switching consequen

```

CDSSet

Container for coding sequence (CDS) annotation information

Description

A container for coding sequence annotation information.

Usage

```
CDSSet(cds)
```

Arguments

`cds` A data.frame object containing CDS annotation. See details for required columns.

Details

This object can be generated automatically from `getCDS`, or can be generated manually by creating a new `CDSset` from a `data.frame` with the following columns:

`chrom`, the chromosome name (NB: chromosome names must match when running `analyzeORF`), `strand`, the strand, `cdsStart`, the genomic start of the coding sequence (beware of 0/1-frame issues), and `cdsEnd`, the genomic end of the coding sequence (beware of 0/1-frame issues).

The `CDSset` object is used with `analyzeORF` if annotated TSS should be analyzed.

For an example, see `getCDS`.

Value

A `CDSset` object.

Author(s)

Kristoffer Vitting-Seerup, Johannes Waage

References

Vitting-Seerup K, et al: spliceR: an R package for classification of alternative splicing and prediction of coding potential from RNA-seq data. BMC Bioinformatics 2014, 15:81.

`createSwitchAnalyzeRlist`*Create a switchAnalyzeRlist Object*

Description

Create a `switchAnalyzeRlist` containing all the information needed to do the full analysis with `IsoformSwitchAnalyzeR`.

Usage

```
createSwitchAnalyzeRlist(  
  isoformFeatures,  
  exons,  
  designMatrix,  
  isoformCountMatrix,  
  sourceId  
)
```

Arguments

`isoformFeatures`

A `data.frame` where each row corresponds to a isoform in a specific comparison and contains all the annotation for this isoform. See details below for details.

`exons`

A `GRanges` object containing isoform exon structure. See details below for details.

designMatrix	A data.frame with the information of which samples originate from which conditions. A data.frame with two columns: sampleID 1 contains the sample names which matches the column names used in isoformCountMatrix. condition: which indicates which conditions the sample originate from. If sample 1-3 originate from the same condition they should all have the same string (for example 'ctrl', in this column). By adding additional columns to this designMatrix batch effects can be taken into account with the DRIMSeq based isoform switch test.
isoformCountMatrix	A data.frame with unfiltered biological (not technical) replicate isoform (estimated) counts. Must have a column called 'isoform_id' with the isoform_id that matches isoformFeatures. The name of the columns must match the sample names in the designMatrix argument and contain the estimated counts.
sourceId	A character stating the origin of the data used to create the switchAnalyzeRlist.

Details

For cufflinks data, use [importCufflinksCummeRbund](#) or [importCufflinksFiles](#) to prepare the switchAnalyzeRlist. For other RNA-seq assemblies, either uses this constructor or the general-purpose [importRdata](#) to create the switchAnalyzeRlist - see vignette for details.

The isoformFeatures should be a data.frame where each row corresponds to a isoform in a specific comparison and contains all the annotation for this isoform. The data.frame can contain any columns supplied (enabling addition of user specified columns) but the following columns are necessary and must be provided:

- iso_ref : A unique reference to a specific isoform in a specific comparison of conditions. Mainly created to have an easy handle to integrate data from all the parts of a switchAnalyzeRlist.
- gene_ref : A unique reference to a specific gene in a specific comparison of conditions. Mainly created to have an easy handle to integrate data from all the parts of a switchAnalyzeRlist.
- isoform_id : A unique isoform id
- gene_id : A unique gene id referring to a gene at a specific genomic loci (not the same as gene_name since gene_names can refer to multiple genomic loci)
- condition_1 : Name of the first condition in the comparison
- condition_2 : Name of the second condition in the comparison
- gene_name : The gene name associated with the <gene_id>, typically a more readable one (for example p53 or BRCA1)
- gene_overall_mean : Mean expression of <gene_id> across all samples (if you create it yourself consider inter-library normalization)
- gene_value_1 : Expression of <gene_id> in condition_1 (if you create it yourself consider inter-library normalization)
- gene_value_2 : Expression of <gene_id> in condition_2 (if you create it yourself consider inter-library normalization)
- gene_stderr_1 : Standard error (of mean) of <gene_id> expression in condition_1
- gene_stderr_2 : Standard error (of mean) of <gene_id> expression in condition_2
- gene_log2_fold_change : log2 fold change of <gene_id> expression between condition_1 and condition_2
- gene_q_value : The FDR corrected (for multiple testing) p-value of the differential expression test of <gene_id>

- `iso_overall_mean` : Mean expression of `<isoform_id>` accross all samples (if you create it yourself consider inter-library normalization)
- `iso_value_1` : Expression of `<isoform_id>` in `condition_1` (if you create it yourself consider inter-library normalization)
- `iso_value_2` : Expression of `<isoform_id>` in `condition_2` (if you create it yourself consider inter-library normalization)
- `iso_stderr_1` : Standard error (of mean) of `<isoform_id>` expression in `condition_1`
- `iso_stderr_2` : Standard error (of mean) of `<isoform_id>` expression in `condition_2`
- `iso_log2_fold_change` : log2 fold change of `<isoform_id>` expression between `condition_1` and `condition_2`
- `iso_q_value` : The FDR corrected (for multiple testing) p-value of the differential expression test of `<isoform_id>`
- `IF_overall` : The average `<isoform_id>` usage accross all samples (given as Isoform Fraction (IF) value)
- `IF1` : The `<isoform_id>` usage in condtion 1 (given as Isoform Fraction (IF) value)
- `IF2` : The `<isoform_id>` usage in condtion 2 (given as Isoform Fraction (IF) value)
- `dIF` : The change in isoform usage from `condtion_1` to `condition_2` (difference in IF values (dIF))
- `isoform_switch_q_value` : The q-value of the test of differential isoform usage in `<isoform_id>` between condition 1 and condition 2. Use NA if not performed. Will be overwritten by the result of `testIsoformSwitches`. If only performed at gene level use same values on isoform level.
- `gene_switch_q_value` : The q-value of the test of differential isoform usage in `<gene_id>` between condition 1 and condition 2. Use NA if not performed. Will be overwritten by the result of `testIsoformSwitches`.

The `exons` argument must be supplied with a `GenomicRange` object containing one entry pr exon in each isoform. Furthermore it must also have two meta collumns called `isoform_id` and `gene_id` which links it to the information in the `isoformFeatures` entry.

The `conditions` should be a `data.frame` with two collumns: `condition` and `nrReplicates` giving the number of biological (not technical) replicates each condition analyzed. The strings used to conditions the conditons must match the strings used in `condition_1` and `condition_2` collumns of the `isoformFeatures` entry.

Value

A list-type object `switchAnalyzeRlist` object containing all the information needed to do the full analysis with `IsoformSwitchAnalyzeR`. Note that `switchAnalyzeRlist` appears as a normal list and all the information (incl that added by all the `analyze*` functions) can be obtained using both the named entries (f.x. `myIsoSwitchList$isoformFeatures`) or indexes (f.x `myIsoSwitchList[[1]]`).

When fully analyzed the `isoformFeatures` entry of the will furthermore contain the following collumns:

- `id`: During the creation of `switchAnalyzeRlist` a unique id is constructed for each row - meaning for each isoform in each comparison. The id is constructed as 'isoComp' an acronym for 'isoform comparison', followed by XXXXXXXXX indicating the row number
- `PTC`: A logic indicating whether the `<isoform_id>` is classified as having a Premature Termination Codon. This is defined as having a stopcodon more than `PTCDistance`(default is 50) nt upstream of the last exon exon.

- codingPotentialValue: containing the coding potential value predicted by CPAT.
- codingPotential: A logic (TRUE/FALSE) indicating whether the isoform is coding or not (based on the codingCutoff supplied)
- signal_peptide_identified: A string ('yes'/'no') indicating whether the <isoform_id> have a signal peptide, as predicted by SignalP.
- domain_identified: A string ('yes'/'no') indicating whether the <isoform_id> contain (at least one) protein domain, as predicted by pfam.
- switchConsequencesGene: A logic (TRUE/FALSE) indicating whether the <gene_id> contain an isoform switch with functional consequences, as predicted by analyzeSwitchConsequences.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

```
importRdata
readCufflinks
importCufflinksCummeRbund
importCufflinksFiles
importGTF
importIsoformExpression
```

Examples

```
#### Make example data
cuffDB <- prepareCuffExample()

### Replicate count matrix
isoRepCount <- repCountMatrix(isoforms(cuffDB))
isoRepCount$isoform_id <- rownames(isoRepCount)

### Design matrix
designMatrix <- cummeRbund::replicates(cuffDB)[,c('rep_name','sample_name')]
colnames(designMatrix) <- c('sampleID','condition')

### Genomic Annotation
localAnnotaion <- import(system.file("extdata/chr1_snippet.gtf", package="cummeRbund"))[,c('transcript_id',
colnames(localAnnotaion@elementMetadata)[1] <- 'isoform_id'

### Take a look at the data
head(isoRepCount, 2)

designMatrix

head(localAnnotaion, 3)

### Create switchAnalyzeRlist
```



```
aSwitchList <- importRdata(  
  isoformCountMatrix=isoRepCount,  
  designMatrix=designMatrix,  
  isoformExonAnnoation=localAnnotaion,  
  showProgress=FALSE  
)  
aSwitchList
```

exampleData

Example data for IsoformSwitchAnalyzeR

Description

Three switchAnalyzeRlist corresponding to a switchAnalyzeRlist in different stages of an isoform switch analyzer workflow.

Usage

```
data("exampleSwitchList")  
  
data("exampleSwitchListIntermediary")  
  
data("exampleSwitchListAnalyzed")
```

Format

see ?createSwitchAnalyzeRlist for detailed format of an switchAnalyzeRlist

Details

The three example switchAnalyzeRlist are:

- `exampleSwitchList` : Which corresponds to a newly created switchAnalyzeRlist such as one would get by using either of the `import*` function (such as `importCufflinksData`) or by using `createSwitchAnalyzeRlist` on your own data. Not this is a small subset to allow for fast example generation.
- `exampleSwitchListIntermediary` : Which corresponds to the `exampleSwitchList` data (see above) which have been analyzed with the `isoformSwitchAnalysisPart1` function meaning that it have been filtered, tested for isoform switches, ORF have been predicted and both nucleotide and ORF amino acid sequences have been added to the switchAnalyzeRlist. Not this is a small subset to allow for fast example generation.
- `exampleSwitchListAnalyzed` : Which corresponds to a subset of two of the TCGA Cancer types analyzed in Vitting-Seerup et al 2017 which have been analyzed with the full switch analysis workflow (including external sequence analysis of protein domains (via Pfam), coding potential (via CPAT) and signal peptides (via SignalP)). Note that the nucleotide and amino acid sequences normally added to the switchAnalyzeRlist have been removed from the switchAnalyzeRlist (but also that they can easily be added again with the [extractSequence](#) function).

Source

exampleSwitchList and exampleSwitchListIntermediary is a modified subset of a dataset comparing human Embryonic Stem Cells (hESC) vs induced Pluripotent Cells (iPS) and mature cells (Fibroblast) originally released with the cummeRbund package. This data is only included to provide examples for usage of function. As it is modified to illustrate the package it should not be considered real and no conclusions should be made from it.

The exampleSwitchListAnalyzed is a subset of two of the TCGA Cancer types analyzed in Vitting-Seerup et al 2017 and are unmodified meaning results are real!

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

Examples

```
### Summarize newly created switchAnalyzeRlist
data("exampleSwitchList")
summary(exampleSwitchList)
```

extractCalibrationStatus

Extract Whether P-values were Corrected.

Description

This function allows the user to extract information about whether the p-values were calibrated as described in Ferguson et al or not.

Usage

```
extractCalibrationStatus(
  switchAnalyzeRlist
)
```

Arguments

switchAnalyzeRlist

A switchAnalyzeRlist object which have been analyzed with isoformSwitchTest.

Value

A data.frame where it for each comparison was indicated (via a logical) whether the p-value correction was performed or not.

Author(s)

Kristoffer Vitting-Seerup

References

- Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).
- Ferguson JP, Palejev D: P-value calibration fro multiple testing problems in genomics. Stat. Appl. Genet. Mol. Biol. 2014, 13:659-673.

See Also

[isoformSwitchTest](#)

Examples

```
# Load example data and prefilter
data("exampleSwitchList")
exampleSwitchList <- preFilter(exampleSwitchList)

# Perform test
exampleSwitchListAnalyzed <- isoformSwitchTest(exampleSwitchList)

# extract whether p-value calibration was performed
extractCalibrationStatus(exampleSwitchListAnalyzed)
```

```
extractConsequenceEnrichment
```

Analyze data for enrichment of specific consequences

Description

This functions analyzes for enrichment of specific consequences by for each set of opposing consequences (fx. domain gain vs loss), by analyzing the fraction of events belonging to one of them.

Usage

```
extractConsequenceEnrichment(
  switchAnalyzeRlist,
  consequencesToAnalyze = 'all',
  alpha=0.05,
  dIFcutoff = 0.1,
  analysisOppositeConsequence=FALSE,
  plot=TRUE,
  localTheme = theme_bw(base_size = 12),
  returnResult=FALSE,
  returnSummary=TRUE
)
```

Arguments

`switchAnalyzeRlist`

A `switchAnalyzeRlist` object where `analyzeSwitchConsequences()` have been run to identify consequences of isoform switches

consequencesToAnalyze	A string indicating which consequences should be considered. See detail section of analyzeSwitchConsequences for description . Default is all consequences analyzed with <code>analyzeSwitchConsequences</code> .
alpha	The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.
dIFcutoff	The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).
analysisOppositeConsequence	A logic indicating whether reverse the analysis meaning if "Domain gains" are analyze using default parameters setting <code>analysisOppositeConsequence=TRUE</code> will case the analysis to be performed on "Domain loss". The main effect is for the visual appearance of plot which will be mirrored (around the 0.5 fraction). Default is FALSE.
plot	A logic indicting whether the analysis should be plotted. Default is TRUE.
localTheme	General ggplot2 theme with which the plot is made, see <code>?ggplot2::theme</code> for more info. Default is <code>theme_bw(base_size = 14)</code> .
returnResult	A logic indicating whether the analysis should be returned as a data.frame. Default is FALSE.
returnSummary	A logic indicating whether to return the statistical summary (if TRUE) or the underlying data (if FALSE). Default is TRUE.

Details

The significance test is performed with R's build in `prop.test()` with default parameters and resulting p-values are corrected via `p.adjust()` using FDR (Benjamini-Hochberg).

Value

If `returnResult=TRUE` a data.frame with the statisitcal summary for each oposing consequences in each comparison. If `plot=TRUE` a plot summarizing the proportions is also created of switches with specific consequences is created.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. *Mol. Cancer Res.* (2017).

See Also

[analyzeSwitchConsequences](#)
[extractSwitchSummary](#)
[extractConsequenceEnrichmentComparison](#)
[extractConsequenceGenomeWide](#)

Examples

```
### Load exempld data
data("exampleSwitchListAnalyzed")

extractConsequenceEnrichment( exampleSwitchListAnalyzed)
```

```
extractConsequenceEnrichmentComparison
```

Compare enrichment of specific consequences between comparisons

Description

This function compares the enrichment of a consequences (f.x. domain gain) between two comparisons (ctrl vs ko1 compared to ctrl vs ko2) and reports whether there is a significant difference between the comparisons. In other words it compares the output of `extractConsequenceEnrichment`.

Usage

```
extractConsequenceEnrichmentComparison(
  switchAnalyzeRlist,
  consequencesToAnalyze = 'all',
  alpha=0.05,
  dIFcutoff = 0.1,
  analysisOppositeConsequence=FALSE,
  plot=TRUE,
  localTheme = theme_bw(base_size = 14),
  returnResult=FALSE
)
```

Arguments

<code>switchAnalyzeRlist</code>	A <code>switchAnalyzeRlist</code> object where <code>analyzeSwitchConsequences()</code> have been run to identify consequences of isoform switches
<code>consequencesToAnalyze</code>	A string indicating which consequences should be considered. See details for description (note it is identical to the strings used with <code>analyzeSwitchConsequences</code>). Default is all consequences analyzed with <code>analyzeSwitchConsequences</code>
<code>alpha</code>	The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.
<code>dIFcutoff</code>	The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).
<code>analysisOppositeConsequence</code>	A logic indicating whether reverse the analysis meaning if "Domain gains" are analyzed using default parameters setting <code>analysisOppositeConsequence=TRUE</code> will cause the analysis to be performed on "Domain loss". The main effect is for

	the visual appearance of plot which will be mirrored (around the 0.5 fraction). Default is FALSE.
plot	A logic indicting whether the analysis should be plotted. Default is TRUE.
localTheme	General ggplot2 theme with which the plot is made, see <code>?ggplot2::theme</code> for more info. Default is <code>theme_bw(base_size = 14)</code> .
returnResult	A logic indicating whether the analysis should be returned as a data.frame. Default is FALSE.

Details

The significance test is performed with R's build in `prop.test()` with default parameters and resulting p-values are corrected via `p.adjust()` using FDR (Benjamini-Hochberg).

Value

If `returnResult=TRUE` a data.frame with the statistcal summary for each oposing consequences in each comparison. If `plot=TRUE` a plot summarizing the proportions is also created of switches with specific consequences is created.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. *Mol. Cancer Res.* (2017).

See Also

[analyzeSwitchConsequences](#)
[extractSwitchSummary](#)
[extractConsequenceEnrichment](#)
[extractConsequenceGenomeWide](#)

Examples

```
### Load exempld data
data("exampleSwitchListAnalyzed")

extractConsequenceEnrichmentComparison( exampleSwitchListAnalyzed)
```

`extractConsequenceGenomeWide`

Genome wide Analysis of Consequences due to isoform switching

Description

This function enables a genome wide analysis of changes in isoform usage of isoforms with a common annotation.

Specifically this function extract isoforms of interest and for each category of annotation (such as signal peptides) the global distribution of IF (measuring isoform usage) are plotted for each subset of features in that category (e.g with and without signal peptides). This enables a global analysis of isoforms with a common annotation. The annotations considered are (if added to the switchAnalyzeRlist) coding potential, intron retentions, isoform class code (Cufflinks/Cuffdiff data only), NMD status, ORFs, protein domains, signal peptides and whether switch consequences were identified.

The isoforms of interest can either be defined by isoforms from gene differentially expressed, isoforms that are differentially expressed or isoforms from genes with isoform switching - as controlled by featureToExtract.

This function offers both visualization of the result as well as analysis via summary statistics of the comparisons.

Usage

```
extractConsequenceGenomeWide(
  switchAnalyzeRlist,
  featureToExtract = 'isoformUsage',
  annotationToAnalyze = 'all',
  alpha=0.05,
  dIFcutoff = 0.1,
  log2FCcutoff = 1,
  violinPlot=TRUE,
  alphas=c(0.05, 0.001),
  localTheme=theme_bw(),
  plot=TRUE,
  returnResult=TRUE
)
```

```
extractGenomeWideAnalysis(
  switchAnalyzeRlist,
  featureToExtract = 'isoformUsage',
  annotationToAnalyze = 'all',
  alpha=0.05,
  dIFcutoff = 0.1,
  log2FCcutoff = 1,
  violinPlot=TRUE,
  alphas=c(0.05, 0.001),
  localTheme=theme_bw(),
  plot=TRUE,
  returnResult=TRUE
)
```

Arguments

switchAnalyzeRlist

A switchAnalyzeRlist object containing the result of an isoform switch analysis (such as the one provided by isoformSwitchTest()) as well as additional

annotation data for the isoforms.

featureToExtract

This argument, given as a string, defines the set isoforms which should be analyzed. The available options are:

- 'isoformUsage' (Default): Analyze a subset of isoforms defined by change in isoform usage (controlled by dIFcutoff) and the significance of the change in isoform expression (controlled by alpha)
- 'isoformExp' :Analyze a subset of isoforms defined by change in isoform expression (controlled by log2FCcutoff) and the significance of the change in isoform expression (controlled by alpha)
- 'geneExp' :Analyze all isoforms from a subset of genes defined by change in gene expression (controlled by log2FCcutoff) and the significance of the change in gene expression (controlled by alpha)
- 'all' : Analyze all isoforms stored in the switchAnalyzeRlist (note that this is highly depending on the parameter reduceToSwitchingGenes in [isoformSwitchTest](#) - which should be set to FALSE (default is TRUE) if the 'all' option should be used here).

annotationToAnalyze

A vector of strings indicating what categories of annotation to analyze. Annotation types given here but not (yet) analyzed in the switchAnalyzeRlist will not be plotted. See details for full list of usable strings, their meaning and dependencies. Default is 'All'.

alpha

The cutoff which the FDR correct p-values (q-values) must be smaller than for calling significant switches. Default is 0.05.

dIFcutoff

The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).

log2FCcutoff

The cutoff which the changes in (absolute) isoform or gene expression must be larger than before an isoform is considered for inclusion.

violinPlot

A logical indicating whether to make a violin plots (if TRUE) or boxplots (if FALSE). Violin plots will always have added 3 black dots, one of each of the 25th, 50th (median) and 75th percentile of the data. Default is TRUE.

alphas

A numeric vector of length two giving the significance levels represented in plots. The numbers indicate the q-value cutoff for significant (*) and highly significant (***) respectively. Default 0.05 and 0.001 which should be interpreted as $q < 0.05$ and $q < 0.001$ respectively). If q-values are higher than this they will be annotated as 'ns' (not significant).

localTheme

General ggplot2 theme with which the plot is made, see `?ggplot2::theme` for more info. Default is `theme_bw()`.

plot

A logical indicating whether to generate the plot (if TRUE) not (if FALSE). Default is TRUE.

returnResult

A logical indicating whether to return a data.frame with summary statistics of the comparisons (if TRUE) or not (if FALSE). Default is TRUE.

Details

extractGenomeWideAnalysis is just a wrapper for extractGenomeWideConsequenceAnalysis included for backward compatibility.

Changes in isoform usage are measure as the difference in isoform fraction (dIF) values, where isoform fraction (IF) values are calculated as $\langle \text{isoform_exp} \rangle / \langle \text{gene_exp} \rangle$.

The significance test is performed with R's build in `wilcox.test()` (aka 'Mann-Whitney-U') with default parameters and resulting p-values are corrected via `p.adjust()` using FDR (Benjamini-Hochberg).

The arguments passed to `annotationToAnalyze` must be a combination of:

- `isoform_class_code` : Devide transcripts based on differences in the transcript classification provide by cufflinks (only available for data imported from Cufflinks/Cuffdiff). For a updated list of class codes see <http://cole-trapnell-lab.github.io/cufflinks/cuffcompare/#transfrag-class-codes>.
- `coding_potential` : Devide transcripts based on differences in coding potential, as indicated by the CPAT analysis. Requires that `importCPATanalysis` have been used to add external CPAT analysis to the `switchAnalyzeRlist`.
- `intron_retention` : Devide transcripts based on presence intron retentions (and their genomic positions). Require that `analyzeIntronRetention` have been run.
- `ORF` : Devide transcripts based on whether an ORF is annotated or not. Requires that both the isoforms have been annotated with ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.
- `NMD_status` : Devide transcripts based on differences in sensitivity to Nonsense Mediated Decay (NMD). Requires that both the isoforms have been annotated with PTC either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.
- `domains_identified` : Devide transcripts based on differences in the name and order of which domains are identified by the Pfam in the transcripts. Requires that `importPFAManalysis` have been used to add external Pfam analysis to the `switchAnalyzeRlist`. Requires that both the isoforms are annotated with a ORF either via `identifyORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist`.
- `signal_peptide_identified` : Devide transcripts based on differences in whether a signal peptide was identified or not by the SignalP analysis. Requires that `analyzeSignalP` have been used to add external SignalP analysis to the `switchAnalyzeRlist`. Requires that both the isoforms are annotated with a ORF either via `analyzeORF` or by supplying a GTF file and setting `addAnnotatedORFs=TRUE` when creating the `switchAnalyzeRlist` (and are thereby also affected by `removeNoncodinORFs=TRUE` in `analyzeCPAT`).
- `switch_consequences` : Whether the gene is involved in isoform switches with predicted consequences. Requires that `analyzeSwitchConsequences` have been used).

Value

If `plot=TRUE`: A plot of the distribution of IF values as a function of the annotation and condition compared. If `returnResult=TRUE`: A `data.frame` with the summary statistics from the comparison of the two conditions with a `wilcox.test`.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[isoformSwitchTest](#)
[analyzeORF](#)
[analyzeAlternativeSplicing](#)
[analyzeCPAT](#)
[analyzePFAM](#)
[analyzeSignalP](#)
[analyzeSwitchConsequences](#)
[extractConsequenceEnrichment](#)
[extractConsequenceEnrichmentComparison](#)

Examples

```
### Load example data
data("exampleSwitchListAnalyzed")

### make the genome wide analysis
summaryStatistics <- extractConsequenceGenomeWide(
  switchAnalyzeRlist = exampleSwitchListAnalyzed,
  featureToExtract = 'isoformUsage', # alternatives are 'isoformExp' and 'geneExp'
  plot=TRUE,
  returnResult = TRUE
)
```

```
extractConsequenceSummary
      Analyze Switch Consequences
```

Description

This functions function summarizes the individual types of consequences for each gene or the pairwise switches and plots and/or returns a data.frame with the information

Usage

```
extractConsequenceSummary(
  switchAnalyzeRlist,
  consequencesToAnalyze='all',
  includeCombined=FALSE,
  asFractionTotal=FALSE,
  alpha=0.05,
  dIFcutoff=0.1,
  plot=TRUE,
  plotGenes=FALSE,
  localTheme=theme_bw(),
  returnResult=FALSE
)
```

Arguments

switchAnalyzeRlist	A switchAnalyzeRlist object where analyzeSwitchConsequences() have been run to identify consequences of isoform switches
consequencesToAnalyze	A string indicating which consequences should be considered. See detail section of analyzeSwitchConsequences for description . Default is all consequences analyzed with analyzeSwitchConsequences.
includeCombined	A logic indicating whether an analysis of how many (how large a fraction) of genes have any type of functional consequence.
asFractionTotal	A logic indicating whether the consequences should be summarized calculated as numbers (if FALSE) or as a fraction of the total number of switches/genes (as indicated by plotGenes). Default is FALSE.
alpha	The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.
dIFcutoff	The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).
plot	A logic indicting whether the summarized results should be plotted. Default is TRUE.
plotGenes	A logic indicating whether to plot the number/fraction of genes (if TRUE) or switches (if FALSE) with functional consequences should be plotted.
localTheme	General ggplot2 theme with which the plot is made, see ?ggplot2::theme for more info. Default is theme_bw().
returnResult	A logic indicating whether the summarized results should be returned as a data.frame. Default is FALSE.

Details

A less detailed version just summarizing the number of switches with functional consequences can be obtained by setting filterForConsequences=TRUE in the extractSwitchSummary function.

For details on the arguments passed to consequencesToAnalyze please see details section of [analyzeSwitchConsequences](#).

Value

If returnResult=TRUE a data.frame with the number (and fraction) of switches with specific consequences in each condition is returned. If plot=TRUE a plot summarizing the number (or fraction) of switches with specific consequences is created.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[analyzeSwitchConsequences](#)
[extractConsequenceEnrichment](#)
[extractConsequenceEnrichmentComparison](#)
[extractConsequenceGenomeWide](#)

Examples

```
### Prepare example data
data("exampleSwitchListAnalyzed")

# subset for fast runtime
exampleSwitchListAnalyzed <- subsetSwitchAnalyzeRlist(
  exampleSwitchListAnalyzed,
  exampleSwitchListAnalyzed$isoformFeatures$gene_id %in% sample(exampleSwitchListAnalyzed$isoformFeatures$
)

# Analyze consequences
consequencesOfInterest <- c(
  'intron_retention',
  'coding_potential',
  'NMD_status',
  'domains_identified'
)
exampleSwitchListAnalyzed <- analyzeSwitchConsequences(
  exampleSwitchListAnalyzed,
  consequencesToAnalyze = consequencesOfInterest
)

### Summarize switch consequences
consequenceSummary <- extractConsequenceSummary(
  exampleSwitchListAnalyzed,
  includeCombined = TRUE,
  returnResult = TRUE,      # return data.frame with summary
  plotGenes = TRUE         # plot summary
)

dim(consequenceSummary)

subset(consequenceSummary, featureCompared=='Domains identified')
```

extractExpressionMatrix

Extract Gene/Isoform Expression Matrix.

Description

Extract a data.frame with (mean) gene expression, isoform expression or Isoform Fraction values for all conditions (columns) from a switchAnalyzeRlist.

Usage

```
extractExpressionMatrix(  
  switchAnalyzeRlist,  
  feature='isoformUsage',  
  addInfo=FALSE,  
  na.rm=TRUE  
)
```

Arguments

switchAnalyzeRlist	A switchAnalyzeRlist object.
feature	The feature of which to extract the expression matrix for. Can be either 'geneExp' for gene expression levels, 'isoformExp' for isoform expression levels or 'isoformUsage' for IF values. Default is 'isoformUsage'.
addInfo	A logic indicating whether annotated non-conditional data (such as gene name, PTC status etc.) should be added to the data.frame. Default is FALSE.
na.rm	A logic indicating whether rows with NA expression values should be removed. Default is TRUE.

Value

This function returns a data.frame where the first column is the gene/isoform id followed by the mean (if calculated by any of the import*() functions) expression/usage in all different conditions (one column pr condition) and if addInfo=TRUE then the additional non-conditional dependent data is added as well.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

Examples

```
data("exampleSwitchListAnalyzed")  
  
### Gene expression matrix  
geneMatrix <- extractExpressionMatrix(exampleSwitchListAnalyzed, feature = 'geneExp')  
head(geneMatrix)  
  
# with additional info  
geneMatrix <- extractExpressionMatrix(exampleSwitchListAnalyzed, feature = 'geneExp', addInfo = TRUE)  
head(geneMatrix)
```

```

### Isoform Fraction value expression matrix
ifMatrix <- extractExpressionMatrix(exampleSwitchListAnalyzed, feature = 'isoformUsage')
head(ifMatrix)

# with additional info
ifMatrix <- extractExpressionMatrix(exampleSwitchListAnalyzed, feature = 'isoformUsage', addInfo = TRUE)
head(ifMatrix)

```

extractSequence	<i>Extract nucleotide (and amino acid) sequence of transcripts.</i>
-----------------	---------------------------------------------------------------------

Description

This function extracts the nucleotide (NT) sequence of transcripts by extracting and concatenating the sequences of a reference genome corresponding to the genomic coordinates of the isoforms. If ORF is annotated (e.g. via `analyzeORF`) this function can furthermore translate the ORF NT sequence to Amino Acid (AA) sequence (via the `Biostrings::translate()` function where `if.fuzzy.codon='solve'` is specified). The sequences (both NT and AA) can be outputted as fasta file(s) and/or added to the `switchAnalyzeRlist`.

Usage

```

extractSequence(
  switchAnalyzeRlist,
  genomeObject,
  onlySwitchingGenes = TRUE,
  alpha = 0.05,
  dIFcutoff = 0.1,
  extractNTseq = TRUE,
  extractAAseq = TRUE,
  filterAALength = FALSE,
  removeORFwithStop=TRUE,
  addToSwitchAnalyzeRlist = TRUE,
  writeToFile = TRUE,
  pathToOutput = getwd(),
  outputPrefix='isoformSwitchAnalyzeR_isoform',
  quiet=FALSE
)

```

Arguments

- switchAnalyzeRlist** A `switchAnalyzeRlist` object (where ORF info (predicted by [analyzeORF](#)) have been added if the amino acid sequence should be extracted).
- genomeObject** A `BSgenome` object uses as reference genome (for example `Hsapiens` for Homo sapiens, `Mmusculus` for mouse).
- onlySwitchingGenes** A logic indicating whether the only sequences from transcripts in genes with significant switching isoforms (as indicated by the `alpha` and `dIFcutoff` cutoff) should be extracted. Default is `TRUE`.

alpha	The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.
dIFcutoff	The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).
extractNTseq	A logical indicating whether the nucleotide sequence of the transcripts should be extracted (necessary for CPAT analysis). Default is TRUE.
extractAAseq	A logical indicating whether the amino acid (AA) sequence of the annotated open reading frames (ORF) should be extracted (necessary for pfam and SignalIP analysis). The ORF can be annotated with the analyzeORF function. Default is TRUE.
filterAALength	A logical indicating whether to filter on the resulting sequences based on their length. This option exist to allows for easier usage of the Pfam and SignalIP web servers which both currently have restrictions on allowed sequence lengths. If enabled AA sequences are filtered to be > 5 AA and < 6001 AA. This will only affect the sequences written to the fasta file (if writeToFile=TRUE) not the sequences added to the switchAnalyzeRlist (if addToSwitchAnalyzeRlist=TRUE). Default is FALSE.
removeORFwithStop	A logical indicating whether ORFs containing stop codons, defined as * when the ORF nucleotide sequences is translated to the amino acid sequence, should be A) removed from the ORF annotation in the switchAnalyzeRlist and B) removed from the sequences added to the switchAnalyzeRlist and/or written to fasta files. This is only necessary if you are analyzing quantified known annotated data where you supplied a GTF file to the import function. If you have used analyzeORF to identify ORFs this should not have an effect. This option will have no effect if no ORFs are found. Default is TRUE.
addToSwitchAnalyzeRlist	A logical indicating whether the extracted sequences should be added to the switchAnalyzeRlist. Default is TRUE.
writeToFile	A logical indicating whether the extracted sequence(s) should be exported to (separate) fasta files (thereby enabling analysis with external software such as CPAT, Pfam and SignalP). Default is TRUE.
pathToOutput	If writeToFile is TRUE, this argument controls the path to the directory where the fasta files are exported to. Default is working directory.
outputPrefix	If writeToFile=TRUE this argument allows for a user specified prefix of the output files(s). The prefix provided here will get a suffix of '_nt.fasta' or '_AA.fasta' depending on the file type. Default is 'isoformSwitchAnalyzeR_isoform' (thereby creating the 'isoformSwitchAnalyzeR_isoform_nt.fasta' and 'isoformSwitchAnalyzeR_isoform_AA.fasta' files).
quiet	A logic indicating whether to avoid printing progress messages. Default is FALSE

Details

Changes in isoform usage are measure as the difference in isoform fraction (dIF) values, where isoform fraction (IF) values are calculated as $\langle \text{isoform_exp} \rangle / \langle \text{gene_exp} \rangle$.

The BSGenome object are loaded as separate packages. Use for example `library(BSGenome.Hsapiens.UCSC.hg19)` to load the human genome v19 - which is then loaded as the object `Hsapiens` (that should be supplied to the `genomeObject` argument). It is essential that the chromosome names of the annotation fit with the genome object. The `extractSequence` function will automatically take the most common ambiguity into account: whether to use 'chr' in front of the chromosome name (UCSC style, eg. 'chr1') or not (Ensembl style, eg. '1').

The two fasta files outputted by this function (if `writeToFile=TRUE`) can be used as input to amongst others:

- CPAT : The Coding-Potential Assessment Tool, which can be run either locally or via their webserver <http://lilab.research.bcm.edu/cpat/>
- Pfam : Prediction of protein domains, which can be run either locally or via their webserver <http://pfam.xfam.org/search#tabview=tab1>
- SignalIP : Prediction of Signal Peptides, which can be run either locally or via their webserver <http://www.cbs.dtu.dk/services/SignalP/>

See `?analyzeCPAT`, `?analyzePFAM` or `?analyzeSignalIP` (under details) for suggested ways of running these tools.

Value

If `writeToFile=TRUE` one fasta file per sequence type (controlled via `extractNTseq` and `extractAAseq`) are written to the folder indicated by `pathToOutput`. If `addToSwitchAnalyzeRlist=TRUE` the sequences are added to the `switchAnalyzeRlist` as respectively `DNAStringSet` and `AAStringSet` objects under the names 'ntSequence' and 'aaSequence'. The names of these sequences matches the 'isoform_id' entry in the 'isoformFeatures' entry of the `switchAnalyzeRlist`.

Author(s)

Kristoffer Vitting-Seerup

References

For

- This function : Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. *Mol. Cancer Res.* (2017).
- CPAT : Wang et al. CPAT: Coding-Potential Assessment Tool using an alignment-free logistic regression model. *Nucleic Acids Res.* 2013, 41:e74.
- Pfam : Finn et al. The Pfam protein families database. *Nucleic Acids Research* (2014) Database Issue 42:D222-D230
- SignalP : Petersen et al. SignalP 4.0: discriminating signal peptides from transmembrane regions. *Nature Methods*, 8:785-786, 2011

See Also

[switchAnalyzeRlist](#)
[isoformSwitchTest](#)
[analyzeORF](#)
[analyzeCPAT](#)
[analyzePFAM](#)
[analyzeSignalP](#)

Examples

```

### Prepare for sequence extraction
# Load example data and prefilter
data("exampleSwitchList")
exampleSwitchList <- preFilter(exampleSwitchList)

# Perform test
exampleSwitchListAnalyzed <- isoformSwitchTest(exampleSwitchList, dIFcutoff = 0.3) # high dIF cutoff for fast

# analyzeORF
library(BSgenome.Hsapiens.UCSC.hg19)
exampleSwitchListAnalyzed <- analyzeORF(exampleSwitchListAnalyzed, genomeObject = Hsapiens)

### Extract sequences
exampleSwitchListAnalyzed <- extractSequence(
  exampleSwitchListAnalyzed,
  genomeObject = Hsapiens,
  writeToFile=FALSE # to avoid output when running example data
)

### Explore result
head(exampleSwitchListAnalyzed$ntSequence, 2)

head(exampleSwitchListAnalyzed$aasSequence, 2)

```

```
extractSplicingEnrichment
```

Analyze data for enrichment of specific type of alternative splicing

Description

This functions function analyzes for enrichment of specific consequences by for each set of opposing consequences (fx. exon skipping gain vs loss), by analyzing the fraction of events belonging to each type of consequence. It only summarizes the analysis performed with analyzeSwitchConsequences

Usage

```

extractSplicingEnrichment(
  switchAnalyzeRlist,
  splicingToAnalyze = 'all',
  alpha = 0.05,
  dIFcutoff = 0.1,
  onlySigIsoforms = FALSE,
  plot = TRUE,
  localTheme = theme_bw(base_size = 14),
  returnResult=FALSE,
  returnSummary=TRUE
)

```

Arguments

switchAnalyzeRlist	A switchAnalyzeRlist object where analyzeSwitchConsequences() have been run to identify consequences of isoform switches
splicingToAnalyze	A string indicating which consequences should be considered. See details for description. Default is all.
alpha	The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.
dIFcutoff	The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).
onlySigIsoforms	A logic indicating whether to only consider significant isoforms, meaning only analyzing genes where at least two isoforms which both have significant usage changes in opposite direction (quite strict) Naturally this only works if the isoform switch test used have isoform resolution (which the build in isoform-SwitchTest has). If FALSE all isoforms with an absolute dIF value larger than dIFcutoff in a gene with significant switches (defined by alpha and dIFcutoff) are included in the pairwise comparison. Default is FALSE (non significant isoforms are also considered based on the logic that if one isoform changes its contribution - there must be an equivalent opposite change in usage in the other isoforms from that gene).
plot	A logic indicating whether the analysis should be plotted. Default is TRUE.
localTheme	General ggplot2 theme with which the plot is made, see ?ggplot2::theme for more info. Default is theme_bw(base_size = 14).
returnResult	A logic indicating whether the analysis should be returned as a data.frame. Default is FALSE.
returnSummary	A logic indicating whether to return the statistical summary (if TRUE) or the underlying data (if FALSE). Default is TRUE.

Details

The classification of alternative splicing is always compared to the hypothetical pre-mRNA constructed by concatenating all exons from isoforms of the same gene.

The alternative splicing types, which can be passed to splicingToAnalyze must be a combination of:

- all : All of the alternative splicing types indicated below.
- IR : Intron Retention.
- A5 : Alternative 5' donor site (changes in the 5' end of the upstream exon).
- A3 : Alternative 3' acceptor site (changes in the 3' end of the downstream exon).
- ATSS : Alternative Transcription Start Site.
- ATTS : Alternative Transcription Termination Site.

- ES : Exon Skipping.
- MES : Multiple Exon Skipping. Skipping of >1 consecutive exons.
- MEE : Mutually Exclusive Exons.

The significance test is performed with R's built in `prop.test()` with default parameters and resulting p-values are corrected via `p.adjust()` using FDR (Benjamini-Hochberg).

Value

If `returnResult=TRUE` a data.frame with the statistical summary for each opposing consequences in each comparison. If `plot=TRUE` a plot summarizing the proportions is also created of switches with specific consequences is created.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[analyzeAlternativeSplicing](#)
[extractSplicingSummary](#)
[extractSplicingEnrichmentComparison](#)
[extractSplicingGenomeWide](#)

Examples

```
### Load example data
data("exampleSwitchListAnalyzed")

extractSplicingEnrichment( exampleSwitchListAnalyzed )
```

extractSplicingEnrichmentComparison

Compare enrichment of specific type of alternative splicing between comparisons

Description

This function compares the enrichment of alternative splicing (f.x. exon skipping) between two comparisons (ctrl vs ko1 compared to ctrl vs ko2) and reports whether there is a significant difference between the comparisons. In other words it compares the output of `extractSplicingEnrichment`.

Usage

```
extractSplicingEnrichmentComparison(
  switchAnalyzeRlist,
  splicingToAnalyze = 'all',
  alpha = 0.05,
  dIFcutoff = 0.1,
  onlySigIsoforms = FALSE,
  plot = TRUE,
  localTheme = theme_bw(base_size = 14),
  returnResult=FALSE
)
```

Arguments

switchAnalyzeRlist	A switchAnalyzeRlist object where analyzeSwitchConsequences() have been run to identify consequences of isoform switches
splicingToAnalyze	A string indicating which consequences should be considered. See details for description. Default is all.
alpha	The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.
dIFcutoff	The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).
onlySigIsoforms	A logic indicating whether to only consider significant isoforms, meaning only analyzing genes where at least two isoforms which both have significant usage changes in opposite direction (quite strict) Naturally this only works if the isoform switch test used have isoform resolution (which the build in isoform-SwitchTest has). If FALSE all isoforms with an absolute dIF value larger than dIFcutoff in a gene with significant switches (defined by alpha and dIFcutoff) are included in the pairwise comparison. Default is FALSE (non significant isoforms are also considered based on the logic that if one isoform changes its contribution - there must be an equivalent opposite change in usage in the other isoforms from that gene).
plot	A logic indicating whether the analysis should be plotted. Default is TRUE.
localTheme	General ggplot2 theme with which the plot is made, see ?ggplot2::theme for more info. Default is theme_bw(base_size = 14).
returnResult	A logic indicating whether the analysis should be returned as a data.frame. Default is FALSE.

Details

The classification of alternative splicing is always compared to the hypothetical pre-mRNA constructed by concatenating all exons from isoforms of the same gene.

The alternative splicing types, which can be passed to `splicingToAnalyze` must be a combination of:

- `all` : All of the alternative splicing types indicated below.
- `IR` : Intron Retention.
- `A5` : Alternative 5' donor site (changes in the 5' end of the upstream exon).
- `A3` : Alternative 3' acceptor site (changes in the 3' end of the downstream exon).
- `ATSS` : Alternative Transcription Start Site.
- `ATTS` : Alternative Transcription Termination Site.
- `ES` : Exon Skipping.
- `MES` : Multiple Exon Skipping. Skipping of >1 consecutive exons.
- `MEE` : Mutually Exclusive Exons.

The significance test is performed with R's build in `fisher.test()` with default parameters and resulting p-values are corrected via `p.adjust()` using FDR (Benjamini-Hochberg).

Value

If `returnResult=TRUE` a data.frame with the statistical summary for each opposing consequences in each comparison. If `plot=TRUE` a plot summarizing the proportions is also created of switches with specific consequences is created.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[analyzeAlternativeSplicing](#)
[extractSplicingSummary](#)
[extractSplicingEnrichment](#)
[extractSplicingGenomeWide](#)

Examples

```
### Load example data
data("exampleSwitchListAnalyzed")

extractSplicingEnrichmentComparison( exampleSwitchListAnalyzed )
```

```
extractSplicingGenomeWide
```

Genome wide Analysis of alternative splicing

Description

This function enables a genome wide analysis of changes in isoform usage of isoforms with a common annotation.

Specifically this function extract isoforms of interest and for each splicing type (such as exon skipping) the global distribution of IF (measuring isoform usage) are plotted for each subset of features in that category (e.g with exons skipping vs without exon skipping). This enables a global analysis of isoforms with a common annotation.

The isoforms of interest can either be defined by isoforms from gene differentially expressed, isoform that are differentially expressed or isoforms from genes with isoform switching - as controlled by featureToExtract.

This function offers both visualization of the result as well as analysis via summary statistics of the comparisons.

Usage

```
extractSplicingGenomeWide(
  switchAnalyzeRlist,
  featureToExtract = 'isoformUsage',
  splicingToAnalyze = 'all',
  alpha=0.05,
  dIFcutoff = 0.1,
  log2FCcutoff = 1,
  violinPlot=TRUE,
  alphas=c(0.05, 0.001),
  localTheme=theme_bw(),
  plot=TRUE,
  returnResult=TRUE
)
```

Arguments

switchAnalyzeRlist

A switchAnalyzeRlist object containing the result of an isoform switch analysis (such as the one provided by isoformSwitchTest()) as well as additional annotation data for the isoforms.

featureToExtract

This argument, given as a string, defines the set isoforms which should be analyzed. The available options are:

- 'isoformUsage' (Default): Analyze a subset of isoforms defined by change in isoform usage (controlled by dIFcutoff) and the significance of the change in isoform expression (controlled by alpha)
- 'isoformExp' :Analyze a subset of isoforms defined by change in isoform expression (controlled by log2FCcutoff) and the significance of the change in isoform expression (controlled by alpha)

- 'geneExp' :Analyze all isoforms from a subset of genes defined by by change in gene expression (controlled by log2FCcutoff) and the significance of the change in gene expression (controlled by alpha)
- 'all' : Analyze all isoforms stored in the switchAnalyzeRlist (note that this is highly depending on the parameter reduceToSwitchingGenes in [isoformSwitchTest](#) - which should be set to FALSE (default is TRUE) if the 'all' option should be used here).

splicingToAnalyze	A string indicating which consequences should be considered. See details for description. Default is all.
alpha	The cutoff which the FDR correct p-values (q-values) must be smaller than for calling significant switches. Default is 0.05.
dIFcutoff	The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).
log2FCcutoff	The cutoff which the changes in (absolute) isoform or gene expression must be larger than before an isoform is considered for inclusion.
violinPlot	A logical indicating whether to make a violin plots (if TRUE) or boxplots (if FALSE). Violin plots will always have added 3 black dots, one of each of the 25th, 50th (median) and 75th percentile of the data. Default is TRUE.
alphas	A numeric vector of length two giving the significance levels represented in plots. The numbers indicate the q-value cutoff for significant (*) and highly significant (***) respectively. Default 0.05 and 0.001 which should be interpret as $q < 0.05$ and $q < 0.001$ respectively). If q-values are higher than this they will be annotated as 'ns' (not significant).
localTheme	General ggplot2 theme with which the plot is made, see <code>?ggplot2::theme</code> for more info. Default is <code>theme_bw()</code> .
plot	A logical indicating whether to generate the plot (if TRUE) not (if FALSE). Default is TRUE.
returnResult	A logical indicating whether to return a data.frame with summary statistics of the comparisons (if TRUE) or not (if FALSE). Default is TRUE.

Details

The classification of alternative splicing is always compared to the hypothetical pre-mRNA constructed by concatenating all exons from isoforms of the same gene.

The alternative splicing types, which can be passed to `splicingToAnalyze` must be a combination of:

- all : All of the alternative splicing types indicated below.
- IR : Intron Retention.
- A5 : Alternative 5' donor site (changes in the 5' end of the upstream exon).
- A3 : Alternative 3' acceptor site (changes in the 3' end of the downstream exon).
- ATSS : Alternative Transcription Start Site.
- ATTS : Alternative Transcription Termination Site.

- ES : Exon Skipping.
- MES : Multiple Exon Skipping. Skipping of >1 consecutive exons.
- MEE : Mutually Exclusive Exons.

The significance test is performed with R's build in `wilcox.test()` (aka 'Mann-Whitney-U') with default parameters and resulting p-values are corrected via `p.adjust()` using FDR (Benjamini-Hochberg).

Value

If `plot=TRUE`: A plot of the distribution of IF values as a function of the annotation and condition compared. If `returnResult=TRUE`: A data.frame with the summary statistics from the comparison of the two conditions with a `wilcox.test`.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[analyzeAlternativeSplicing](#)
[extractSplicingSummary](#)
[extractSplicingEnrichment](#)
[extractSplicingEnrichmentComparison](#)

Examples

```
### Load example data
data("exampleSwitchListAnalyzed")

extractSplicingGenomeWide( exampleSwitchListAnalyzed )
```

`extractSplicingSummary`

Extracts alternative splicing summary

Description

This functions function summarizes the individual alternative splicing events for each gene or switches and plots and/or returns a data.frame with the information

Usage

```
extractSplicingSummary(
  switchAnalyzeRlist,
  splicingToAnalyze = 'all',
  asFractionTotal = FALSE,
  alpha = 0.05,
  dIFcutoff = 0.1,
  onlySigIsoforms = FALSE,
  plot = TRUE,
  plotGenes = FALSE,
  localTheme = theme_bw(),
  returnResult = FALSE
)
```

Arguments

- switchAnalyzeRlist**
A `switchAnalyzeRlist` object where `analyzeSwitchConsequences()` have been run to identify consequences of isoform switches
- splicingToAnalyze**
A string indicating which consequences should be considered. See details for description. Default is all.
- asFractionTotal**
A logic indicating whether the consequences should be summarized calculated as numbers (if `FALSE`) or as a fraction of the total number of switches/genes (as indicated by `plotGenes`). Default is `FALSE`.
- alpha**
The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.
- dIFcutoff**
The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).
- onlySigIsoforms**
A logic indicating whether to only consider significant isoforms, meaning only analyzing genes where at least two isoforms which both have significant usage changes in opposite direction (quite strict) Naturally this only works if the isoform switch test used have isoform resolution (which the build in [isoform-SwitchTest](#) has). If `FALSE` all isoforms with an absolute dIF value larger than `dIFcutoff` in a gene with significant switches (defined by `alpha` and `dIFcutoff`) are included in the pairwise comparison. Default is `FALSE` (non significant isoforms are also considered based on the logic that if one isoform changes its contribution - there must be an equivalent opposite change in usage in the other isoforms from that gene).
- plot**
A logic indicating whether the summarized results should be plotted. Default is `TRUE`.
- plotGenes**
A logic indicating whether to plot the number/fraction of genes (if `TRUE`) or switches (if `FALSE`) with functional consequences should be plotted.
- localTheme**
General `ggplot2` theme with which the plot is made, see `?ggplot2::theme` for more info. Default is `theme_bw()`.

`returnResult` A logic indicating whether the summarized results should be returned as a data.frame. Default is FALSE.

Details

The classification of alternative splicing is always compared to the hypothetical pre-mRNA constructed by concatenating all exons from isoforms of the same gene.

The alternative splicing types, which can be passed to `splicingToAnalyze` must be a combination of:

- `all` : All of the alternative splicing types indicated below.
- `IR` : Intron Retention.
- `A5` : Alternative 5' donor site (changes in the 5' end of the upstream exon).
- `A3` : Alternative 3' acceptor site (changes in the 3' end of the downstream exon).
- `ATSS` : Alternative Transcription Start Site.
- `ATTS` : Alternative Transcription Termination Site.
- `ES` : Exon Skipping.
- `MES` : Multiple Exon Skipping. Skipping of >1 consecutive exons.
- `MEE` : Mutually Exclusive Exons.

Value

If `returnResult=TRUE` a data.frame with the number (and fraction) of switches with specific consequences in each condition is returned. If `plot=TRUE` a plot summarizing the number (or fraction) of switches with specific consequences is created.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[analyzeAlternativeSplicing](#)
[extractSplicingEnrichment](#)
[extractSplicingEnrichmentComparison](#)
[extractSplicingGenomeWide](#)

Examples

```
### Load example data
data("exampleSwitchListAnalyzed")

extractSplicingSummary( exampleSwitchListAnalyzed )
```

extractSwitchOverlap *Visualize Switch Overlap*

Description

This function produces two Venn diagrams respectively showing the overlap in switching isoforms and genes.

Usage

```
extractSwitchOverlap(  
  switchAnalyzeRlist,  
  filterForConsequences = FALSE,  
  alpha = 0.05,  
  dIFcutoff = 0.1,  
  scaleVennIfPossible=TRUE  
)
```

Arguments

switchAnalyzeRlist
A switchAnalyzeRlist object.

filterForConsequences
A logical indicating whether to filter for genes with functional consequences. Requires that analyzeSwitchConsequences() have been run on the switchAnalyzeRlist. The output will then be the number of significant genes and isoforms originating from genes with predicted consequences. Default is FALSE.

alpha
The cutoff which the (calibrated) *fd*r correct p-values must be smaller than for calling significant switches. Default is 0.05.

dIFcutoff
The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log₂ fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).

scaleVennIfPossible
A logic indicating whether the Venn diagram should be scaled (so the circle area and overlap size reflect the number of features) if possible. Only available for 2- and 3-way Venn Diagrams. Default is TRUE.

Value

A venn diagram which shows the number of isoforms and genes with a isoform switch.

Author(s)

Kristoffer Vitting-Seerup

References

- Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[preFilter](#)
[isoformSwitchTest](#)
[extractTopSwitches](#)
[extractSwitchSummary](#)
[analyzeSwitchConsequences](#)

Examples

```

# Load example data and prefilter
data("exampleSwitchListAnalyzed")

extractSwitchOverlap(exampleSwitchListAnalyzed)

```

extractSwitchSummary *Summarize Isoform Switches test Result.*

Description

Summarize the number of switching isoforms/genes identified.

Usage

```

extractSwitchSummary(
  switchAnalyzeRlist,
  filterForConsequences=FALSE,
  alpha=0.05,
  dIFcutoff = 0.1,
  includeCombined=nrow(unique(switchAnalyzeRlist$isoformFeatures[,c('condition_1', 'condition_1')
)

```

Arguments

switchAnalyzeRlist	A switchAnalyzeRlist object.
filterForConsequences	A logical indicating whether to filter for genes with functional consequences. Requires that analyzeSwitchConsequences() have been run on the switchAnalyzeRlist. The output will then be the number of significant genes and isoforms originating from genes with predicted consequences. Default is FALSE.
alpha	The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.
dIFcutoff	The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).

includeCombined

A logic indicating whether a combined summary accorss all comparisons should also be made. Default is TRUE if more than 1 comparison is analyzed and FALSE if only 1 comparison is analyzed.

Value

A data.frame with the number of switches found in each comparison (as well as when all data is considered if includeCombined=TRUE)

Author(s)

Kristoffer Vitting-Seerup

References

- Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).
- Ferguson JP, Palejev D: P-value calibration fro multiple testing problems in genomics. Stat. Appl. Genet. Mol. Biol. 2014, 13:659-673.

See Also

[preFilter](#)
[isoformSwitchTest](#)
[extractSwitchOverlap](#)
[extractTopSwitches](#)
[analyzeSwitchConsequences](#)

Examples

```
# Load example data and prefilter
data("exampleSwitchList")
exampleSwitchList <- preFilter(exampleSwitchList)

# Perform test
exampleSwitchListAnalyzed <- isoformSwitchTest(exampleSwitchList)

# extract summary of number of switching features
extractSwitchSummary(exampleSwitchListAnalyzed)
```

extractTopSwitches *Extract Top Isoform Switches.*

Description

This function allows the user extract the (top) switching genes/isoforms (with functional consequences).

Usage

```
extractTopSwitches(
  switchAnalyzeRlist,
  filterForConsequences=FALSE,
  extractGenes=TRUE,
  alpha=0.05,
  dIFcutoff = 0.1,
  n=10,
  inEachComparison=FALSE,
  sortByQvals=TRUE
)
```

Arguments

switchAnalyzeRlist A `switchAnalyzeRlist` object.

extractGenes A logic indicating whether to extract the (top) switching isoforms (if TRUE) or top switching genes (if FALSE). Default is TRUE (extract isoforms).

filterForConsequences A logical indicating whether to filter for genes with functional consequences. Requires that `analyzeSwitchConsequences()` have been run on the `switchAnalyzeRlist`. Default is FALSE.

alpha The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.

dIFcutoff The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).

n The number of switching features (genes/isoforms) to return. Use NA to return all significant results. Default is 10.

inEachComparison A logic indicating whether to extract top n in each comparison (if TRUE) or from the all analysis (if FALSE). Default is FALSE.

sortByQvals A logic indicating whether the top n features are defined by smallest q-values (if `sortByQvals=TRUE`) or the largest changes in isoform usage (absolute dIF) which are still significant (if `sortByQvals=FALSE`). The dIF values for genes are considered as the total change within the gene calculated as `sum(abs(dIF))` for each gene. If set to NA no sorting is performed. Default is TRUE (sort by p-values).

Value

A `data.frame` containing the top n switching genes or isoforms as controlled by the `extractGenes` argument, sorted by q-values or dIF values as controlled by the `sortByQvals` argument.

Author(s)

Kristoffer Vitting-Seerup

References

- Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).
- Ferguson JP, Palejev D: P-value calibration fro multiple testing problems in genomics. Stat. Appl. Genet. Mol. Biol. 2014, 13:659-673.

See Also

[preFilter](#)
[isoformSwitchTest](#)
[analyzeSwitchConsequences](#)

Examples

```
# Load example data and prefilter
data("exampleSwitchList")
exampleSwitchList <- preFilter(exampleSwitchList)

# Perform test
exampleSwitchListAnalyzed <- isoformSwitchTest(exampleSwitchList)

# extract summary of number of switching features
extractSwitchSummary(exampleSwitchListAnalyzed)

### Filter for functional consequences (identified via analyzeSwitchConsequences() )
data("exampleSwitchListAnalyzed")
switchingIso <- extractTopSwitches(
  exampleSwitchListAnalyzed,
  filterForConsequences = TRUE,
)
dim(switchingIso)
head(switchingIso,2)
```

getCDS

Retrieve CDS information from UCSC

Description

Retrieve CDS information from a selected repository from UCSC genome browser repositories.

Usage

```
getCDS(selectedGenome, repoName)
```

Arguments

selectedGenome A character, giving the genome. Currently supported are "hg19" and "mm9".
repoName A character, giving the gene model repository. Currently supported are "ensemble", "UCSC" (knownGene), and "refseq".

Details

For other genomes and/or gene model repositories, please construct a CDSset directly (see [CDSset](#)).
For a full example of how to use getCDS in a workflow, please see [analyzeORF](#).

Value

A CDSset containing the annotated CDSs. For a description of the dataframe, see [CDSset](#).

Author(s)

Kristoffer Vitting-Seerup, Johannes Waage

References

Vitting-Seerup K, et al: spliceR: an R package for classification of alternative splicing and prediction of coding potential from RNA-seq data. BMC Bioinformatics 2014, 15:81.

Examples

```
## Not run:
mm9UCSC <- getCDS("mm9", "UCSC")

## End(Not run)
```

```
importCufflinksCummeRbund
  Import CuffDiff (Cufflinks) Data Into R
```

Description

This function uses the SQL backend generated by readCufflinks() (from the 'cummeRbund' package) to extract all the data needed for a full analysis with IsoformSwitchAnalyzeR. The data is returned in a switchAnalyzeRlist object.

Usage

```
importCufflinksCummeRbund(
  cuffDB,
  fixCufflinksAnnotationProblem = TRUE,
  addCufflinksSwichTest=TRUE,
  quiet=FALSE
)
```

Arguments

cuffDB A CuffSet created by cummeRbund::readCufflinks(). Note that the sql database must be generated with the GTF file (meaning the gtfFile argument must be used).

fixCufflinksAnnotationProblem A logic indicating whether to fix the problem with Cufflinks gene symbol annotation. Please see the details for additional information. Default is TRUE

addCufflinksSwichTest	A logic indicating whether to use CuffDiff's switch test (at promoter level) as the evidence for the switching occurring within the parent gene_id. See details for more information. Default is TRUE
quiet	A logic indicating whether to avoid printing progress messages. Default is FALSE

Details

One problem with cufflinks is that it considers islands of overlapping transcripts - this means that sometimes multiple genes (defined by gene short name) as combined into one cufflinks gene (XLOC_XXXXXX) and this gene is quantified and tested for differential expression. Setting fix-CufflinksAnnotationProblem to TRUE will make the import function modify the data so that false conclusions are not made in downstream analysis. More specifically this cause the function to recalculate expression values, set gene standard error (of mean) to NA and the p-value and q-value of the differential expression analysis to 1 whereby false conclusions can be prevented.

Cuffdiff performs a statistical test for changes in alternative splicing between transcripts that utilize the same transcription start site (TSS). If evidence for alternative splicing, resulting in alternative isoforms, are found within a gene then there must per definition also be isoform switching occurring within that gene. Therefore we have implemented the addCufflinksSwichTest parameter which will add the FDR corrected p-value (q-value) of Cuffdiffs splicing test as the gene-level evidence for isoform switching (e.g. to the gene_switch_q_value column). By coupling this evidence with a cutoff on minimum switch size (which is measured a gene-level and controlled via dIFcutoff) in the downstream analysis, switches that are not negligible at gene-level will be ignored. Note that CuffDiff have a parameter ('-min-reps-for-js-test) which controls how many replicates (default is 3) are needed for the test of alternative splicing is performed and that the test requires TSSs are annotated in the GTF file supplied to Cuffmerge via the '-g/-ref-gtf' parameter.

Value

A switchAnalyzeRlist containing all the gene and transcript information as well as the isoform structure. See ?switchAnalyzeRlist for more details. If addCufflinksSwichTest=TRUE a data.frame with the result of cuffdiff's test for alternative splicing is also added to the switchAnalyzeRlist under the entry 'isoformSwitchAnalysis' (only if analysis was performed).

Note

Note that since there was an error in Cufflinks/Cuffdiff's estimation of standard errors that was not corrected until cufflinks 2.2.1. This function will give a warning if the cufflinks version used is older than this. Note that it will not be possible to test for differential isoform usage (isoform switches) with data from older versions of cufflinks (because the test amongst other uses the standard errors).

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[readCufflinks](#)
[createSwitchAnalyzeRlist](#)
[importCufflinksFiles](#)
[preFilter](#)

Examples

```

### Build test SQL-database from cummeRbund test data - typically done with readCufflinks()
library('cummeRbund')
cuffDB <- prepareCuffExample()

### Generate
aSwitchList <- importCufflinksCummeRbund(cuffDB)
aSwitchList

```

importCufflinksFiles *Import CuffDiff (Cufflinks) Data Into R*

Description

This function enables users to run Cufflinks/Cuffdiff on Galaxy and then afterwards import the result into R for post analysis with isoformSwitchAnalyzeR. The user just has to download (some of) the Cuffdiff result files from galaxy and input the paths to this function. The data is then imported into R, massaged and returned as a switchAnalyzeRlist enabling a full analysis with IsoformSwitchAnalyzeR.

Usage

```

importCufflinksFiles(
  pathToGTF,
  pathToGeneDEanalysis,
  pathToIsoformDEanalysis,
  pathToGeneFPKMtracking,
  pathToIsoformFPKMtracking,
  pathToIsoformReadGroupTracking,
  pathToSplicingAnalysis=NULL,
  pathToReadGroups,
  pathToRunInfo,
  fixCufflinksAnnotationProblem=TRUE,
  quiet=FALSE
)

```

Arguments

pathToGTF A string indicating the path to the GTF file used as input to Cuffdiff file (downloaded from fx galaxy).
pathToGeneDEanalysis A string indicating the path to the file "gene differential expression testing" file (downloaded from fx galaxy).

pathToIsoformDEanalysis	A string indicating the path to the file "transcript differential expression testing" file (downloaded from fx galaxy).
pathToGeneFPKMtracking	A string indicating the path to the file "gene FPKM tracking" file (downloaded from fx galaxy).
pathToIsoformReadGroupTracking	A string indicating the path to the file "isoform read group tracking" file (downloaded from fx galaxy).
pathToIsoformFPKMtracking	A string indicating the path to the file "transcript FPKM tracking" file (downloaded from fx galaxy).
pathToSplicingAnalysis	A string indicating the path to the file "splicing differential expression testing" file (downloaded from fx galaxy).. Only needed if the splicing analysis should be added. Default is NULL (not added).
pathToReadGroups	A string indicating the path to the file "Read groups" file (downloaded from fx galaxy).
pathToRunInfo	A string indicating the path to the file "Run details" file (downloaded from fx galaxy).
fixCufflinksAnnotationProblem	A logic indicating whether to fix the problem with Cufflinks gene symbol annotation. Please see the details for additional information. Default is TRUE.
quiet	A logic indicating whether to avoid printing progress messages. Default is FALSE

Details

One problem with cufflinks is that it considers islands of overlapping transcripts - this means that sometimes multiple genes (defined by gene short name) as combined into one cufflinks gene (XLOC_XXXXXX) and this gene is quantified and tested for differential expression. Setting fix-CufflinksAnnotationProblem to TRUE will make the import function modify the data so that false conclusions are not made in downstream analysis. More specifically this cause the function to recalculate expression values, set gene standard error (of mean) to NA and the p-value and q-value of the differential expression analysis to 1 whereby false conclusions can be prevented.

Cuffdiff performs a statistical test for changes in alternative splicing between transcripts that utilize the same transcription start site (TSS). If evidence for alternative splicing, resulting in alternative isoforms, are found within a gene then there must per definition also be isoform switching occurring within that gene. Therefore we have implemented the addCufflinksSwichTest parameter which will add the FDR corrected p-value (q-value) of Cuffdiffs splicing test as the gene-level evidence for isoform switching (the gene_switch_q_value column). By coupling this evidence with a cutoff on minimum switch size (which is measured a gene-level and controlled via dIFcutoff) in the downstream analysis, switches that are not negligible at gene-level will be ignored. Note that CuffDiff have a parameter ('-min-reps-for-js-test) which controls how many replicates (default is 3) are needed for the test of alternative splicing is performed and that the test requires TSSs are annotated in the GTF file supplied to Cuffmerge via the '-g/-ref-gtf' parameter.

Value

A switchAnalyzeRlist containing all the gene and transcript information as well as the isoform structure. See ?switchAnalyzeRlist for more details. If addCufflinksSwichTest=TRUE a

data.frame with the result of cuffdiff's test for alternative splicing is also added to the switchAnalyzeRlist under the entry 'isoformSwitchAnalysis' (only if analysis was performed).

Note

Note that since there was an error in Cufflinks/Cuffdiff's estimation of standard errors that was not corrected until cufflinks 2.2.1. This function will give a warning if the cufflinks version used is older than this. Note that it will not be possible to test for differential isoform usage (isoform switches) with data from older versions of cufflinks (because the test amongst other uses the standard errors).

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[createSwitchAnalyzeRlist](#)
[importCufflinksCummeRbund](#)
[preFilter](#)

Examples

```
### Use the files from the cummeRbund example data
testSwitchList <- importCufflinksFiles(
  pathToGTF = system.file('extdata/chr1_snippet.gtf', package = "cummeRbund"),
  pathToGeneDEanalysis = system.file('extdata/gene_exp.diff', package = "cummeRbund"),
  pathToIsoformDEanalysis = system.file('extdata/isoform_exp.diff', package = "cummeRbund"),
  pathToGeneFPKMtracking = system.file('extdata/genes.fpkm_tracking', package = "cummeRbund"),
  pathToIsoformFPKMtracking = system.file('extdata/isoforms.fpkm_tracking', package = "cummeRbund"),
  pathToIsoformReadGroupTracking = system.file('extdata/isoforms.read_group_tracking', package = "cummeRbund"),
  pathToSplicingAnalysis = system.file('extdata/splicing.diff', package = "cummeRbund"),
  pathToReadGroups = system.file('extdata/read_groups.info', package = "cummeRbund"),
  pathToRunInfo = system.file('extdata/run.info', package = "cummeRbund"),
  fixCufflinksAnnotationProblem=TRUE,
  quiet=TRUE
)
testSwitchList
```

importGTF

Import Transcripts from a GTF file into R

Description

Function for importing a GTF into R as a switchAnalyzeRlist. This approach is well suited if you just want to annotate a transcriptome and are not interested in expression. If you are interested in expression estimates it is easier to use [importRdata](#).

Usage

```
importGTF(
  pathToGTF,
  addAnnotatedORFs=TRUE,
  onlyConsiderFullORF=FALSE,
  removeNonConventionalChr=FALSE,
  PTCDistance=50,
  quiet=FALSE
)
```

Arguments

pathToGTF	A string indicating the full path to the GTF that should be imported.
addAnnotatedORFs	A logic indicating whether the ORF from the GTF should be added to the switchAnalyzeRlist. This ORF is defined as the regions annoated as 'CDS' in the 'type' collumn (collumn 3). Default is TRUE.
onlyConsiderFullORF	A logic indicating whether the ORFs added should only be added if they are fully annotated. Here fully annoated is defined as those that both have a annotated 'start_codon' and 'stop_codon' in the 'type' collumn (collumn 3). This argument is only considered if onlyConsiderFullORF=TRUE. Default is FALSE.
removeNonConventionalChr	A logic indicating whether non-conventional chromosomes, here defined as chromosome names containing a '_'. These regions are typically used to annotate regions that cannot be associiated to a specific region (such as the human 'chr1_gl000191_random') or regions quite different due to different haplotypes (e.g. the 'chr6_cox_hap2'). Default is FALSE.
PTCDistance	Only considered if addAnnotatedORFs=TRUE. A numeric giving the premature termination codon-distance: The minimum distance from the annotated STOP to the final exon-exon junction, for a transcript to be marked as NMD-sensitive. Default is 50
quiet	A logic indicating whether to avoid printing progress messages. Default is FALSE

Details

The GTF file must have the following 3 annotation in collumn 9: 'transcript_id', 'gene_id', and 'gene_name'. Furthermore if addAnnotatedORFs is to be used the 'type' collumn (collumn 3) must contain the features marked as 'CDS'. If the onlyConsiderFullORF argument should work the GTF must also have 'start_codon' and 'stop_codon' annoated in the 'type' collumn (collumn 3).

Value

A switchAnalyzeRlist containing a all the gene and transcript information as well as the transcript models. See ?switchAnalyzeRlist for more details.

If addAnnotatedORFs=TRUE a data.frame containing the details of the ORF analysis have been added to the switchAnalyzeRlist under the name 'orfAnalysis'.

The data.frame added have one row pr isoform and contains 11 collumns:

- isoform_id: The name of the isoform analyzed. Mathces the 'isoform_id' entry in the 'isoformFeatures' entry of the switchAnalyzeRlist

- orfTranscriptStart: The start position of the ORF in transcript coordinates, here defined as the position of the 'A' in the 'AUG' start motif.
- orfTranscriptEnd: The end position of the ORF in transcript coordinates, here defined as the last nucleotide before the STOP codon (meaning the stop codon is not included in these coordinates).
- orfTranscriptLength: The length of the ORF
- orfStarExon: The exon in which the start codon is
- orfEndExon: The exon in which the stop codon is
- orfStartGenomic: The start position of the ORF in genomic coordinates, here defined as the position of the 'A' in the 'AUG' start motif.
- orfEndGenomic: The end position of the ORF in genomic coordinates, here defined as the last nucleotide before the STOP codon (meaning the stop codon is not included in these coordinates).
- stopDistanceToLastJunction: Distance from stop codon to the last exon-exon junction
- stopIndex: The index, counting from the last exon (which is 0), of which exon is the stop codon is in.
- PTC: A logic indicating whether the isoform is classified as having a Premature Termination Codon. This is defined as having a stop codon more than PTCDistance (default is 50) nt upstream of the last exon exon junction.

NA means no information was available aka no ORF (passing the minORFlength filter) was found.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[createSwitchAnalyzerList](#)
[preFilter](#)

Examples

```
# Import gtf file from cummeRbund package

aSwitchList <- importGTF(pathToGTF=system.file("extdata/chr1_snippet.gtf", package = "cummeRbund"))
aSwitchList
```

```
importIsoformExpression
```

Import expression data from Kallisto, Salmon or RSEM into R.

Description

A general-purpose import function which imports isoform expression data from Kallisto, Salmon or RSEM into R. This is a wrapper for the tximport package with some extra functionalities and is meant to be used to import the data and afterwards a switchAnalyzeRlist can be created with importRdata. It is highly recommended that both the imported TxPM and counts values are used both in the creation of the switchAnalyzeRlist with importRdata (through the "isoformCountMatrix" and "isoformRepExpression" arguments). Importantly this import function also enables inter-library normalization (via edgeR) of the abundance estimates. Note that the pattern argument allows import of only a subset of files.

Usage

```
importIsoformExpression(
  parentDir,
  calculateCountsFromAbundance=TRUE,
  interLibNormTxPM=TRUE,
  normalizationMethod='TMM',
  pattern='',
  invertPattern=FALSE,
  ignore.case=FALSE,
  showProgress = TRUE,
  quiet = FALSE
)
```

Arguments

parentDir	Parent directory where each quantified sample is in a sub-directory.
calculateCountsFromAbundance	A logic indicating whether to generate estimated counts using the estimated abundances. Recommended as it will incorporate the bias correction algorithms into the analysis. Default is TRUE.
interLibNormTxPM	A logic indicating whether to apply an inter-library normalization (via edgeR) to the imported abundances. Recommended as it allow comparison of abundances between samples. Default is TRUE.
normalizationMethod	A string indicating the method used for the inter-library normalization. Must be one of "TMM", "RLE", "upperquartile". See ?edgeR::calcNormFactors for more details. Default is "TMM".
pattern	Character string containing a regular expression for which files to import (applied to full path). Default is "" corresponding to all. See base::grepl for more details.
invertPattern	Logical. If TRUE return indices or values for elements that do not match..
ignore.case	if FALSE, the pattern matching is case sensitive and if TRUE, case is ignored during matching.

<code>showProgress</code>	A logic indicating whether to make a progress bar (if TRUE) or not (if FALSE). Default is FALSE.
<code>quiet</code>	A logic indicating whether to avoid printing progress messages (incl. progress bar). Default is FALSE

Details

This function requires all data that should be imported is in a directory (as indicated by `parentDir`) where each quantified sample is in a separate sub-directory.

For Kallisto the bias estimation is enabled by adding `'-bias'` to the function call. For Salmon the bias estimation is enabled by adding `'-seqBias'` and `'-gcBias'` to the function call. For RSEM the bias estimation is enabled by adding `'-estimate-rspd'` to the function call.

Inter library normalization is (almost always) necessary due to small changes in the RNA composition between cells and is highly recommended for all analysis of RNAseq data. For more information please refer to the edgeR user guide.

The inter-library normalization of TxPM values is performed as a three step process: First the effective counts are calculated from the abundances using the library specific effective isoform lengths. The effective counts are then supplied to edgeR which calculates the normalization factors necessary. Lastly the calculated normalization factors are applied to the imported TxPM values.

This function expects the files produced by Kallisto/Salmon/RSEM to be called their default names (with possible custom prefix): Kallisto files are called `'abundance.tsv'`, Salmon files are called `'quant.sf'` and RSEM files are called `'isoforms.results'`.

Value

A list containing an abundance matrix, a count matrix and a matrix with the effective lengths for each isoform quantified (rows) in each sample (col) where the first column contains the `isoform_ids`. The options used for import are stored under the `"importOptions"` entry). The abundance estimates are in the unit of Transcripts Per Million (TPM) and measuring the relative abundance of a specific transcript.

Transcripts Per Million values are abbreviated to TPM by RSEM, Kallisto and Salmon but will here be referred to as TxPM to avoid confusion with the commonly used Tags Per Million (which have been around for way longer). TxPM is an equivalent to RPKM/FPKM except it has been adjusted for all the biases being modeled by the tools used for the quantification including the fragment length distribution and sequence-specific bias as well as GC-fragment bias (this is specific to each tool and how it was run so you need to look up the specific tool). The TxPM is optimal for expression comparison of abundances since most biases will be taken into account.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. *Mol. Cancer Res.* (2017). Sonesson et al. Differential analyses for RNA-seq: transcript-level estimates improve gene-level inferences. *F1000Research* 4, 1521 (2015). Robinson et al. A scaling normalization method for differential expression analysis of RNA-seq data. *Genome Biology* (2010)

See Also

[importRdata](#)
[createSwitchAnalyzeRlist](#)
[preFilter](#)

importRdata

Create SwitchAnalyzeRlist From Standard R Objects

Description

A general-purpose interface to constructing a switchAnalyzeRlist from Standard R objects containing expression and annotation information. The data needed for this function are

- 1: Normalized biological replicate isoform expression data
- 2: Isoform annotation (both genomic exon coordinates and which gene the isoform belongs to). This can also be supplied as the path to a GTF file where the information can be found.
- 3: A design matrix indicating which samples belong to which condition

Furthermore it's possible to specify which comparisons to make using the comparisonsToMake (default is all possible pairwise of the once indicated by the design matrix).

Usage

```
importRdata(
  isoformCountMatrix,
  isoformRepExpression,
  designMatrix,
  isoformExonAnnoation,
  comparisonsToMake=NULL,
  addAnnotatedORFs=TRUE,
  onlyConsiderFullORF=FALSE,
  removeNonConvensionalChr=FALSE,
  PTCDistance=50,
  foldChangePseudoCount=0.01,
  showProgress=TRUE,
  quiet=FALSE
)
```

Arguments

isoformCountMatrix

A data.frame with unfiltered biological (not technical) replicate isoform (estimated) fragment counts. Must have a column called 'isoform_id' with the isoform_id that matches the isoform_id in isoformExonAnnoation. The name of the columns must match the sample names in the designMatrix argument and contain the estimated counts.

isoformRepExpression

Optional but recommended: A data.frame with unfiltered normalized biological (not technical) replicate isoform expression. Ideal for supplying quantification measured in Transcripts Per Million (TxPM) or RPKM/FPKM. Must have a column called 'isoform_id' with the isoform_id. The name of the expression

columns must match the sample names in the `designMatrix` argument. If not supplied RPKM values are calculated from the count matrix and used instead.

`designMatrix` A `data.frame` with the information of which samples originate from which conditions. Must be a `data.frame` containing these two columns:

- Column 1: called 'sampleID'. This column contains the sample names and must match the column names used in `isoformRepExpression`.
- Column 2: called 'condition'. This column indicates with a string which conditions the sample originate from. If sample 1-3 originate from the same condition they should all have the same string (for example 'ctrl', in this column).

Additional columns can be used to describe other co-factors such as batch effects or patient ids (for paired sample analysis). Additional co-factors can only be analyzed with `isoformSwitchTestDRIMSeq`.

`isoformExonAnnotation`

Can either be:

- 1: A string indicating the full path to the GTF file which have been quantified. If supplied the exon structure and isoform annotation will be obtained from the GTF file. An example could be `"/myAnnotation/myGenome/gersionQuantified.gtf"`
- 2: A `GRange` object (see `?GRanges`) containing one entry per exon per isoform with the genomic coordinates of that isoform. This `GRange` should furthermore contain two meta data columns called 'isoform_id' and 'gene_id' indicating both which isoform the exon belongs to as well as which gene the isoform belongs to. The 'isoform_id' column must match the isoform ids used in the 'isoform_id' column of the `isoformRepExpression` `data.frame`. If possible we suggest that a third column called 'gene_name' with the corresponding gene names is also added. If not supplied `gene_name` will be annotated as NA.

`comparisonsToMake`

A `data.frame` indicating which pairwise comparisons the `switchAnalyzeRlist` created should contain. The two columns, called 'condition_1' and 'condition_2' indicate which conditions should be compared and the strings indicated here must match the strings in the `designMatrix$condition` column. If not supplied all pairwise (unique nondirectional) comparisons of the conditions given in `designMatrix$condition` are created.

`addAnnotatedORFs`

Only used if a GTF file is supplied to `isoformExonAnnotation`. A logic indicating whether the ORF from the GTF should be added to the `switchAnalyzeRlist`. This ORF is defined as the regions annotated as 'CDS' in the 'type' column (column 3). Default is TRUE.

`onlyConsiderFullORF`

A logic indicating whether the ORFs added should only be added if they are fully annotated. Here fully annotated is defined as those that both have an annotated 'start_codon' codon in the 'type' column (column 3). This argument exists because these CDS regions are highly problematic and does not resemble true ORFs as >50% of CDS without a stop_codon annotated contain multiple stop codons (see Vitting-Seerup et al 2017 - supplementary materials). This argument is only considered if `onlyConsiderFullORF=TRUE`. Default is FALSE.

`removeNonConventionalChr`

A logic indicating whether non-conventional chromosomes, here defined as chromosome names containing a '_'. These regions are typically used to annotate regions that cannot be associated to a specific region (such as the human

	'chr1_gl000191_random') or regions quite different due to different haplotypes (e.g. the 'chr6_cox_hap2'). This argument is only considered if a GTF file was supplied to <code>isoformExonAnnotation</code> . Default is FALSE.
PTCDistance	Only used if a GTF file is supplied to <code>isoformExonAnnotation</code> and <code>addAnnotatedORFs=TRUE</code> . A numeric giving the premature termination codon-distance: The minimum distance from the annotated STOP to the final exon-exon junction, for a transcript to be marked as NMD-sensitive. Default is 50
foldChangePseudoCount	A numeric indicating the pseudocount added to each of the average expression values before the log2 fold change is calculated. Done to prevent log2 fold changes of Inf or -Inf. Default is 0.01
showProgress	A logic indicating whether to make a progress bar (if TRUE) or not (if FALSE). Default is FALSE.
quiet	A logic indicating whether to avoid printing progress messages (incl. progress bar). Default is FALSE

Details

For each gene in each replicate sample the expression of all isoforms belonging to that gene (as annotated in `isoformExonAnnotation`) are summed to get the gene expression. It is therefore very important that the `isoformRepExpression` is unfiltered. For each gene/isoform in each condition (as indicated by `designMatrix`) the mean and standard error (of mean (measurement), s.e.m) are calculated. Since all samples are considered it is very important the `isoformRepExpression` does not contain technical replicates. The comparison indicated `comparisonsToMake` (or all pairwise if not supplied) is then constructed and the mean gene and isoform expression values are then used to calculate log2 fold changes (using `foldChangePseudoCount`) and Isoform Fraction (IF) values. The whole analysis is then wrapped in a `SwitchAnalyzeRlist`.

Changes in isoform usage are measured as the difference in isoform fraction (dIF) values, where isoform fraction (IF) values are calculated as $\langle \text{isoform_exp} \rangle / \langle \text{gene_exp} \rangle$.

Value

A `SwitchAnalyzeRlist` containing the data supplied stored into the `SwitchAnalyzeRlist` format (created by `createSwitchAnalyzeRlist()`). For details about the format see details of [createSwitchAnalyzeRlist](#).

If a GTF file was supplied to `isoformExonAnnotation` and `addAnnotatedORFs=TRUE` a `data.frame` containing the details of the ORF analysis have been added to the `switchAnalyzeRlist` under the name 'orfAnalysis'. The `data.frame` added have one row per isoform and contains 11 columns:

- `isoform_id`: The name of the isoform analyzed. Matches the 'isoform_id' entry in the 'isoformFeatures' entry of the `switchAnalyzeRlist`
- `orfTranscriptStart`: The start position of the ORF in transcript coordinates, here defined as the position of the 'A' in the 'AUG' start motif.
- `orfTranscriptEnd`: The end position of the ORF in transcript coordinates, here defined as the last nucleotide before the STOP codon (meaning the stop codon is not included in these coordinates).
- `orfTranscriptLength`: The length of the ORF
- `orfStarExon`: The exon in which the start codon is
- `orfEndExon`: The exon in which the stop codon is

- orfStartGenomic: The start position of the ORF in genomic coordinates, here defined as the position of the 'A' in the 'AUG' start motif.
- orfEndGenomic: The end position of the ORF in genomic coordinates, here defined as the last nucleotide before the STOP codon (meaning the stop codon is not included in these coordinates).
- stopDistanceToLastJunction: Distance from stop codon to the last exon-exon junction
- stopIndex: The index, counting from the last exon (which is 0), of which exon is the stop codon is in.
- PTC: A logic indicating whether the isoform is classified as having a Premature Termination Codon. This is defined as having a stop codon more than PTCDistance (default is 50) nt upstream of the last exon exon junction.

NA means no information was available aka no ORF (passing the minORFlength filter) was found.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[createSwitchAnalyzeRlist](#)
[importIsoformExpression](#)
[preFilter](#)

Examples

```
### Construct data needed from example data in cummeRbund package
### (The recommended way of analyzing Cufflinks/Cuffdiff data is via importCufflinksCummeRbund())
### This is just an easy way to get some example data ).
cuffDB <- prepareCuffExample()

isoRepCount <- repCountMatrix(isoforms(cuffDB))
isoRepCount$isoform_id <- rownames(isoRepCount)

### Design matrix
designMatrix <- cummeRbund::replicates(cuffDB)[,c('rep_name','sample_name')]
colnames(designMatrix) <- c('sampleID','condition')

localAnnotation <- import(system.file("extdata/chr1_snippet.gtf", package="cummeRbund"))[,c('transcript_id',
colnames(localAnnotation@elementMetadata)[1] <- 'isoform_id'

### Please note
# 1) The way of importing the GTF file in the example with
#     "system.file('pathToFile', package="cummeRbund") is
#     specialised to access the sample data in the cummeRbund package
#     and not something you need to do - just supply the string e.g.
#     "/myAnnotation/myGenome/gersionQuantified.gtf" to the import function
# 2) importRdata also supports direct import of a GTF file - just supply the
#     path to the isoformExonAnnotation argument
```

```

### Take a look at the data
head(isoRepCount)
head(designMatrix)
head(localAnnotaion)

### Create switchAnalyzeRlist
aSwitchList <- importRdata(
  isoformCountMatrix=isoRepCount,
  designMatrix=designMatrix,
  isoformExonAnnoation=localAnnotaion
)
aSwitchList

```

```
isoformSwitchAnalysisCombined
```

Isoform Switch Analysis Workflow: Extract, Annoate and Visualize all Significant Isoform Switches

Description

This high-level function takes a CuffSet object or a pre-existing switchAnalyzeRlist as input. If the input is a CuffSet a switchFindeRList is created and else the function uses the provided switchAnalyzeRlist.

Then isoform switches are identified, annotated with ORF and intron region. Then functional consequences are identified and isoform switch analysis plots are generated for the top n isoform switches. Lastly a plot summarizing the global effect of isoform switches with functional consequences is generated. If external analysis of protein domains (Pfam), coding potential (CPAT) or signal peptides (SignalP) should be incorporated please use the combination of isoformSwitchAnalysisPart1 and isoformSwitchAnalysisPart2 instead.

Usage

```

isoformSwitchAnalysisCombined(
  input,
  alpha=0.05,
  dIFcutoff = 0.1,
  switchTestMethod='DRIMSeq',
  calibratePvalues=TRUE,
  n=NA,
  pathToOutput=getwd(),
  overwriteORF=FALSE,
  outputSequences=FALSE,
  genomeObject,
  orfMethod='longest',
  cds=NULL,
  consequencesToAnalyze=c('intron_retention','ORF_seq_similarity','NMD_status'),
  fileType='pdf',
  asFractionTotal=FALSE,
  outputPlots=TRUE,
  quiet=FALSE
)

```

Arguments

input	Either a CuffSet created by readCufflins() or a switchAnalyzeRlist object.
alpha	The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.
dIFcutoff	The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).
switchTestMethod	A string indicating which statistical method should be used for testing differential isoform usage. The following options are available: <ul style="list-style-type: none"> 'DRIMSeq' : Uses the DRIMSeq package to perform the statistical test. See isoformSwitchTestDRIMSeq. Default 'IsoformSwitchAnalyzeR' : Uses the statistical test implemented in IsoformSwitchAnalyzeR. See isoformSwitchTest. 'none' : No statistical test is performed. Should only be used if a test have already been performed and should not be overwritten (e.g when importing cuffdiff data).
calibratePvalues	Only applicable if switchTestMethod='IsoformSwitchAnalyzeR'. A logic indicating whether the p-values should be calibrated according to the methods in Ferguson et al (2014), this will only be done if the p-value distribution is very skewed (if the estimated sigma ² values is < 0.9) as suggested by the authors. See details for more information. Default is TRUE.
n	The number of top genes (after filtering and sorted according to sortByQvals) that should be saved to each subfolder indicated by splitConditions, splitFunctionalConsequences. Use NA to create all. Default is NA (all).
pathToOutput	A path to the folder in which the plots should be made. Default is working directory (getwd()).
overwriteORF	A logical indicating whether to overwrite the ORF analysis already stored in the supplied switchAnalyzeRlist. Default is FALSE.
outputSequences	A logic indicating whether transcript nucleotide and amino acid sequences should be outputted to outputDestination. Default is TRUE.
genomeObject	A BSgenome object (for example Hsapiens for Homo sapiens).
orfMethod	A string indicating which of the 3 ORF identification methods should be used. The methods are: <ul style="list-style-type: none"> longest : Identifies the longest ORF in the transcript. This approach is similar to what the CPAT tool uses in its analysis of coding potential longestAnnotated : Identifies the longest ORF downstream of an annotated translation start site (supplied via the cds argument) mostUpstreamAnnotated : Identifies the ORF downstream of the most upstream overlapping annotated translation start site (supplied via the cds argument) Default is longest.

<code>cds</code>	A <code>CDS</code> object containing annotated coding regions, see <code>?CDS</code> and <code>?getCDS</code> for more information. Only necessary if <code>'orfType'</code> arguments is <code>'longestAnnotated'</code> or <code>'mostUpstreamAnnotated'</code> .
<code>consequencesToAnalyze</code>	A vector of strings indicating what type of functional consequences to analyze. Note there is bound to be some differences between transcripts (else there would be identical). See details in analyzeSwitchConsequences for full list of usable strings and their meaning. Default is <code>c('intron_retention','ORF_seq_similarity','NMD_status')</code> (corresponding to analyze: intron retention, ORF AA sequence similarity and NMD status).
<code>fileType</code>	A string indicating which file type is generated. Available options are <code>'pdf'</code> and <code>'png'</code> . Default is <code>pdf</code> .
<code>asFractionTotal</code>	A logic indicating whether the number of consequences should be calculated as numbers (if <code>FALSE</code>) or as a fraction of the total number of switches in the plot summarizing general consequences of all the isoform switches. Default is <code>FALSE</code> .
<code>outputPlots</code>	A logic indicating whether all isoform switches as well as the summary of functional consequences should be outputted in the directory specified by <code>pathToOutput</code> argument. Default is <code>TRUE</code> .
<code>quiet</code>	A logic indicating whether to avoid printing progress messages (incl. progress bar). Default is <code>FALSE</code> .

Details

This function performs the full Isoform Analysis Workflow by

1. If necessary import the data (see [importCufflinksCummeRbund](#))
2. Remove non-expressed isoforms and single-isoform genes (see [preFilter](#))
3. predict switches (only if switches is not already annotated, see [isoformSwitchTest](#))
4. Analyzing the isoforms for open reading frames (ORFs, see [analyzeORF](#))
5. Output fasta files containing the nucleotide and amino acid sequences which enables external sequence analysis with CPAT, Pfam and SignalP (see [extractSequence](#))
6. Predict functional consequences of switching (see [analyzeSwitchConsequences](#))
7. Output Isoform Switch Analysis plots for all genes with a significant switch (see [switchPlot](#))
8. Output a visualization of general consequences of isoform switches.

Value

This function outputs:

1. The supplied `switchAnalyzeRlist` now annotated with all the analysis described above
2. One folder per comparison of condition containing the isoform switch analysis plot of all significant isoforms.
3. A plot summarizing the overall consequences off all the isoform switches.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[isoformSwitchAnalysisPart1](#)
[isoformSwitchAnalysisPart2](#)
[preFilter](#)
[isoformSwitchTest](#)
[analyzeORF](#)
[extractSwitchSummary](#)
[analyzeSwitchConsequences](#)
[switchPlotTopSwitches](#)

Examples

```

data("exampleSwitchList")
exampleSwitchList

library(BSgenome.Hsapiens.UCSC.hg19)
exampleSwitchListAnalyzed <- isoformSwitchAnalysisCombined(
  input=exampleSwitchList,
  genomeObject = Hsapiens,
  dIFcutoff = 0.4,          # Set high for short runtime in example data
  outputSequences = FALSE, # keeps the function from outputting the fasta files from this example
  outputPlots = FALSE     # keeps the function from outputting the Isoform Switch Analyzer Plots from this ex
)

exampleSwitchListAnalyzed

```

isoformSwitchAnalysisPart1

Isoform Switch Analysis Workflow Part 1: Extract Isoform Switches and Their Sequences

Description

This high-level function takes either a CuffSet object or a pre-existing switchAnalyzeRlist as input. If the input is a CuffSet object a switchAnalyzeRlist is created or else the function uses the provided switchAnalyzeRlist. Then isoform switches are predicted (unless switchTestMethod='none') and ORF are predicted if not already annotated. Lastly the function extracts the nucleotide sequence and the ORF AA sequences of the isoforms involved in isoform switches. These sequences are both saved to external files and added to the switchAnalyzeRlist to enable external and internal sequence analysis respectively.

This function is meant to be used as part 1 of the isoform switch analysis workflow, which can be followed by the second step via isoformSwitchAnalysisPart2.

Usage

```

isoformSwitchAnalysisPart1(
  input,
  alpha = 0.05,
  dIFcutoff = 0.1,
  switchTestMethod='DRIMSeq',
  calibratePvalues=TRUE,
  orfMethod = "longest",
  genomeObject,
  cds = NULL,
  pathToOutput = getwd(),
  outputSequences = TRUE,
  overwriteORF=FALSE,
  quiet=FALSE
)

```

Arguments

input	Either a CuffSet created by readCufflins() or a switchAnalyzeRlist.
alpha	The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.
dIFcutoff	The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).
switchTestMethod	A sting indicating which statistical method should be used for testing differential isoform usage. The following options are available: <ul style="list-style-type: none"> 'DRIMSeq' : Uses the DRIMSeq package to perform the statistical test. See isoformSwitchTestDRIMSeq. Default 'IsoformSwitchAnalyzeR' : Uses the statistical test implemented in IsoformSwitchAnalyzeR. See isoformSwitchTest. 'none' : No statistical test is performed. Should only be used if a test have already been performed and should not be overwritten (e.g when importing cuffdiff data).
calibratePvalues	Only applicable if switchTestMethod='IsoformSwitchAnalyzeR'. A logic indicating whether the p-values should be calibrated according to the methods in Ferguson et al (2014), this will only be done if the p-value distribution is very skewed (if the estimated sigma^2 values is < 0.9) as suggested by the authors. See details for more information. Default is TRUE.
orfMethod	A string indicating which of the 4 ORF identification methods should be used. The methods are: <ul style="list-style-type: none"> longest : Identifies the longest ORF in the transcript. This approach is similar to what the CPAT tool uses in its analysis of coding potential longestAnnotated : Identifies the longest ORF downstream of an annotated translation start site (supplied via the cds argument)

	<ul style="list-style-type: none"> • <code>mostUpstreamAnnotated</code> : Identifies the ORF downstream of the most upstream overlapping annotated translation start site (supplied via the <code>cds</code> argument)
	Default is <code>longest</code> .
<code>genomeObject</code>	A <code>BSgenome</code> object (for example <code>Hsapiens</code> for <i>Homo sapiens</i>).
<code>pathToOutput</code>	A path to the folder in which the plots should be made. Default is working directory (<code>getwd()</code>).
<code>cds</code>	A <code>CDSset</code> object containing annotated coding regions, see <code>?CDSset</code> and <code>?getCDS</code> for more information. Only necessary if <code>'orfType'</code> arguments is <code>'longestAnnotated'</code> or <code>'mostUpstreamAnnotated'</code> .
<code>overwriteORF</code>	A logical indicating whether to overwrite the ORF analysis already stored in the supplied <code>switchAnalyzeRlist</code> . Default is <code>FALSE</code> .
<code>outputSequences</code>	A logical indicating whether transcript nucleotide and amino acid sequences should be outputted to <code>pathToOutput</code> . Default is <code>TRUE</code> .
<code>quiet</code>	A logical indicating whether to avoid printing progress messages (incl. progress bar). Default is <code>FALSE</code>

Details

This function performs the first part of a Isoform Analysis Workflow by

1. If necessary import the data (see [importCufflinksCummeRbund](#)) and create the `switchAnalyzeRlist`.
2. Remove non-expressed isoforms and single-isoform genes (see [preFilter](#))
3. Predict isoform switches unless `switchTestMethod` is set to `'none'`.
4. If no ORFs are annotated the isoforms are analyzed for open reading frames (ORFs, see [analyzeORF](#))
5. The isoform nucleotide and ORF amino acid sequences are extracted and saved to fasta files as well as added to the `switchAnalyzeRlist` enabling external sequence analysis with CPAT, Pfam and SignalP (see vignette for more info).

Value

This function have two outputs. It returns a `switchAnalyzeRlist` object where information about the isoform switch test, ORF prediction and nt and aa sequences have been added. Secondly (if `outputSequences` is `TRUE`) the nucleotide and amino acid sequence of transcripts involved in switches are also save as fasta files enabling external sequence analysis.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. *Mol. Cancer Res.* (2017).

See Also

[preFilter](#)
[isoformSwitchTest](#)
[analyzeORF](#)
[extractSequence](#)

Examples

```

data("exampleSwitchList")
exampleSwitchList

library(BSgenome.Hsapiens.UCSC.hg19)
exampleSwitchList <- isoformSwitchAnalysisPart1(
  input=exampleSwitchList,
  genomeObject = Hsapiens,
  dIFcutoff = 0.4,          # Set high for short runtime in example data
  outputSequences = FALSE # keeps the function from outputting the fasta files from this example
)

exampleSwitchList

```

isoformSwitchAnalysisPart2

Isoform Switch Analysis Workflow Part 2: Plot All Isoform Switches and Their Annotation

Description

This high-level function adds the results of the extrenal sequence analysis supplied (if any), then proceeds to annotate intron ration. Then functional consequences of the isoform switches are identified and isoform switch analysis plots are created for the top n isoform switches. Lastly a plot summarizing the functional consequences is created. This function is meant to be used after [isoformSwitchAnalysisPart1](#) have been used.

Usage

```

isoformSwitchAnalysisPart2(
  switchAnalyzeRlist,
  alpha=0.05,
  dIFcutoff = 0.1,
  n=NA,
  codingCutoff,
  removeNoncodinORFs,
  pathToCPATresultFile=NULL,
  pathToPFAMresultFile=NULL,
  pathToSignalPresultFile=NULL,
  consequencesToAnalyze=c('intron_retention','coding_potential','ORF_seq_similarity','NMD_statu
  pathToOutput=getwd(),
  fileType='pdf',
  asFractionTotal=FALSE,
  outputPlots=TRUE,
  quiet=FALSE
)

```

Arguments

- switchAnalyzeRlist** A `switchAnalyzeRlist` object as produced by [createSwitchAnalyzeRlist](#)
- alpha** The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.
- dIFcutoff** The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log₂ fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).
- n** The number of top genes (after filtering and sorted according to `sortByQvals`) that should be saved to each subfolder indicated by `splitConditions`, `splitFunctionalConsequences`. Use NA to create all. Default is NA (all).
- codingCutoff** Numeric indicating the cutoff used by CPAT for distinguishing between coding and non-coding transcripts. The cutoff is dependent on species analyzed. Our analysis suggest that the optimal cutoff for overlapping coding and non-coding isoforms are 0.725 for human and 0.721 for mouse - HOWEVER the suggested cutoffs from the CPAT article (see references) derived by comparing known genes to random non-coding regions of the genome is 0.364 for human and 0.44 for mouse.
- removeNoncodingORFs** A logic indicating whether to remove ORF information from the isoforms which the CPAT analysis classifies as non-coding. This can be particularly useful if the isoform (and ORF) was predicted de-novo but is not recommended if ORFs are imported from a GTF file. This will affect all downstream analysis and plots as both analysis of domains and signal peptides requires that ORFs are annotated (e.g. `analyzeSwitchConsequences` will not consider the domains (potentially) found by Pfam if the ORF have been removed).
- pathToCPATresultFile** Path to the CPAT result file. If the webserver is used please download the tab-delimited file from the bottom of the result page and give that as input, else simply supply the result file.
- pathToPFAMresultFile** Path to the PFAM result file. If the webserver is used you need to copy paste the result part of the mail you get into a empty plain text document (notepad, sublimetext TextEdit or similar (aka not word)) and save that to a file. This file is then used as input to the function.
- pathToSignalPresultFile** Path to the summary SignalP result file. If using the web-server the results should be copy pasted into a empty plain text document (notepad, sublimetext TextEdit or similar (aka not word)) and save that to a file. This file is then used as input to the function.
- consequencesToAnalyze** A vector of strings indicating what type of functional consequences to analyze. Do note that there is bound to be some differences between transcripts (else there would be identical). See details in [analyzeSwitchConsequences](#) for full list of usable strings and their meaning. Default is `c('intron_retention','coding_potential','ORF_seq_similarity')` (corresponding to analyze: intron retention, CPAT result, ORF AA sequence similarity, NMD status, PFAM domains annotated and signal peptides annotated by Pfam).

pathToOutput	A path to the folder in which the plots should be made. Default is working directory (<code>getwd()</code>).
fileType	A string indicating which file type is generated. Available options are <code>'pdf'</code> and <code>'png'</code> . Default is <code>pdf</code> .
asFractionTotal	A logic indicating whether the number of consequences should be calculated as numbers (if <code>FALSE</code>) or as a fraction of the total number of switches in the plot summarizing general consequences of all the isoform switches. Default is <code>FALSE</code> .
outputPlots	A logic indicating whether all isoform switches as well as the summary of functional consequences should be outputted in the directory specified by <code>pathToOutput</code> argument. Default is <code>TRUE</code> .
quiet	A logic indicating whether to avoid printing progress messages (incl. progress bar). Default is <code>FALSE</code>

Details

This function performs the second part of a Isoform Analysis Workflow by:

1. Adding external sequence analysis (see [analyzeCPAT](#), [analyzePFAM](#) and [analyzeSignalP](#))
2. Predict functional consequences of switching (see [analyzeSwitchConsequences](#))
3. Output Isoform Switch Consequence plots for all genes where there is a significant isoform switch (see [switchPlot](#))
4. Output a visualization of general consequences of isoform switches.

Value

This function outputs

1. The supplied `switchAnalyzeRlist` now annotated with all the analysis described above
2. One folder per comparison of condition containing the isoform switch analysis plot of all genes with significant isoforms switches
3. A plot summarizing the overall consequences off all the isoform switches.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. *Mol. Cancer Res.* (2017).

See Also

[analyzeCPAT](#)
[analyzePFAM](#)
[analyzeSignalP](#)
[analyzeAlternativeSplicing](#)
[extractSwitchSummary](#)
[analyzeSwitchConsequences](#)
[switchPlotTopSwitches](#)

Examples

```

data("exampleSwitchListIntermediary")
exampleSwitchListAnalyzed <- isoformSwitchAnalysisPart2(
  switchAnalyzeRlist      = exampleSwitchListIntermediary,
  dIFcutoff               = 0.4, # Set high for short runtime in example data
  pathToCPATresultFile    = system.file("extdata/cpat_results.txt", package = "IsoformSwitchAnalyzeR"),
  pathToPFAMresultFile    = system.file("extdata/pfam_results.txt", package = "IsoformSwitchAnalyzeR"),
  pathToSignalPresultFile = system.file("extdata/signalP_results.txt", package = "IsoformSwitchAnalyzeR"),
  codingCutoff             = 0.364,
  removeNoncodinORFs      = TRUE, # Because ORF was predicted de novo
  outputPlots              = FALSE # keeps the function from outputting the plots from this example
)

```

isoformSwitchTest *Statistical Test of Isoform Switching.*

Description

This function performs a statistical test (see details) for each isoforms (isoform resolution) and conditions stored in the `switchAnalyzeRlist` object.

Usage

```

isoformSwitchTest(
  switchAnalyzeRlist,
  alpha=0.05,
  dIFcutoff = 0.1,
  reduceToSwitchingGenes = TRUE,
  calibratePvalues=TRUE,
  showProgress=FALSE,
  quiet=FALSE
)

```

Arguments

`switchAnalyzeRlist` A `switchAnalyzeRlist` object.

`alpha` The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.

`dIFcutoff` The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log₂ fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).

`reduceToSwitchingGenes` A logic indicating whether the `switchAnalyzeRlist` should be reduced to the genes which contains significant switching (as indicated by the `alpha` and `dIFcutoff` parameters). Enabling this will make the downstream analysis a lot faster since fewer genes needs to be analyzed. Default is TRUE.

calibratePvalues	A logic indicating whether the p-values should be calibrated according to the methods in Ferguson et al (2014), this will only be done if the p-value distribution is very skewed (if the estimated σ^2 values is < 0.9) as suggested by the authors. See details for more information. Default is TRUE.
showProgress	A logic indicating whether to make a progress bar (if TRUE) or not (if FALSE). Defaults is FALSE.
quiet	A logic indicating whether to avoid printing progress messages (incl. progress bar). Default is FALSE

Details

Changes in isoform usage are measure as the difference in isoform fraction (dIF) values, where isoform fraction (IF) values are calculated as $\langle \text{isoform_exp} \rangle / \langle \text{gene_exp} \rangle$.

The idea behind test implemented in `isoformSwitchTest` can be explained as a three step process:

- 1 : Use the uncertainty (e.g. variance) of gene and isoform expression estimats (obtained via biological replicates) to estimate the uncertainty of the isoform fraction (e.g. the variance of the IF values).
- 2 : Use the uncertainty of the IF estimate to statistically test the validity of the changes in isoform usage between conditions.
- 3 : (calibrate p-values and) correct for multiple testing

The procedure implemented here to estimating the uncertainty of IF values (e.g. the variance of the IF values) is only robust when the gene expression is not close to zero. When the gene expression is to close to zero the variance estimate becomes untrustworthy. To prevent this we have implemented a hardcoded filter that only allows estimation of the IF variance (and thereby testing of an isoform) if the 95% confidence intervals (CI) of the gene expression (in both conditions) is larger than zero. The 95% CI is calculated via the t-distribution thereby taking sample size into account.

The p-value calibration, if enabled, is only performed if the σ^2 (sigma squared) estimated from the top 50% expressed data is smaller than 0.9 in accordance with the guidelines suggested by the author.

For full description please see the methods section of Vitting-Seerup et al 2017.

Value

A `switchAnalyzeRlist` where the following have been modified:

- 1: Two collumns, `isoform_switch_q_value` and `gene_switch_q_value` in the `isoformFeatures` entry have been filled out summarizing the result of the above described test.
- 2: A `data.frame` containing the details of the analysis have been added (called 'isoform-SwitchAnalysis').

The `data.frame` added have one row per isoform per comparison of condition and contains the following columns:

- `iso_ref` : A unique refrence to a specific isoform in a specific comaprison of conditions. Enables easy handles to integrate data from all the parts of a `switchAnalyzeRlist`.

- `gene_ref` : A unique reference to a specific gene in a specific comparison of conditions. Enables easy handling to integrate data from all the parts of a `switchAnalyzeRlist`.
- `isoform_id`: The name of the isoform analyzed. Matches the `'isoform_id'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `gene_id`: The id of the gene which the `isoform_id` belongs to. Matches the `'gene_id'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `condition_1`: The first condition of the comparison. Should be thought of as the ground state - meaning the changes occur from `condition_1` to `condition_2`. Matches the `'condition_1'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `condition_2`: The second condition of the comparison. Should be thought of as the changed state - meaning the changes occur from `condition_1` to `condition_2`. Matches the `'condition_2'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `nrReplicates_1`: The number of biological replicates in `condition_1`. Matches the `'nrReplicates_1'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `nrReplicates_2`: The number of biological replicates in `condition_2`. Matches the `'nrReplicates_2'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `IF1`: The isoform fraction value (IF) of the `isoform_id` in `condition_1`. Matches the `'IF1'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `IF2`: The isoform fraction value (IF) of the `isoform_id` in `condition_2`. Matches the `'IF2'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `IF_var_1`: The variance of `IF1` measured from the `nrReplicates_1` biological replicates. Matches the `'IF_var_1'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `IF_var_2`: The variance of `IF2` measured from the `nrReplicates_2` biological replicates. Matches the `'IF_var_2'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `dIF`: The difference in the IF values measured as `IF2-IF1` meaning that positive values means the isoform is used more in `condition_2` and vice versa. Matches the `'dIF'` entry in the `'isoformFeatures'` entry of the `switchAnalyzeRlist`
- `dIF_std_err`: The standard error of the `dIF` value.
- `t_statistics`: The test t-statistics. See Vitting-Seerup et al 2017 for details.
- `deg_free`: The degrees of freedom used to calculate the `p_value` of the statistical test. See Vitting-Seerup et al 2017 for details.
- `p_value`: The raw p-value from the statistical test implemented in `IsoformSwitchAnalyzeR`. See Vitting-Seerup et al 2017 for details.
- `calibrated_p_values`: The transformed/calibrated p-values. See Ferguson et al 2014 for more details. Will only be calculated if `calibratePvalues=TRUE` and the σ^2 (sigma squared) estimated from the top 50% expressed data is smaller than 0.9 in accordance with the guidelines suggested by the author. If NA the calibration was not performed.
- `iso_switch_q_value`: The FDR corrected p-values. If the p-value calibration was performed these are naturally the FDR corrected calibrated p-values.
- `gene_switch_q_value`: The gene-level evidence for an isoform switch occurring. Defined as the smallest `iso_switch_q_value` of the isoforms belonging to the `gene_id`.

Author(s)

Kristoffer Vitting-Seerup

References

- Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. *Mol. Cancer Res.* (2017).
- Ferguson JP, Palejev D: P-value calibration fro multiple testing problems in genomics. *Stat. Appl. Genet. Mol. Biol.* 2014, 13:659-673.

See Also

[preFilter](#)
[extractSwitchSummary](#)
[extractTopSwitches](#)

Examples

```
# Load example data and prefilter
data("exampleSwitchList")
exampleSwitchList <- preFilter(exampleSwitchList)

# Perform test
exampleSwitchListAnalyzed <- isoformSwitchTest(exampleSwitchList)

# extract summary of number of switching features
extractSwitchSummary(exampleSwitchListAnalyzed)

# extract whether p-value calibration was performed
extractCalibrationStatus(exampleSwitchListAnalyzed)
```

isoformSwitchTestDRIMSeq

Statistical Test for identifying Isoform Switching via DRIMSeq.

Description

This function is an interface to an analysis with the DRIMSeq package analyzing all isoforms (isoform resolution) and conditions stored in the switchAnalyzeRlist object.

Usage

```
isoformSwitchTestDRIMSeq(
  switchAnalyzeRlist,
  alpha = 0.05,
  dIFcutoff = 0.1,
  testIntegration = 'isoform_only',
  reduceToSwitchingGenes = TRUE,
  dmFilterArgs=list(
    min_feature_expr = 4,
    min_samps_feature_expr = min(
      switchAnalyzeRlist$conditions$nrReplicates
    )
  ),
  dmPrecisionArgs = list(),
```

```

dmFitArgs = list(),
dmTestArgs = list(),
showProgress = TRUE,
quiet = FALSE
)

```

Arguments

`switchAnalyzeRlist`

A `switchAnalyzeRlist` object.

`alpha`

The cutoff which the (calibrated) `fdr` correct p-values must be smaller than for calling significant switches. Default is 0.05.

`dIFcutoff`

The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low `dIF` values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on `log2` fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).

`testIntegration`

A string indicating how to interpret the DRIMSeq test for differential isoform usage (see also details). Since DRIMSeq both test at gene and isoform level there are multiple options. Must be one the following:

- `'isoform_only'` : Only considers the test at isoform level resolution (and ignores the gene level test). This analysis have isoform resolution (meaning exactly which isoforms are switching is known). Default
- `'gene_only'` : Only considers the test at gene level resolution (and ignores the isoform level test). This analysis have gene resolution (meaning exactly which isoforms are switching is NOT known - but the power is higher compared to isoform level analysis (probabl more genes identified)).
- `'intersect'` : Only considers the cases where BOTH the gene and the isoforms are significant. This analysis have isoform resolution (meaning exactly which isoforms are switching is known) and is the conservative version of `'isoform_only'` since it is also required that the gene level test for the parent gene is significant. See details.

`reduceToSwitchingGenes`

A logic indicating whether the `switchAnalyzeRlist` should be reduced to the genes which contains significant switching (as indicated by the `alpha` and `dIFcutoff` parameters). Enabling this will make the downstream analysis a lot faster since fewer genes needs to be analyzed. Default is `TRUE`.

`dmFilterArgs`

Offers a way to pass additional arguments to the `DRIMSeq::dmFilter()` function enabling filtering based on replicate data. Must be supplied as a named list. Default is 4 counts in at least as many libraries as there are replicates in the smallest condition

`dmPrecisionArgs`

Offers a way to pass additional arguments to the `DRIMSeq::dmPrecision()` function. Must be supplied as a named list. Please remember some parameters are shared between multiple of the `dm*()` functions so if you change a parameter for one function you might also need to change it for the other functions.

`dmFitArgs`

Offers a way to pass additional arguments to the `DRIMSeq::dmFit()` function underlying the test. Must be supplied as a named list. Please remember some parameters are shared between multiple of the `dm*()` functions so if you change a

	paramter for one function you might also need to change it for the other functions.
dmTestArgs	Offers a way to pass additional arguments to the DRIMSeq: :dmTest() function underlying the test. Must be supplied as a named list. Please remember some parameters are shared between multiple of the dm*() functions so if you change a parameter for one function you might also need to change it for the other functions.
showProgress	A logic indicating whether to make a progress bar (if TRUE) or not (if FALSE). Defaults is FALSE.
quiet	A logic indicating whether to avoid printing progress messages (incl. progress bar). Default is FALSE

Details

This wrapper for DRIMSeq utilizes all data to construct one linear model (one fit) on all the data (including the potential extra covariates/batch effects indicated in the designMatrix entry of the supplied switchAnalyzeRlist). From this unified model all the pairwise test are performed (aka each unique combination of condition_1 and condition_2 columns of the isoformFeatures entry of the supplied switchAnalyzeRlist are tested individually). This is only suitable if a certain overlap between conditions are expected which means if you are analyzing very different conditions it is probably better to remove particular comparisons or make two separate analysis (eg. Brain vs Brain cancer vs liver vs liver cancer should probably be analyzed as two separate switchAnalyzeRlists whereas WT vs KD1 vs KD2 should be one switchAnalyzeRlists). Note that this is not a problem if the test is performed with isoformSwitchTest().

The result of the testIntegration (see arguments and below) is only applied to the isoformFeatures entry of the switchAnalyzeRlist. The full DRIMSeq analysis is unmodified and added to the isoformSwitchAnalysis entry of the switchAnalyzeRlist.

The testIntegration integration works as follows:

- 'isoform_only' : Only the FDR adjusted P-values of the isoform level test are used. This is the default since we believe that if an isoform is significant and the effect size is large then the overall effect on the gene should be considered even if the overall gene analysis is not significant.
- 'gene_only' : Only the FDR adjusted P-values of the gene level test are used. Isoform level data are not used.
- 'intersect' : The FDR adjusted P-values of the isoform level test are used for cases where the gene level FDR adjusted P-values is smaller than or equal to the smallest FDR adjusted P-values of all associated isoform.

A 'union' option is not supported due to the loss of False Discovery Rate that would lead to.

To use the dmPrecisionArgs, dmFitArgs, dmTestArgs arguments a named list should simply be supplied - so if you want to modify the 'prec_subset' argument in the dmPrecision() function you should supply dmPrecisionArgs=list(prec_subset=x) where x is the value you want to pass to the 'prec_subset' argument.

Please note that: 1) DRIMSeq approach depends on the filtering on the data since if too many lowly expressed transcripts are included the gene precision cannot be calculated. Therefore if you think too few genes have been tested you can try to make a more strict filtering with the preFilter() function. 2) DRIMSeq can be a bit slow for large comparisons (testing of many isoforms) and 0.5-1 hour per comparison is not unusual.

Value

A switchAnalyzeRlist where the following have been modified:

- 1: Two columns, isoform_switch_q_value and gene_switch_q_value in the isoformFeatures entry have been filled out summarizing the result of the above described test as affected by the testIntegration argument.
- 2: A data.frame containing the details of the analysis have been added (called 'isoform-SwitchAnalysis').

The data.frame added have one row per isoform per comparison of condition and contains the following columns:

- iso_ref : A unique reference to a specific isoform in a specific comparison of conditions. Enables easy handles to integrate data from all the parts of a switchAnalyzeRlist.
- gene_ref : A unique reference to a specific gene in a specific comparison of conditions. Enables easy handles to integrate data from all the parts of a switchAnalyzeRlist.
- isoform_id: The name of the isoform analyzed. Matches the 'isoform_id' entry in the 'isoformFeatures' entry of the switchAnalyzeRlist
- gene_lr: likelihood ratio statistics based on the DM model.
- gene_df: Degrees of freedom
- gene_p_value: Gene level P-values.
- gene_q_value: Gene level False Discovery Rate (FDR) corrected P-values (q-values).
- iso_lr: likelihood ratio statistics based on the BB model.
- iso_df: Degrees of freedom
- iso_p_value: Isoform level P-values.
- iso_q_value: Isoform level False Discovery Rate (FDR) corrected P-values (q-values).

Author(s)

Kristoffer Vitting-Seerup

References

- Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).
- Nowicka, M., & Robinson, M. D. (2016). DRIMSeq: a Dirichlet-multinomial framework for multivariate count outcomes in genomics. F1000Research, 5(0), 1356. <https://doi.org/10.12688/f1000research.8900>

See Also

[preFilter](#)
[extractSwitchSummary](#)
[extractTopSwitches](#)
[dmPrecision](#)
[dmFit](#)
[dmTest](#)

Examples

```

### Example data
cuffDB <- prepareCuffExample()
isoRepCount <- repCountMatrix(isoforms(cuffDB))
isoRepCount$isoform_id <- rownames(isoRepCount)

designMatrix <- cummeRbund::replicates(cuffDB)[,c('rep_name','sample_name')]
colnames(designMatrix) <- c('sampleID','condition')

localAnnotaion <- import(system.file("extdata/chr1_snippet.gtf", package="cummeRbund"))[,c('transcript_id',
colnames(localAnnotaion@elementMetadata)[1] <- 'isoform_id'

### Make swtichAnalyzeRlist
switchAnalyzeRlist <- importRdata(
  isoformCountMatrix=isoRepCount,
  designMatrix=designMatrix,
  isoformExonAnnoation=localAnnotaion
)

### Filter with very strict cutoffs to enable short runtime
switchAnalyzeRlistAnalyzed <- preFilter(
  switchAnalyzeRlist = switchAnalyzeRlist,
  isoformExpressionCutoff = 10,
  IFcutoff = 0.3,
  geneExpressionCutoff = 50
)
switchAnalyzeRlistAnalyzed <- subsetSwitchAnalyzeRlist(
  switchAnalyzeRlistAnalyzed,
  switchAnalyzeRlistAnalyzed$isoformFeatures$condition_1 == 'hESC'
)

### Test isoform swtiches
switchAnalyzeRlistAnalyzed <- isoformSwitchTestDRIMSeq(switchAnalyzeRlistAnalyzed)

# extract summary of number of switching features
extractSwitchSummary(switchAnalyzeRlistAnalyzed)

```

isoformToGeneExp

Summarize isoform expression to gene level expression.

Description

Extract a data.frame with (mean) gene expression, isoform expression or Isoform Fraction values for all conditions (columns) from a switchAnalyzeRlist.

Usage

```

isoformToGeneExp(
  isoRepExpWithGeneId,
  showProgress = TRUE,
  quiet = FALSE
)

```

Arguments

isoRepExpWithGeneId	A isoform expression matrix which in addition to expression columns contain two columns 'isoform_id' and 'gene_id' indicating which isoforms are a part of which gene.
showProgress	A logic indicating whether to make a progress bar (if TRUE) or not (if FALSE). Default is TRUE.
quiet	A logic indicating whether to avoid printing progress messages. Default is FALSE

Details

This is just specialized function that is a lot faster than general purpose functions such as ddplyr.

Value

This function returns a data.frame where the first column is the gene id followed by the gene expression in all samples.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

Examples

```
### Construct data needed from example data in cummeRbund package
### (The recommended way of analyzing Cufflinks/Cuffdiff data is via importCufflinksCummeRbund
### This is just an easy way to get some example data ).
cuffDB <- prepareCuffExample()

isoRepCount <- repCountMatrix(isoforms(cuffDB))
isoRepCount$isoform_id <- rownames(isoRepCount)

### add gene info
localAnnotation <- import(system.file("extdata/chr1_snippet.gtf", package="cummeRbund"))[,c('transcript_id',
colnames(localAnnotation@elementMetadata)[1] <- 'isoform_id'

isoRepCount$gene_id <- localAnnotation$gene_id[match(
  isoRepCount$isoform_id , localAnnotation$isoform_id
)]

### Summarize to gene level
geneRepCount <- isoformToGeneExp(isoRepCount)
```

```
preFilter
```

Filtering of a switchAnalyzeRlist

Description

This function removes genes/isoforms from a switchAnalyzeRlist with the aim of allowing faster processing time as well as more trustworthy results.

Usage

```
preFilter(
  switchAnalyzeRlist,
  geneExpressionCutoff = 1,
  isoformExpressionCutoff = 0,
  IFcutoff=0.01,
  acceptedIsoformClassCode = NULL,
  removeSingleIsoformGenes = TRUE,
  reduceToSwitchingGenes=FALSE,
  keepIsoformInAllConditions=FALSE,
  alpha=0.05,
  dIFcutoff = 0.1,
  quiet=FALSE
)
```

Arguments

switchAnalyzeRlist

A switchAnalyzeRlist object.

geneExpressionCutoff

The expression cutoff (most likely in RPKM/FPKM) which genes must be expressed more than, in at least one conditions of a comparison. NULL disables the filter. Default is 1 FPKM/TPM/RPKM.).

isoformExpressionCutoff

The expression cutoff (most likely in RPKM/FPKM) which isoforms must be expressed more than, in at least one conditions of a comparison. NULL disables the filter. Default is 0 (which removes completely unused isoforms).

IFcutoff

The cutoff on isoform usage (measured as Isoform Fraction, see details) which isoforms must be used more than in at least one conditions of a comparison. NULL disables the filter. Default is 0 (which removes non-contributing isoforms).

acceptedIsoformClassCode

A vector of strings indicating which cufflinks class codes are accepted. Can only be used if data origins from cufflinks. For an updated list with full description see <http://cole-trapnell-lab.github.io/cufflinks/cuffcompare/#transfrag-class-cod>. Set to NULL to disable. Default is NULL.

removeSingleIsoformGenes

A logic indicating whether to only keep genes containing more than one isoform (in any comparison, after the other filters have been applied). Default is TRUE.

reduceToSwitchingGenes	A logic indicating whether the switchAnalyzeRlist should be reduced to the genes which contains significant switching (as indicated by the alpha and dIFcutoff parameters). Enabling this will make the downstream analysis a lot faster since fewer genes needs to be analyzed. Requires a test of isoform switches have been performed. Default is FALSE.
keepIsoformInAllConditions	A logic indicating whether the an isoform should be kept in all comparisons even if it is only passes the filters in one comparison. Defalt is FALSE.
alpha	The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Only considered if reduceToSwitchingGenes=TRUE. Defuault is 0.05.
dIFcutoff	The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Only considered if reduceToSwitchingGenes=TRUE. Default is 0.1 (10%).
quiet	A logic indicating whether to avoid printing progress messages. Default is FALSE

Details

The filtering works by first requiring that the average isoforms/genes expression/usage accross all samples is expressed above the cutoffs supplied, then the data is filtered for isoform classes and lastly for single-isoform genes.

Especially the filter for gene expression can be important since a fundamental problem with the IF values (calculated as $\langle \text{isoform_exp} \rangle / \langle \text{gene_exp} \rangle$) is when the gene expression is low it causes the IF measure to loose precision. This can easily be illustrated with the following example: Lets consider a gene with two isoforms which are expressed so they contribute to the gene expression with 73.3% and 26.7%, if we have 100 RNA-seq reads to describe these the problem is easy and we recapitulate the 73%/27% ratio. If we only have 10 reads the measurements get a little more inaccurate since the estimates now will be 70% vs 30%. If the gene is even lower expressed say 5 reads the estimates become 80%/20%. Therefore we want to filter out these genes.

Value

A switchAnalyzeRlist object where the genes and isoforms not passing the filters have been removed (from all annotated entries)

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

```
createSwitchAnalyzeRlist  
importCufflinksCummeRbund  
importCufflinksFiles
```

Examples

```
data("exampleSwitchList")  
exampleSwitchListFiltered <- preFilter(exampleSwitchList, geneExpressionCutoff = 1, isoformExpressionCutoff
```

```
prepareCuffExample      Prepare the Cufflinks example data
```

Description

Prepare the Cufflinks example data set.

Usage

```
prepareCuffExample()
```

Details

This helper function prepares the Cufflinks example dataset, including the example GTF-file.

Value

A CuffSet object.

Author(s)

Kristoffer Vitting-Seerup, Johannes Waage

References

Vitting-Seerup K , Porse BT, Sandelin A, Waage J. (2014) spliceR: an R package for classification of alternative splicing and prediction of coding potential from RNA-seq data. BMC Bioinformatics 15:81.

Examples

```
#Load cufflinks example data  
cuffDB <- prepareCuffExample()
```

subsetSwitchAnalyzeRlist

A function which subset all enteries in a switchAnalyzeRlist.

Description

This function allows the user to remove data from all enteries in a switchAnalyzeRlist about isoforms that are no longer of interest.

Usage

```
subsetSwitchAnalyzeRlist(  
  switchAnalyzeRlist,  
  subset  
)
```

Arguments

switchAnalyzeRlist	A switchAnalyzeRlist object.
subset	logical expression indicating which rows in the isoformFeatures entry should be keep. The rest of the switchAnalyzeRlist is then reduced to only contain the matching information.

Value

A SwitchAnalyzeRlist only containing information about the isoforms (in their specific comparisons) indicated with TRUE in the .

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[createSwitchAnalyzeRlist](#)
[preFilter](#)

Description

This function enables a full analysis of a specific gene containing an isoform switch (with functional consequences) by creating a composite plot visualizing 1) The isoform structure along with the concatenated annotations (including transcript classification, ORF, Coding Potential, NMD sensitivity, annotated protein domains as well as annotated signal peptides) 2) gene and isoform expression and 3) isoform usage - including the result of the isoform switch test.

Usage

```
switchPlot(
  switchAnalyzeRlist = NULL,
  gene = NULL,
  isoform_id = NULL,
  condition1,
  condition2,
  IFcutoff=0,
  rescaleTranscripts = TRUE,
  reverseMinus = TRUE,
  addErrorbars = TRUE,
  logYaxis=FALSE,
  localTheme = theme_bw(base_size = 8),
  additionalArguments = list()
)
```

Arguments

switchAnalyzeRlist	A switchAnalyzeRlist object containing all the analysis to be included (e.g. if protein domains should be visualized they should be annotated in the switchAnalyzeRlist object (via analyzePFAM))
gene	Either the gene_id or the gene name of the gene to plot, alternatively one can use the isoform_id argument to supply a vector of isoform_ids.
isoform_id	Vector of id indicating which isoforms (from the same gene) to plot, alternatively one can use the gene_id argument to plot all isoforms of a gene.
condition1	First condition of the comparison to analyze. Must match 'condition_1' in the 'isoformFeatures' entry of the switchAnalyzeRlist. Only needed if more than one comparison is analyzed.
condition2	Second condition of the comparison to analyze. Must match 'condition_2' in the 'isoformFeatures' entry of the switchAnalyzeRlist. Only needed if more than one comparison is analyzed.
IFcutoff	The cutoff used for the minimum contribution to gene expression (in at least one condition) for an isoforms must have to be plotted (measured as Isoform Fraction (IF) values). Default is 0 (which removes non-expressed isoforms).

rescaleTranscripts

A Logical indicating whether all the isoforms should be rescaled to the square-root of their original sizes. This feature is implemented because introns usually are much larger than exons making it difficult to see structural changes. This is very usefull for structural visualization but the scaling might distort actual intron and exon sizes. Default is TRUE.

reverseMinus

A logic indicating whether isoforms on minus strand should be inverted so they are visualized as going from left to right instead of right to left. (Only affects minus strand isoforms). Default is TRUE

addErrorbars

A logic indicating whether error bars should be added to the expression plots to show uncertainty in estimates (recomended). By default the error-bars indicate 95% confidence intervals, see ?switchPlotGeneExp for more information and additional options (that can be passed via additionalArguments. Default is TRUE.

logYaxis

A logical indicating whether the y-axis of gene and isoform expression sub-plots should be log10 transformed. Default is FALSE.

localTheme

General ggplot2 theme with which the plot is made, see ?ggplot2::theme for more info. Default is theme_bw().

additionalArguments

A named list arguments passed to the functions switchPlotTranscript, switchPlotGeneExp, switchPlotIsoExp, and switchPlotIsoUsage which each creates a subset of the Isoform Switch Analysis Plot. This enable further customization of the plots. The name of the list entries must correspond to the corresponding argument in the subfunction.

Details

The isoform switch analysis plot is a plot contains all the information necessary to judge the importance of a gene with isoform switching, and contains information about from expression levels, switch size as well as the annotation of the isoform differences.

The gene expression, isoform expression and isoform usage plots are generated by switchPlotGeneExp, switchPlotIsoExp and switchPlotIsoUsage respectively. The plot of the transcript structure along with all the annotation is done with switchPlotTranscript.

Changes in isoform usage are measure as the difference in isoform fraction (dIF) values, where isoform fraction (IF) values are calculated as $\langle \text{isoform_exp} \rangle / \langle \text{gene_exp} \rangle$.

Value

A isoform switch analysis plot

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[isoformSwitchTest](#)
[switchPlotTranscript](#)
[switchPlotGeneExp](#)
[switchPlotIsoExp](#)
[switchPlotIsoUsage](#)
[switchPlotTopSwitches](#)

Examples

```

### Prepare for plotting
data("exampleSwitchListAnalyzed")

mostSwitchingGene <- extractTopSwitches(
  exampleSwitchListAnalyzed,
  filterForConsequences = TRUE,
  n = 1
)

### Make isoform Switch Analysis Plot
switchPlot(
  switchAnalyzeRlist = exampleSwitchListAnalyzed,
  gene = mostSwitchingGene$gene_id,
  condition1 = mostSwitchingGene$condition_1,
  condition2 = mostSwitchingGene$condition_2
)

```

switchPlotFeatureExp *Plots for Analyzing Expression and Isoform Usage*

Description

Together these three plots enables visualization of gene expression, isoform expression as well as isoform usage.

Usage

```

switchPlotGeneExp(
  switchAnalyzeRlist = NULL,
  gene = NULL,
  condition1 = NULL,
  condition2 = NULL,
  addErrorbars = TRUE,
  confidenceIntervalErrorbars = TRUE,
  confidenceInterval = 0.95,
  alphas = c(0.05, 0.001),
  logYaxis=FALSE,
  extendFactor = 0.05,
  localTheme = theme_bw()
)

switchPlotIsoExp(

```

```

switchAnalyzeRlist = NULL,
gene=NULL,
isoform_id = NULL,
condition1 = NULL,
condition2 = NULL,
IFcutoff=0,
addErrorbars = TRUE,
confidenceIntervalErrorbars = TRUE,
confidenceInterval = 0.95,
alphas = c(0.05, 0.001),
logYaxis=FALSE,
extendFactor = 0.05,
localTheme = theme_bw()
)

switchPlotIsoUsage(
  switchAnalyzeRlist = NULL,
  gene=NULL,
  isoform_id = NULL,
  condition1 = NULL,
  condition2 = NULL,
  IFcutoff=0,
  addErrorbars = TRUE,
  confidenceIntervalErrorbars = TRUE,
  confidenceInterval = 0.95,
  alphas = c(0.05, 0.001),
  extendFactor = 0.05,
  localTheme = theme_bw()
)

```

Arguments

switchAnalyzeRlist	A switchAnalyzeRlist object
gene	The gene_id or the gene name of the gene to plot. If not supplied 'isoform_id' must be supplied.
isoform_id	Vector of id indicating which isoforms (from the same gene) to plot. If not supplied 'gene' must be supplied.
condition1	First condition of the comparison to analyze. Must match 'condition_1' in the 'isoformFeatures' entry of the switchAnalyzeRlist. Only needed if more than one comparison is analyzed.
condition2	Second condition of the comparison to analyze. Must match 'condition_2' in the 'isoformFeatures' entry of the switchAnalyzeRlist. Only needed if more than one comparison is analyzed.
IFcutoff	The cutoff which the Isoform Fraction (IF) value (in at least one condition) must be larger than for a isoforms to be plotted. Default is 0 (which removes non-expressed isoforms).
addErrorbars	A logic indicating whether error bars should be added to the expression plots to show uncertainty in estimates (recommended). Default is TRUE.
confidenceIntervalErrorbars	A logic indicating whether error bars should be given as confidence intervals (if TRUE)(recommended) or standard error of mean (if FALSE). Default is TRUE.

confidenceInterval	The confidence level used in the confidence intervals if confidenceIntervalError-bars is enabled. Default is 0.95 corresponding to 95% (recommended).
alphas	A numeric vector of length two giving the significance levels represented in plots. The numbers indicate the q-value cutoff for significant (*) and highly significant (***) respectively. Default 0.05 and 0.001 which should be interpret as $q < 0.05$ and $q < 0.001$ respectively). If q-values are higher than this they will be annotated as 'ns' (not significant).
logYaxis	A logical indicating whether the y-axis of the plot should be log10 transformed (a pseudocount of 1 will be added to avoid large negative values). Default is FALSE.
extendFactor	A numeric controlling the distance (as fraction of expression) between the bars indicating the expression values and the indications of significance. Default is 0.1
localTheme	General ggplot2 theme with which the plot is made, see <code>?ggplot2::theme</code> for more info. Default is <code>theme_bw()</code> .

Details

Changes in isoform usage are measure as the difference in isoform fraction (dIF) values, where isoform fraction (IF) values are calculated as $\langle \text{isoform_exp} \rangle / \langle \text{gene_exp} \rangle$.

Note that the bar indicating significance levels will only be shown if the analysis have been performed (if the q-values are not NA).

Value

- `switchPlotGeneExp` : Generates a gene expression plot which also indicates whether the gene are differentially expressed between the two conditions
- `switchPlotIsoExp` : Generates a isoform expression plot which also indicates whether the isoforms are differentially expressed between the two conditions
- `switchPlotIsoUsage` : Plots the changes in isoform usage (given by IF the values) along with the significance of the change in isoform usage of each isoform. Requires that the result of a differential isoform usage analysis have been performed (for example via [isoformSwitchTest](#)).

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[isoformSwitchTest](#)
[switchPlotTranscript](#)
[switchPlot](#)

Examples

```

### Prepare for plotting
data("exampleSwitchListAnalyzed")

mostSwitchingGene <- extractTopSwitches(
  exampleSwitchListAnalyzed,
  filterForConsequences = TRUE,
  n = 1
)

### Plot expression
switchPlotGeneExp(
  exampleSwitchListAnalyzed,
  gene = mostSwitchingGene$gene_id,
  condition1 = mostSwitchingGene$condition_1,
  condition2 = mostSwitchingGene$condition_2
)

switchPlotIsoExp(
  exampleSwitchListAnalyzed,
  gene = mostSwitchingGene$gene_id,
  condition1 = mostSwitchingGene$condition_1,
  condition2 = mostSwitchingGene$condition_2
)

switchPlotIsoUsage(
  exampleSwitchListAnalyzed,
  gene = mostSwitchingGene$gene_id,
  condition1 = mostSwitchingGene$condition_1,
  condition2 = mostSwitchingGene$condition_2
)

```

switchPlotTopSwitches *Creating the Isoform Switch Analysis Plot for the Top Switches*

Description

This function outputs the top n (defined by n) Isoform Switch Analysis Plot (see [switchPlot](#)) for genes with significant isoform switches (as defined by alpha and dIFcutoff) to a specific folder (controlled by pathToOutput). The plots are automatically sorted by decreasing significance or switch size (as controlled by sortByQvals). The plots can furthermore be created in sub-folders based both which conditions are compared and whether any consequences of the switch have been predicted. In summary it facilitates an easy and prioritized, (but comprehensive), manual analysis of isoform switches.

Usage

```

switchPlotTopSwitches(
  switchAnalyzeRlist,
  alpha = 0.05,
  dIFcutoff = 0.1,
  n=10,
  sortByQvals=TRUE,

```



```

filterForConsequences = FALSE,
pathToOutput = getwd(),
splitComparison=TRUE,
splitFunctionalConsequences = TRUE,
IFcutoff=0,
fileType = "pdf",
additionalArguments=list(),
quiet=FALSE
)

```

Arguments

switchAnalyzeRlist

A switchAnalyzeRlist containing all the annotation for the isoforms.

alpha

The cutoff which the (calibrated) fdr correct p-values must be smaller than for calling significant switches. Default is 0.05.

dIFcutoff

The cutoff which the changes in (absolute) isoform usage must be larger than before an isoform is considered switching. This cutoff can remove cases where isoforms with (very) low dIF values are deemed significant and thereby included in the downstream analysis. This cutoff is analogous to having a cutoff on log2 fold change in a normal differential expression analysis of genes to ensure the genes have a certain effect size. Default is 0.1 (10%).

n

The number of top genes (after filtering and sorted according to sortByQvals) that should be generated in each subfolder indicated by splitComparison, splitFunctionalConsequences. Use NA to create all. Default is 10.

sortByQvals

A logic indicating whether the top n features are sorted by decreasing significance (increasing q-values) (if sortByQvals=TRUE) or decreasing switch size (absolute dIF, which are still significant as defined by alpha) (if sortByQvals=FALSE). The dIF values for genes are considered as the total change within the gene calculated as $\text{sum}(\text{abs}(\text{dIF}))$ for each gene. Default is TRUE (sort by p-values).

filterForConsequences

A logic indicating whether to only plot gene with predicted consequences of the isoform switch. Requires that predicted consequences have been annotated (via [analyzeSwitchConsequences](#)). Default is FALSE.

pathToOutput

A path to the folder in which the plots should be made. Default is working directory (getwd()).

splitComparison

A logic indicating whether to create a subfolder for each comparison. If splitComparison is TRUE the subfolders will be created else all isoform switch analyzer plots will be saved in the same folder. Default is TRUE.

splitFunctionalConsequences

A logic indicating whether to create a subfolder for those switches with predicted consequences and another subfolder for those without. Requires that [analyzeSwitchConsequences](#) have been run. If splitComparison=TRUE the subfolders from this argument will be created within the comparison subfolders. Default is TRUE.

IFcutoff

The cutoff used for the minimum contribution to gene expression (in at least one condition) an isoforms must have to be plotted (measured as Isoform Fraction (IF) values). Default is 0 (which removes isoforms not contributing in any of the conditions).

fileType	A string indicating which file type is generated. Available are options are 'pdf' and 'png'. Default is pdf.
additionalArguments	A named list arguments passed to the switchPlot function which creates the individual Isoform Switch Analysis Plots. The name of the list entries must correspond to the corresponding argument in the switchPlot function.
quiet	A logic indicating whether to avoid printing progress messages. Default is FALSE

Details

Changes in isoform usage are measure as the difference in isoform fraction (dIF) values, where isoform fraction (IF) values are calculated as $\langle \text{isoform_exp} \rangle / \langle \text{gene_exp} \rangle$.

For a list of the top swiching genes see ?extractTopSwitches.

Value

An Isoform Switch Analysis Plot (as produce by switchPlot) for each of the top n switches in each comparison where a gene have a significant isoform switch is generated in the folder supplied by pathToOutput

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. Mol. Cancer Res. (2017).

See Also

[switchPlot](#)
[analyzeSwitchConsequences](#)

switchPlotTranscript *Plot Transcript Structure and Annoation*

Description

This function plots the transcript structure of all (or selected) isoforms from a gene along with all the annotation added to the switchAnalyzeRlist including transcript classification, ORF, Coding Potential, NMD sensitivity, annotated protein domains as well as annotated signal peptides.

Usage

```

switchPlotTranscript(
  switchAnalyzeRlist = NULL,
  gene = NULL,
  isoform_id = NULL,
  rescaleTranscripts = TRUE,
  plotXaxis = !rescaleTranscripts,
  reverseMinus = TRUE,
  ifMultipleIdenticalAnnotation = "summarize",
  rectHegith = 0.2,
  codingWidthFactor = 2,
  nrArrows = 20,
  arrowSize = 0.2,
  optimizeForCombinedPlot = FALSE,
  condition1 = NULL,
  condition2 = NULL,
  localTheme = theme_bw(),
  plot = TRUE
)

```

Arguments

- switchAnalyzeRlist** A switchAnalyzeRlist object where the ORF is annotated (for example via [analyzeORF](#)).
- gene** Either the gene_id or the gene name of the gene to plot, alternatively one can use the isoform_id argument to supply a vector of isoform_ids.
- isoform_id** A vector of the id(s) of which isoform(s) (from the same gene) to plot, alternatively one can use the gene_id argument to plot all isoforms of a gene.
- rescaleTranscripts** A Logical indicating whether all the isoforms should be rescaled to the square-root of their original sizes. This feature is implemented because introns usually are much larger than exons making it difficult to see structural changes. This is very usefull for structural visualization but the scaling might distort actual intron and exon sizes. Default is TRUE.
- plotXaxis** A logical indicating whether x-axis should be shown. Default is the opposite of the rescaleTranscripts (meaning FALSE when rescale is TRUE and vice versa).
- reverseMinus** A logic indicating whether isoforms on minus strand should be inverted so they are visualized as going from left to right instead of right to left. (Only affects minus strand isoforms). Default is TRUE
- ifMultipleIdenticalAnnotation** This argument determines how to visually handle if multiple instances of the same domain is found, the options are A) `'summarize'` which will assign one color to all the domains (and adding the number of domains in a bracket in the legend). B) `'number'` which will add a number to each domain and give each domain a seperate color. Default is `'summarize'`.
- rectHegith** When drawing the transcripts what should be the size of the non-coding (and UTR) regions (if the total height of a transcript is larger than 1 they start to overlap).

codingWidthFactor	The number deciding the width of the coding regions compared to the non-coding (as a fraction of the non-coding). A number larger than 1 will result in coding regions being thicker than non-coding regions.
nrArrows	An integer controlling the number of arrows drawn in the intron of transcripts. Given as the number of arrows a hypothetical intron spanning the whole plot window should have (if you get no arrows increase this value). Default is 20.
arrowSize	The size of arrowhead drawn in the intron of transcripts. Default is 0.2
optimizeForCombinedPlot	A logic indicating whether to optimize for use with switchPlot(). Default is FALSE
condition1	First condition of the comparison to analyze must be the name used in the switchAnalyzeRlist. Only needed if optimizeForCombinedPlot=TRUE and more than one comparisons is analyzed.
condition2	Second condition of the comparison to analyze, must be the name used in the switchAnalyzeRlist. Only needed if optimizeForCombinedPlot=TRUE and more than one comparisons is analyzed.
localTheme	General ggplot2 theme with which the plot is made, see ?ggplot2::theme for more info. Default is theme_bw().
plot	A Logical indicating whether the final plot should be plotted (TRUE) or returned (FALSE). Default is TRUE.

Details

This function generates a plot visualizing all the annotation for the transcripts gathered. The plot supports visualization of:

- **ORF** : Making the ORF part of the transcript thicker. Requires that ORF have been annotated (fx. via analyzeORF).
 - **Coding Potential / NMD** : The transcripts will be plotted in 3 categories: 'Coding', 'Non-coding' and 'NMD-sensitive'. The annotation of 'Coding' and 'Non-coding' requires the result of an external CPAT analysis have been added with analyzeCPAT. The NMD sensitivity is added by the analyzeORF.
 - **Protein domains** : By coloring the part of the ORF containing the protein domains. Requires the result of an external Pfam analysis have been added with analyzePFAM).
 - **Signal Peptide** : By coloring the part of the ORF containing the signal peptide. Requires the result of an external SignalIP analysis have been added with analyzeSignalP).
- Transcript status** : Specificly from data imported from cufflinks/cuffdiff. The status (class code) of the transcript is added in brackets after the transcript name.

Value

- If plot=TRUE : Plots the visualization described in the details section
- If plot=FALSE : Returns the gg object which can then be modified or plotted in a different setting.

Author(s)

Kristoffer Vitting-Seerup

References

Vitting-Seerup et al. The Landscape of Isoform Switches in Human Cancers. *Mol. Cancer Res.* (2017).

See Also

[analyzeORF](#)
[analyzeCPAT](#)
[analyzePFAM](#)
[analyzeSignalP](#)

Examples

```
### Prepare for plotting
data("exampleSwitchListAnalyzed")

mostSwitchingGene <- extractTopSwitches(
  exampleSwitchListAnalyzed,
  filterForConsequences = TRUE,
  n = 1
)

### Plot transcript structure
switchPlotTranscript(exampleSwitchListAnalyzed, gene = mostSwitchingGene$gene_id)
```

Index

- *Topic **classes**
 - CDSSet, 20
- *Topic **datasets**
 - exampleData, 25
- analyzeAlternativeSplicing, 3, 34, 43, 45, 48, 50, 77
- analyzeCPAT, 4, 7, 9, 19, 34, 40, 77, 101
- analyzeIntronRetention
 - (analyzeAlternativeSplicing), 3
- analyzeORF, 6, 19, 21, 34, 38, 40, 56, 71, 72, 74, 75, 99, 101
- analyzePFAM, 9, 19, 34, 40, 77, 91, 101
- analyzeSignalP, 11, 19, 34, 40, 77, 101
- analyzeSwitchConsequences, 6, 11, 13, 13, 28, 30, 34–36, 52, 53, 55, 71, 72, 76, 77, 97, 98
- CDSSet, 20, 56
- CDSSet-class (CDSSet), 20
- createSwitchAnalyzeRlist, 6, 9, 11, 13, 21, 58, 60, 62, 65, 67, 68, 76, 89, 90
- dmFit, 84
- dmPrecision, 84
- dmTest, 84
- exampleData, 25
- exampleSwitchList (exampleData), 25
- exampleSwitchListAnalyzed
 - (exampleData), 25
- exampleSwitchListIntermediary
 - (exampleData), 25
- extractCalibrationStatus, 26
- extractConsequenceEnrichment, 19, 27, 30, 34, 36
- extractConsequenceEnrichmentComparison, 19, 28, 29, 34, 36
- extractConsequenceGenomeWide, 19, 28, 30, 30, 36
- extractConsequenceSummary, 19, 34
- extractExpressionMatrix, 36
- extractGenomeWideAnalysis
 - (extractConsequenceGenomeWide), 30
- extractSequence, 6, 9, 11, 13, 25, 38, 71, 75
- extractSplicingEnrichment, 4, 41, 45, 48, 50
- extractSplicingEnrichmentComparison, 4, 43, 43, 48, 50
- extractSplicingGenomeWide, 4, 43, 45, 46, 50
- extractSplicingSummary, 4, 43, 45, 48, 48
- extractSwitchOverlap, 51, 53
- extractSwitchSummary, 28, 30, 52, 52, 72, 77, 81, 84
- extractTopSwitches, 52, 53, 53, 81, 84
- getCDS, 21, 55
- importCufflinksCummeRbund, 22, 24, 56, 60, 71, 74, 89
- importCufflinksFiles, 22, 24, 58, 58, 89
- importGTF, 24, 60
- importIsoformExpression, 24, 63, 68
- importRdata, 22, 24, 60, 65, 65
- isoformSwitchAnalysisCombined, 69
- isoformSwitchAnalysisPart1, 72, 72, 75
- isoformSwitchAnalysisPart2, 72, 75
- isoformSwitchTest, 9, 14, 27, 32, 34, 40, 42, 44, 47, 49, 52, 53, 55, 70–73, 75, 78, 93, 95
- isoformSwitchTestDRIMSeq, 70, 73, 81
- isoformToGeneExp, 85
- preFilter, 9, 52, 53, 55, 58, 60, 62, 65, 68, 71, 72, 74, 75, 81, 84, 87, 90
- prepareCuffExample, 89
- readCufflinks, 24, 58
- subsetSwitchAnalyzeRlist, 90
- switchAnalyzeRlist, 40
- switchAnalyzeRlist
 - (createSwitchAnalyzeRlist), 21
- switchAnalyzeRlist-class
 - (createSwitchAnalyzeRlist), 21
- switchPlot, 71, 77, 91, 95, 96, 98
- switchPlotFeatureExp, 93
- switchPlotGeneExp, 93

switchPlotGeneExp
 ([switchPlotFeatureExp](#)), [93](#)
switchPlotIsoExp, [93](#)
switchPlotIsoExp
 ([switchPlotFeatureExp](#)), [93](#)
switchPlotIsoUsage, [93](#)
switchPlotIsoUsage
 ([switchPlotFeatureExp](#)), [93](#)
switchPlotTopSwitches, [72](#), [77](#), [93](#), [96](#)
switchPlotTranscript, [93](#), [95](#), [98](#)